



Camp

PHENOM 100EV

S/N 50000396 T7-LBH

OWNER: [REDACTED]

OPERATOR: [REDACTED]

ADDRESS: [REDACTED]

ADDRESS: [REDACTED]

OFFICE: [REDACTED]

OFFICE: [REDACTED]

FAX: [REDACTED]

FAX: [REDACTED]

ANALYST: MARIUS BEGUE

+33 (0) 1.55.93.45.80 (OFFICE)

PLEASE REACH OUT TO YOUR ANALYST TO
RECORD CHANGES TO ADDRESS, LAST ACTUALS
(IF ANY).

EMAIL: MARIUS.BEGUE@CAMPSYSTEMS.EU

+33 (0) 1.53.01.66.18 (EFAX-CARDS)

WWW.CAMPSYSTEMS.COM

AIRCRAFT	SERIAL/REGNO: 50000396/T7-LBH	MODEL: PHENOM 100EV	MANUFACTURER: EMBRAER
----------	-------------------------------	---------------------	-----------------------

CERTIFICATION DATE: 22-JUN-2018

LAST ACTUALS:

655.4 A/C HRS as of 01-NOV-2023

544 AFL as of 01-NOV-2023

ENGINE NO. 1	SERIAL/PART: PCE-LD0041/35C6500-01	MODEL: PW617F1-E	MANUFACTURER: PRATT & WHITNEY CANADA CORP.
--------------	------------------------------------	------------------	--

INSTALLED ON: 22-JUN-2018

LAST ACTUALS:

0 ENG. HRS 0 A/C HRS
0 ENC655.4 ENG. HRS as of 01-NOV-2023
544 ENC as of 01-NOV-2023

ENGINE NO. 2	SERIAL/PART: PCE-LD0042/35C6500-01	MODEL: PW617F1-E	MANUFACTURER: PRATT & WHITNEY CANADA CORP.
--------------	------------------------------------	------------------	--

INSTALLED ON: 22-JUN-2018

LAST ACTUALS:

0 ENG. HRS 0 A/C HRS
0 ENC655.4 ENG. HRS as of 01-NOV-2023
544 ENC as of 01-NOV-2023



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA GENERAL									
ANAC 2016-04-02	INSPECTION OF THE OPERA SOFTWARE CONFIGURATION AND AIRPLANE FLIGHT MANUAL (AFM) LIMITATIONS SECTION REVISION								AD ATA:--
	MOS/MSC	-	22-Jun-18						65
	HRS		0						655.4
	AFL		0						544
ATA 00 - INFORMATION									
00-CUS-01 ^U	REPORT WEIGHT AND BALANCE								Service ATA:00
	MOS/MSC	DUE	06-Jul-23		05-Jul-28 (M)		1688 d	05-Jul-2028	4.5
	HRS								
	AFL								
E617-210614	NO. 1 ENGINE - REVIEW PW617F-E ALM REV 4								Service ATA:00
	MOS/MSC	-	EFF						
	HRS								
	ENC								
PROC. REF: RCF E617									
E617-210614	NO. 2 ENGINE - REVIEW PW617F-E ALM REV 4								Service ATA:00
	MOS/MSC	-	EFF						
	HRS								
	ENC								
PROC. REF: RCF E617									
E617-210901	NO. 1 ENGINE - REVIEW 72-00-00-280-802 AUDIT SUMMARY CHANGE FORM								Service ATA:00
	MOS/MSC	-	EFF						
	HRS								
	ENC								
PROC. REF: RCF E617									
E617-210901	NO. 2 ENGINE - REVIEW 72-00-00-280-802 AUDIT SUMMARY CHANGE FORM								Service ATA:00
	MOS/MSC	-	EFF						
	HRS								
	ENC								
PROC. REF: RCF E617									
E617-220314	NO. 1 ENGINE - REVIEW PW617F-E LMM REV 25.0								Service ATA:00
	MOS/MSC	-	19-May-22						18.1
	HRS								
	ENC								
PROC. REF: RCF E617									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 00 - INFORMATION									
E617-220314	NO. 2 ENGINE - REVIEW PW617F-E LMM REV 25.0								Service ATA:00
	MOS/MSC	-	19-May-22						18.1
	HRS								
	ENC								
PROC. REF: RCF E617									
E617-220919	NO. 1 ENGINE - REVIEW PW617F-E LMM REV 26.0								Service ATA:00
	MOS/MSC	-	25-Oct-22						12.9
	HRS								
	ENC								
PROC. REF: RCF E617									
E617-220919	NO. 2 ENGINE - REVIEW PW617F-E LMM REV 26.0								Service ATA:00
	MOS/MSC	-	25-Oct-22						12.9
	HRS								
	ENC								
PROC. REF: RCF E617									
E617-230320	NO. 1 ENGINE - REVIEW PW617F-E LMM REV 27.0								Service ATA:00
	MOS/MSC	-	12-Apr-23						7.3
	HRS								
	ENC								
PROC. REF: RCF E617									
E617-230320	NO. 2 ENGINE - REVIEW PW617F-E LMM REV 27.0								Service ATA:00
	MOS/MSC	-	12-Apr-23						7.3
	HRS								
	ENC								
PROC. REF: RCF E617									
EM50-200626	REVIEW EMBRAER PHENOM 100 - AMM 2432, SMR REV. 03, DATED JUNE 26TH, 2020								Service ATA:00
	MOS/MSC	-							
	HRS								
	AFL								
PROC. REF: RCF 00									
EM50-210507-CAMP ADJUSTMENT	REVIEW CAMP ADJUSTMENT FORM FOR PHENOM 100, DATED MAY 07, 2021								Service ATA:00
	MOS/MSC	-							
	HRS								
	AFL								
PROC. REF: RCF 00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 00 - INFORMATION									
EM50-211103-SMR	REVIEW EMBRAER PHENOM 100 - AMM 2432, SMR REV. 04, DATED NOV 3, 2021								Service ATA:00
	MOS/MSC	-	EFF						
	HRS								
	AFL								
	PROC. REF: RCF 00								
EM50-220812-CAMP ADJUSTMENT	REVIEW CAMP ADJUSTMENT FORM DATED AUG 12/2022 FOR MODEL EMB-500 - PHENOM 100								Service ATA:00
	MOS/MSC	-	17-Aug-22						15.1
	HRS								
	AFL								
	PROC. REF: RCF 00								
EM50-221017-AWL	REVIEW EMB-500 - PHENOM 100 AIRWORTHINESS LIMITATIONS REV 01 DATED OCT 17, 2022								Service ATA:00
	MOS/MSC	-	02-Nov-22						12.6
	HRS								
	AFL								
	PROC. REF: RCF 00								
EM50-221103-SMR	REVIEW EMB-500 - PHENOM 100 SCHEDULED MAINTENANCE REQUIREMENTS REV 05, DATED NOV 03, 2022								Service ATA:00
	MOS/MSC	-	16-Nov-22						12.2
	HRS								
	AFL								
	PROC. REF: RCF 00								
EM50-230103-CAMP ADJUSTMENT	REVIEW EMB-500 - PHENOM 100 - AUDIT OF ITEM CODES 30-11-04 AND 30-11-04-001, DATED JAN 03, 2023								Service ATA:00
	MOS/MSC	-	11-Jan-23						10.3
	HRS								
	AFL								
	PROC. REF: RCF 00								
EM50-230112-CAMP ADJUSTMENT	REVIEW CAMP ADJUSTMENT FOR EMB-500 - PHENOM 100 - AUDIT OF TASK CODE 32-43-11-002								Service ATA:00
	MOS/MSC	-	23-Jan-23						9.9
	HRS								
	AFL								
	PROC. REF: RCF 00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 00 - INFORMATION									
EM50-230124-CAMP ADJUSTMENT	REVIEW CAMP ADJUSTMENT FORM FOR EMB-500 - PHENOM 100 - AUDIT OF PN TASK 35-31-01								Service ATA:00
	MOS/MSC	-	25-Jan-23						9.9
	HRS								
	AFL								
PROC. REF: RCF 00									
EM50-230526-CAMP ADJUSTMENT	REVIEW CAMP ADJUSTMENT FORM FOR EMB-500 - PHENOM 100 AUDIT OF ITEM CODES 56-11-00, 56-12-00, 56-10-01-002, DATED 26 MAY, 2023								Service ATA:00
	MOS/MSC	-	12-Jun-23						5.3
	HRS								
	AFL								
PROC. REF: RCF -									
EM50-230830-CAMP ADJUSTMENT	REVIEW CAMP ADJUSTMENT FORM DATED AUG 30/2023 FOR EMB-500 - PHENOM 100								Service ATA:00
	MOS/MSC	-	EFF						
	HRS								
	AFL								
PROC. REF: RCF 00									
EM50-231030-SMR	REVIEW EMBRAER EMB-500 - PHENOM 100 AMM - PART III - SCHEDULE MAINTENANCE REQUIREMENTS (SMR) 2432 - CHAPTER 5 REV 06, DATED 30-OCT-2023								Service ATA:00
	MOS/MSC	-	EBT				NEW REQMT		
	HRS								
	AFL								
PROC. REF: RCF 00									
SB 500-00-0001	GENERAL - INSPECTION /INSTALLATION OF CABLE GUARD PINS ON CONTROL CABLES, SERVICE BULLETIN								Bulletin ATA:00
	MOS/MSC	-	22-Jun-18						65
	HRS		0						655.4
	AFL		0						544
SB 500-00-0002	GENERAL - RECONFIGURATION FROM EASA TO ANAC CERTIFICATION REQUIREMENTS, SERVICE BULLETIN								Bulletin ATA:00
	MOS/MSC	-	22-Jun-18						65
	HRS		0						655.4
	AFL		0						544
SB 500-00-0003 REV 01	GENERAL - RECONFIGURATION FROM ANAC TO FAA CERTIFICATIONREQUIREMENTS, SERVICE BULLETIN								Bulletin ATA:00
	MOS/MSC	-	22-Jun-18						65
	HRS		0						655.4
	AFL		0						544

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 00 - INFORMATION									
SB 500-00-0004	GENERAL - RECONFIGURATION FROM FAA TO EASA CERTIFICATION REQUIREMENTS, SERVICE BULLETIN							Bulletin	ATA:00
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-00-0005 REV 14	GENERAL - INCREASE OF THE MZFW (MAXIMUM ZERO FUEL WEIGHT) (SUPERSEDED BY 500-00-0005 REV 15), SERVICE BULLETIN							Bulletin	ATA:00
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-00-0005 REV 15	GENERAL - INCREASE OF THE MZFW (MAXIMUM ZERO FUEL WEIGHT), SERVICE BULLETIN							Bulletin	ATA:00
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-00-0005 REV 16	GENERAL - INCREASE OF THE MZFW (MAXIMUM ZERO FUEL WEIGHT), SERVICE BULLETIN							Bulletin	ATA:00
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-00-0005 REV 17	GENERAL - INCREASE OF THE MZFW (MAXIMUM ZERO FUEL WEIGHT), SERVICE BULLETIN							Bulletin	ATA:00
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-00-0006	GENERAL - RECONFIGURATION FROM EASA TO TCCA CERTIFICATIONREQUIREMENTS, SERVICE BULLETIN							Bulletin	ATA:00
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-00-0007 REV 01	GENERAL - CONVERSION FROM EASA TO FAA CERTIFICATION BASIS REQUIREMENTS, SERVICE BULLETIN							Bulletin	ATA:00
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-00-0007 REV 02	GENERAL - CONVERSION FROM EASA TO FAA CERTIFICATION BASIS REQUIREMENTS, SERVICE BULLETIN							Bulletin	ATA:00
	MOS/MSC	-							
	HRS								
	AFL								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 00 - INFORMATION									
SB 500-00-0007 REV 03	GENERAL - CONVERSION FROM EASA TO FAA CERTIFICATION BASIS REQUIREMENTS, SERVICE BULLETIN							Bulletin	ATA:00
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-00-0007 REV 04	GENERAL - CONVERSION FROM EASA TO FAA CERTIFICATION BASIS REQUIREMENTS, SERVICE BULLETIN							Bulletin	ATA:00
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-00-0007 REV 05	GENERAL - CONVERSION FROM EASA TO FAA CERTIFICATION BASIS REQUIREMENTS, SERVICE BULLETIN							Bulletin	ATA:00
	MOS/MSC	-	05-May-23					6.5	
	HRS		639.9					15.5	
	AFL		529					15	
SB 500-00-0008	GENERAL - INSPECTION OF THE TURNBUCKLES, SERVICE BULLETIN							Bulletin	ATA:00
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-00-0009 REV 06	GENERAL - INSTALLATION OF THE GROUND SPOILER / SPEED BRAKE FUNCTION AND NEW HYDRAULIC SYSTEM, SERVICE BULLETIN							Bulletin	ATA:00
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-00-0010	GENERAL - RECONFIGURATION FROM FAA TO TCCA CERTIFICATION REQUIREMENTS, SERVICE BULLETIN							Bulletin	ATA:00
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-00-0011 REV 01	GENERAL - CONVERSION FROM FAA TO EASA CERTIFICATION BASIS REQUIREMENTS, SERVICE BULLETIN							Bulletin	ATA:00
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-00-0011 REV 02	GENERAL - CONVERSION FROM FAA TO EASA CERTIFICATION BASIS REQUIREMENTS, SERVICE BULLETIN							Bulletin	ATA:00
	MOS/MSC	-							
	HRS								
	AFL								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 00 - INFORMATION									
SB 500-00-0012 REV 03		GENERAL - RECONFIGURATION FROM FAA TO TCCA CERTIFICATION REQUIREMENTS, SERVICE BULLETIN						Bulletin	ATA:00
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-00-0012 REV 04		GENERAL - RECONFIGURATION FROM FAA TO TCCA CERTIFICATION REQUIREMENTS, SERVICE BULLETIN						Bulletin	ATA:00
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-00-0014 REV 01		GENERAL - RECONFIGURATION OF AIRCRAFT FROM ANAC TO FAA TYPE DESIGN, SERVICE BULLETIN						Bulletin	ATA:00
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-00-0015		GENERAL - RECONFIGURATION FROM TCCA TO FAA CERTIFICATION REQUIREMENTS, SERVICE BULLETIN						Bulletin	ATA:00
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-00-0015 REV 01		GENERAL - RECONFIGURATION FROM TCCA TO FAA CERTIFICATION REQUIREMENTS, SERVICE BULLETIN						Bulletin	ATA:00
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-00-0016		GENERAL - RECONFIGURATION OF AIRCRAFT FROM DGCA (INDIA) TO FAA (USA) REGISTRATION, SERVICE BULLETIN						Bulletin	ATA:00
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-00-0017		GENERAL - CONVERSION FROM ANAC TO EASA TYPE DESIGN, SERVICE BULLETIN						Bulletin	ATA:00
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-00-0018 REV 07		GENERAL - DESIGN WEIGHT INCREASE FOR OPERATING RANGE (SUPERSEDED BY 500-00-0018 REV 08), SERVICE BULLETIN						Bulletin	ATA:00
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 00 - INFORMATION									
SB 500-00-0018 REV 08	GENERAL - DESIGN WEIGHT INCREASE FOR OPERATING RANGE (SUPERSEDED BY 500-00-0018 REV 09), SERVICE BULLETIN							Bulletin	ATA:00
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-00-0018 REV 09	GENERAL - DESIGN WEIGHT INCREASE FOR OPERATING RANGE, SERVICE BULLETIN							Bulletin	ATA:00
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-00-0018 REV 10	GENERAL - DESIGN WEIGHT INCREASE FOR OPERATING RANGE, SERVICE BULLETIN							Bulletin	ATA:00
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-00-0018 REV 11	GENERAL - DESIGN WEIGHT INCREASE FOR OPERATING RANGE, SERVICE BULLETIN							Bulletin	ATA:00
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-00-0018 REV 12	GENERAL - DESIGN WEIGHT INCREASE FOR OPERATING RANGE, SERVICE BULLETIN							Bulletin	ATA:00
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-00-0018 REV 13	GENERAL - DESIGN WEIGHT INCREASE FOR OPERATING RANGE, SERVICE BULLETIN							Bulletin	ATA:00
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-00-0018 REV 14	GENERAL - DESIGN WEIGHT INCREASE FOR OPERATING RANGE, SERVICE BULLETIN							Bulletin	ATA:00
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-00-0018 REV 15	GENERAL - DESIGN WEIGHT INCREASE FOR OPERATING RANGE, SERVICE BULLETIN							Bulletin	ATA:00
	MOS/MSC	-							
	HRS								
	AFL								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 00 - INFORMATION									
SB 500-00-0018 REV 16		GENERAL - DESIGN WEIGHT INCREASE FOR OPERATING RANGE, SERVICE BULLETIN						Bulletin	ATA:00
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-00-0018 REV 17		GENERAL - DESIGN WEIGHT INCREASE FOR OPERATING RANGE, SERVICE BULLETIN						Bulletin	ATA:00
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-00-0018 REV 18		GENERAL - DESIGN WEIGHT INCREASE FOR OPERATING RANGE, SERVICE BULLETIN						Bulletin	ATA:00
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-00-0018 REV 19		GENERAL - DESIGN WEIGHT INCREASE FOR OPERATING RANGE, SERVICE BULLETIN						Bulletin	ATA:00
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-00-0019 REV 02		GENERAL - RECONFIGURATION FROM ANAC TO EASA TYPE DESIGN, SERVICE BULLETIN						Bulletin	ATA:00
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-00-0020		GENERAL - REPLACEMENT OF THE PREFIX CODE, SERVICE BULLETIN						Bulletin	ATA:00
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-00-0021		GENERAL - INSTALLATION OF THE MORTGAGE PLACARDS, SERVICE BULLETIN						Bulletin	ATA:00
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-00-0022		GENERAL - EASA TO ANAC CERTIFICATION CONVERSION, SERVICE BULLETIN						Bulletin	ATA:00
	MOS/MSC	-							
	HRS								
	AFL								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 00 - INFORMATION									
SB 500-00-0023	GENERAL - FAA TO ANAC CERTIFICATION CONVERSION, SERVICE BULLETIN								Bulletin ATA:00
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-00-0023 REV 01	GENERAL - FAA TO ANAC CERTIFICATION CONVERSION, SERVICE BULLETIN								Bulletin ATA:00
	MOS/MSC	-	12-Jan-23					10.3	
	HRS								
	AFL								
SB 500-00-0023 REV 02	GENERAL - FAA TO ANAC CERTIFICATION CONVERSION, SERVICE BULLETIN								Bulletin ATA:00
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-00-0023 REV 03	GENERAL - FAA TO ANAC CERTIFICATION CONVERSION, SERVICE BULLETIN								Bulletin ATA:00
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-00-0025	GENERAL - CONVERSION FROM CASA (AUSTRALIA) TO FAA, SERVICE BULLETIN								Bulletin ATA:00
	MOS/MSC	-	23-Dec-22					10.9	
	HRS		639.6					15.8	
	AFL		528					16	
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
05-30-01	800 FH MAINTENANCE PACKAGE								Package ATA:05
	MOS		EFF					16-Feb-2024	
	HRS	800 (+30/-30)	EFF		800 *	830	144.6 (+30)		
	AFL								
PROC. REF: SMR 05-30-01									PKG:1
05-30-10	1600 FH MAINTENANCE PACKAGE								Package ATA:05
	MOS		EFF					17-Jun-2025	
	HRS	1600 (+30/-30)	EFF		1600 *	1630	944.6 (+30)		
	AFL								
PROC. REF: SMR 05-30-10									PKG:10

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
05-30-20	2400 FH MAINTENANCE PACKAGE								Package ATA:05
	MOS		22-Jun-18					17-Oct-2026	65
	HRS	2400 (+30/-30)	0		2400	2430	1744.6 (+30)		655.4
	AFL		0						544
PROC. REF: SMR 05-30-20									PKG:20
05-30-40	3200 FH MAINTENANCE PACKAGE								Package ATA:05
	MOS		22-Jun-18					15-Feb-2028	65
	HRS	3200 (+30/-30)	0		3200	3230	2544.6 (+30)		655.4
	AFL		0						544
PROC. REF: SMR 05-30-40									PKG:40
05-30-42	3200 FH/60 MO MAINTENANCE PACKAGE								Package ATA:05
	MOS	60 (+1m/-1m)	10-Jul-23	Adj -18d	22-Jun-28	22-Jul-28	1675 d (+30)	22-Jun-2028	4.4
	HRS	3200 (+30/-30)	645.82		3845.82	3875.82	3190.4 (+30)		9.58
	AFL		536						8
PROC. REF: SMR 05-30-42									PKG:42
05-30-50	5600 FH MAINTENANCE PACKAGE								Package ATA:05
	MOS		22-Jun-18					14-Feb-2032	65
	HRS	5600 (+30/-30)	0		5600	5630	4944.6 (+30)		655.4
	AFL		0						544
PROC. REF: SMR 05-30-50									PKG:50
05-30-60	6400 FH MAINTENANCE PACKAGE								Package ATA:05
	MOS		EFF					15-Jun-2033	
	HRS	6400 (+30/-30)	EFF		6400 *	6430	5744.6 (+30)		
	AFL								
PROC. REF: SMR 05-30-60									PKG:60
05-30-80	12 MO MAINTENANCE PACKAGE								Package ATA:05
	MOS	12 (+1m/-1m)	10-Jul-23	Adj -18d	22-Jun-24	22-Jul-24	214 d (+30)	22-Jun-2024	4.4
	HRS		645.82						9.58
	AFL		536						8
PROC. REF: SMR 05-30-80									PKG:80

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
05-30-81	24 MO MAINTENANCE PACKAGE								Package ATA:05
	MOS	24 (+1m/-1m)	06-Jul-22	Adj -14d	22-Jun-24	22-Jul-24	214 d (+30)	22-Jun-2024	16.5
	HRS		600.55						54.85
	AFL		494						50
PROC. REF: SMR 05-30-81									PKG:81
05-30-82	36 MO MAINTENANCE PACKAGE								Package ATA:05
	MOS	36 (+1m/-1m)	11-Aug-21	Adj -50d	22-Jun-24	22-Jul-24	214 d (+30)	22-Jun-2024	27.3
	HRS		534.2						121.2
	AFL		447						97
PROC. REF: SMR 05-30-82									PKG:82
05-30-83	48 MO MAINTENANCE PACKAGE								Package ATA:05
	MOS	48 (+1m/-1m)	06-Jul-22	Adj -14d	22-Jun-26	22-Jul-26	944 d (+30)	22-Jun-2026	16.5
	HRS		600.55						54.85
	AFL		494						50
PROC. REF: SMR 05-30-83									PKG:83
05-30-84	60 MO MAINTENANCE PACKAGE								Package ATA:05
	MOS	60 (+1m/-1m)	10-Jul-23	Adj -18d	22-Jun-28	22-Jul-28	1675 d (+30)	22-Jun-2028	4.4
	HRS		645.82						9.58
	AFL		536						8
PROC. REF: SMR 05-30-84									PKG:84
05-30-87	120 MO MAINTENANCE PACKAGE								Package ATA:05
	MOS	120 (+1m/-1m)	22-Jun-18		22-Jun-28	22-Jul-28	1675 d (+30)	22-Jun-2028	65
	HRS		0						655.4
	AFL		0						544
PROC. REF: SMR 05-30-87									PKG:87
05-30-90	120 MO THRESHOLD/ 60 MO MAINTENANCE PACKAGE								Package ATA:05
	MOS	T:120 (+1m/-1m)	22-Jun-18		22-Jun-28	22-Jul-28	1675 d (+30)	22-Jun-2028	65
	HRS		0						655.4
	AFL		0						544
PROC. REF: SMR 05-30-90									PKG:90
05-50-00-210-805	NO. 1 ENGINE - TROUBLESHOOT - FOREIGN OBJECT DAMAGE								Service ATA:05
	MOS/MSC	A/R	22-Jun-18						65
	HRS		0						655.4
	ENC		0						544
PROC. REF: MM 05-50-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
05-50-00-210-805	NO. 2 ENGINE - TROUBLESHOOT - FOREIGN OBJECT DAMAGE								Service ATA:05
	MOS/MSC	A/R	22-Jun-18						65
	HRS		0						655.4
	ENC		0						544
PROC. REF: MM 05-50-00									
050600	NO. 1 ENGINE - 800 HOURS								Package ATA:05
	MOS		22-Jun-18					16-Feb-2024	65
	HRS	800 (+10%)	0		(800) 800	880	144.6 (+80)		655.4
	ENC		0						544
PROC. REF: LMM 05-20-00									
									PKG:2
050600	NO. 2 ENGINE - 800 HOURS								Package ATA:05
	MOS		22-Jun-18					16-Feb-2024	65
	HRS	800 (+10%)	0		(800) 800	880	144.6 (+80)		655.4
	ENC		0						544
PROC. REF: LMM 05-20-00									
									PKG:2
051254	NO. 1 ENGINE - 800 HOURS/ 12 MONTHS INSPECTION								Package ATA:05
	MOS	12 (+30d)	10-Jul-23	Adj -14d	26-Jun-24	26-Jul-24	218 d (+30)	26-Jun-2024	4.4
	HRS	800 (+10%)	645.82		(1445.82) 1445.82	1525.82	790.4 (+80)		9.58
	ENC		536						8
PROC. REF: LMM 05-20-00									
									PKG:1
051254	NO. 2 ENGINE - 800 HOURS/ 12 MONTHS INSPECTION								Package ATA:05
	MOS	12 (+30d)	10-Jul-23	Adj -14d	26-Jun-24	26-Jul-24	218 d (+30)	26-Jun-2024	4.4
	HRS	800 (+10%)	645.82		(1445.82) 1445.82	1525.82	790.4 (+80)		9.58
	ENC		536						8
PROC. REF: LMM 05-20-00									
									PKG:1
H242-001 ^S	INTERNAL GENERAL VISUAL INSPECTION OF INTERFACE CONNECTORS IN THE REAR CENTER FUSELAGE								Service ATA:05
	MOS	120 (+1m/-1m)	22-Jun-18						65
	HRS		0						655.4
	AFL		0						544
PROC. REF: AMM 05-42-00									
									PKG:87

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 05 - TIME LIMITS/MAINTENANCE CHECKS									
H340-001 ^S		INTERNAL GENERAL VISUAL INSPECTION OF PITCH TRIM ACTUATOR ELECTRICAL BONDING						Service	ATA:05
	MOS	120 (+1m/-1m)	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
PROC. REF: AMM 05-44-00									PKG:87
H430-001 ^S		INTERNAL DETAILED INSPECTION OF ENGINE/PYLON INTERFACE CONNECTORS AND BONDING JUMPERS						Service	ATA:05
	MOS	60 (+1m/-1m)	10-Jul-23					4.4	
	HRS		645.82					9.58	
	AFL		536					8	
PROC. REF: AMM 05-46-00									PKG:84
H700-001 ^S		EXTERNAL GENERAL VISUAL INSPECTION OF MAIN LANDING GEAR AND MAIN LANDING GEAR BAY BONDING JUMPERS AND CONNECTORS						Service	ATA:05
	MOS	60 (+1m/-1m)	10-Jul-23					4.4	
	HRS		645.82					9.58	
	AFL		536					8	
PROC. REF: AMM 05-47-00									PKG:84
H700-002 ^S		EXTERNAL GENERAL VISUAL INSPECTION OF NOSE LANDING GEAR AND NOSE LANDING GEAR BAY BONDING JUMPERS AND CONNECTORS						Service	ATA:05
	MOS	60 (+1m/-1m)	10-Jul-23					4.4	
	HRS		645.82					9.58	
	AFL		536					8	
PROC. REF: AMM 05-47-00									PKG:84
ATA 21 - AIR CONDITIONING									
21-00-00		ELECTROMECHANICAL LINEAR ACTUATOR						Component	ATA:21
PN:100000-77	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:33623	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 21-23-03, AMM 21-23-03									
21-01-01		PRESSURIZATION AND AIR CONDITIONING CONTROL PANEL						Component	ATA:21
PN:441-45215-001	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:1018	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 21-01-01, AMM 21-01-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 21 - AIR CONDITIONING									
21-20-02-900-801-01 COCKPIT - CONDITIONED AIR DUCT								Component	ATA:21
PN:PN	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:UNKNOWN	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 21-20-02, AMM 21-20-02									
21-20-02-900-801-02 PAX CABIN - CONDITIONED AIR DUCT								Component	ATA:21
PN:PN	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:UNKNOWN	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 21-20-02, AMM 21-20-02									
21-20-02-900-801-03 AFT CABIN - CONDITIONED AIR DUCT								Component	ATA:21
PN:PN	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:UNKNOWN	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 21-20-02, AMM 21-20-02									
21-21-01 LEFT REAR FUS FLOW CONTROL SHUT OFF VALVE ASSEMBLY								Component	ATA:21
PN:1300230-17	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:674	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 21-21-01, AMM 21-21-01									
21-21-01 RIGHT REAR FUS FLOW CONTROL SHUT OFF VALVE ASSEMBLY								Component	ATA:21
PN:1300230-27	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:676	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 21-21-01, AMM 21-21-01									
21-21-02 LH AFT INLET AIR CHECK VALVE								Component	ATA:21
PN:PN	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:UNKNOWN	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 21-21-02, AMM 21-21-02									
21-21-02 RH AFT INLET AIR CHECK VALVE								Component	ATA:21
PN:PN	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:UNKNOWN	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 21-21-02, AMM 21-21-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 21 - AIR CONDITIONING									
21-21-02-001 ^S		OPERATIONAL CHECK LH AFT INLET AIR CHECK VALVE						Service	ATA:21
PN:PN	MOS			22-Jun-18				65	
SN:UNKNOWN	HRS	6400 (+30/-30)	0					655.4	
	AFL		0					544	
PROC. REF: AMM 21-21-02									PKG:60
21-21-02-001 ^S		OPERATIONAL CHECK RH AFT INLET AIR CHECK VALVE						Service	ATA:21
PN:PN	MOS			22-Jun-18				65	
SN:UNKNOWN	HRS	6400 (+30/-30)	0					655.4	
	AFL		0					544	
PROC. REF: AMM 21-21-02									PKG:60
21-23-03		RAM AIR VALVE						Component	ATA:21
PN:PN	MOS/MSC	O/C		22-Jun-18	TSN 0			65	
SN:UNKNOWN	HRS		0		TSN 0			655.4	
	AFL		0		TSN 0			544	
PROC. REF: AMM 21-23-03, AMM 21-23-03									
21-23-03-002 ^S		OPERATIONAL CHECK OF RAM AIR VALVE POSITION						Service	ATA:21
PN:PN	MOS			22-Jun-18				65	
SN:UNKNOWN	HRS	6400 (+30/-30)	0					655.4	
	AFL		0					544	
PROC. REF: AMM 21-23-03									PKG:60
21-23-03-003 ^S		OPERATIONAL CHECK OF RAM AIR VALVE ACTUATION						Service	ATA:21
PN:PN	MOS			22-Jun-18				65	
SN:UNKNOWN	HRS	800 (+30/-30)	0					655.4	
	AFL		0					544	
PROC. REF: AMM 21-23-03									PKG:1
21-23-04		LH AFT FUSELAGE RAM AIR CHECK VALVE						Component	ATA:21
PN:PN	MOS/MSC	O/C		22-Jun-18	TSN 0			65	
SN:UNKNOWN	HRS		0		TSN 0			655.4	
	AFL		0		TSN 0			544	
PROC. REF: AMM 21-23-04, AMM 21-23-04									
21-23-04		LH CENTER FUSELAGE RAM AIR CHECK VALVE						Component	ATA:21
PN:PN	MOS/MSC	O/C		22-Jun-18	TSN 0			65	
SN:UNKNOWN	HRS		0		TSN 0			655.4	
	AFL		0		TSN 0			544	
PROC. REF: AMM 21-23-04, AMM 21-23-04									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 21 - AIR CONDITIONING									
21-23-04 RH AFT FUSELAGE RAM AIR CHECK VALVE								Component	ATA:21
PN:PN	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:UNKNOWN	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 21-23-04, AMM 21-23-04									
21-23-04-001 ^S OPERATIONAL CHECK LH AFT FUSELAGE RAM AIR CHECK VALVE								Service	ATA:21
PN:PN	MOS		22-Jun-18					65	
SN:UNKNOWN	HRS	5600 (+30/-30)	0					655.4	
	AFL		0					544	
PROC. REF: AMM 21-23-04									PKG:50
21-23-04-001 ^S OPERATIONAL CHECK LH CENTER FUSELAGE RAM AIR CHECK VALVE								Service	ATA:21
PN:PN	MOS		22-Jun-18					65	
SN:UNKNOWN	HRS	5600 (+30/-30)	0					655.4	
	AFL		0					544	
PROC. REF: AMM 21-23-04									PKG:50
21-23-04-001 ^S OPERATIONAL CHECK RH AFT FUSELAGE RAM AIR CHECK VALVE								Service	ATA:21
PN:PN	MOS		22-Jun-18					65	
SN:UNKNOWN	HRS	5600 (+30/-30)	0					655.4	
	AFL		0					544	
PROC. REF: AMM 21-23-04									PKG:50
21-23-05 TAIL CONE GROUND BLOWER (COOLING FAN) ASSEMBLY								Component	ATA:21
PN:1133710-6	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:717	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 21-23-05, AMM 21-23-05									
21-23-05-001 ^S GENERAL VISUAL INSPECTION TAIL CONE GROUND BLOWER (COOLING FAN) ASSEMBLY								Service	ATA:21
PN:1133710-6	MOS		22-Jun-18					65	
SN:717	HRS	1600 (+30/-30)	0					655.4	
	AFL		0					544	
PROC. REF: AMM 21-23-05									PKG:10
21-31-00-002 ^S OPERATIONAL CHECK AFT BULKHEAD OUTFLOW (OFV) VALVE MANUAL PRESSURIZATION CONTROL MODE								Service	ATA:21
PN:103920-1	MOS		22-Jun-18					65	
SN:103920-00400	HRS	800 (+30/-30)	0					655.4	
	AFL		0					544	
PROC. REF: AMM 21-31-00									PKG:1

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 21 - AIR CONDITIONING									
21-31-00-003 ^S		OPERATIONAL CHECK OF EMERGENCY CABIN DECOMPRESSION (AUTO MODE)						Service	ATA:21
	MOS			22-Jun-18				65	
	HRS	800 (+30/-30)	0					655.4	
	AFL		0					544	
PROC. REF: AMM 21-31-00									PKG:1
21-31-00-004 ^S		OPERATIONAL CHECK OF ECMU-TO-AVIONICS DIGITAL AND DISCRETE SIGNALS						Service	ATA:21
	MOS			22-Jun-18				65	
	HRS	5600 (+30/-30)	0					655.4	
	AFL		0					544	
PROC. REF: AMM 21-31-00									PKG:50
21-31-00-005 ^S		OPERATIONAL CHECK OF ECMU-TO-AVIONICS ANALOG SIGNAL						Service	ATA:21
	MOS			22-Jun-18				65	
	HRS	5600 (+30/-30)	0					655.4	
	AFL		0					544	
PROC. REF: AMM 21-31-00									PKG:50
21-31-01		ELECTRONIC CONTROL AND MONITORING UNIT						Component	ATA:21
PN:2119286-10	MOS/MSC	O/C		22-Jun-18	TSN 0			65	
SN:2119286-01436	HRS		0		TSN 0			655.4	
	AFL		0		TSN 0			544	
PROC. REF: AMM 21-31-01, AMM 21-31-01									
21-31-01-001		RESTORATION (REPAIR) OF ELECTRONIC CONTROL AND MONITORING UNIT (ECMU)						Service	ATA:21
PN:2119286-10	MOS							15-Oct-2032	
SN:2119286-01436	HRS	5600 (+30/-30)	EFF		6000 * (M)	6030	5344.6 (+30)		
	AFL								
PROC. REF: AMM 21-31-01									
21-31-02		AFT BULKHEAD OUTFLOW (OFV) VALVE						Component	ATA:21
PN:103920-1	MOS/MSC	O/C		22-Jun-18	TSN 0			65	
SN:103920-00400	HRS		0		TSN 0			655.4	
	AFL		0		TSN 0			544	
PROC. REF: AMM 21-31-02, AMM 21-31-02									
21-31-02-001		RESTORATION (REPAIR) OF AFT BULKHEAD OUTFLOW VALVE						Service	ATA:21
PN:103920-1	MOS							15-Oct-2034	
SN:103920-00400	HRS	7200 (+30/-30)	0		7200	7230	6544.6 (+30)	655.4	
	AFL								
PROC. REF: AMM 21-31-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 21 - AIR CONDITIONING									
21-31-03	NEGATIVE PRESSURE RELIEF VALVE								Component ATA:21
PN:130664-2	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:34163-0870	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: AMM 21-31-03, AMM 21-31-03									
21-31-03-001 ^S	OPERATIONAL CHECK NEGATIVE PRESSURE RELIEF VALVE								Service ATA:21
PN:130664-2	MOS		22-Jun-18						65
SN:34163-0870	HRS	5600 (+30/-30)	0						655.4
	AFL		0						544
PROC. REF: AMM 21-31-03									
									PKG:50
21-31-04	AFT BULKHEAD PRESSURE RELIEF (PRV) VALVE								Component ATA:21
PN:103916-3	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:103916-00465	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: AMM 21-31-04, AMM 21-31-04									
21-31-04-001 ^S	FUNCTIONAL CHECK AFT BULKHEAD PRESSURE RELIEF (PRV) VALVE								Service ATA:21
PN:103916-3	MOS		22-Jun-18						65
SN:103916-00465	HRS	5600 (+30/-30)	0						655.4
	AFL		0						544
PROC. REF: AMM 21-31-04									
									PKG:50
21-52-01-001	DETAILED VISUAL INSPECTION VCS COMPRESSOR DRIVE MODULE OF VCS COMPRESSOR MOTOR DRIVE								Service ATA:21
PN:1133630-12	MOS/MSC	O/C	22-Jun-18						65
SN:588	HRS		0						655.4
	AFL		0						544
PROC. REF: AMM 21-52-01									
21-52-01-002	DISCARD OF COMPRESSOR DRIVE MODULE BELT								Service ATA:21
	MOS		22-Jun-18					15-Feb-2026	65
	HRS	2000 (+30/-30)	0		2000	2030	1344.6 (+30)		655.4
	AFL		0						544
PROC. REF: AMM 21-52-01									
21-52-01-003 ^S	FUNCTIONAL CHECK OF COMPRESSOR BELT TENSION								Service ATA:21
	MOS		22-Jun-18						65
	HRS	800 (+30/-30)	0						655.4
	AFL		0						544
PROC. REF: AMM 21-52-01									
									PKG:1

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 21 - AIR CONDITIONING									
21-52-01-004		RESTORATION (OVERHAUL) VCS COMPRESSOR DRIVE MODULE						Service	ATA:21
PN:1133630-12	MOS		22-Jun-18					15-Feb-2026	65
SN:588	HRS	2000 (+30/-30)	0		2000	2030	1344.6 (+30)		655.4
	AFL		0						544
PROC. REF: AMM 21-52-01									
21-52-02		HEAT EXCHANGER PACK						Component	ATA:21
PN:1133750-3	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:507	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: AMM 21-52-02, AMM 21-52-02									
21-52-02-001 ^S		GENERAL VISUAL INSPECTION HEAT EXCHANGER PACK						Service	ATA:21
PN:1133750-3	MOS		22-Jun-18						65
SN:507	HRS	1600 (+30/-30)	0						655.4
	AFL		0						544
PROC. REF: AMM 21-52-02									
21-52-03-001 ^S		GENERAL VISUAL INSPECTION OF EVAPORATOR MODULES						Service	ATA:21
	MOS		22-Jun-18						65
	HRS	800 (+30/-30)	0						655.4
	AFL		0						544
PROC. REF: AMM 21-52-03									
21-52-04		FWD FUS VCS SYSTEM FWD EVAPORATOR BLOWER						Component	ATA:21
PN:1133850-104	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:994	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: AMM 21-52-04, AMM 21-52-04									
21-52-06-001 ^S		SERVICING OF VCS REFRIGERANT FLUID						Service	ATA:21
	MOS	12 (+1m/-1m)	10-Jul-23						4.4
	HRS		645.82						9.58
	AFL		536						8
PROC. REF: AMM 12-17-00									
21-61-00-001 ^S		OPERATIONAL CHECK OF MANUAL TEMPERATURE CONTROL SYSTEM						Service	ATA:21
	MOS		22-Jun-18						65
	HRS	800 (+30/-30)	0						655.4
	AFL		0						544
PROC. REF: AMM 21-61-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 21 - AIR CONDITIONING									
21-61-01	REAR FUS ECS TEMPERATURE CONTROLLER							Component	ATA:21
PN:1300650-12	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:744	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 21-61-01, AMM 21-61-01									
21-61-03	COCKPIT DUCT TEMPERATURE SENSOR SWITCH							Component	ATA:21
PN:1300450-10	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:3933	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 21-61-03, AMM 21-61-03									
21-61-03	LH REAR DUCT TEMPERATURE SENSOR SWITCH							Component	ATA:21
PN:1300450-10	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:3925	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 21-61-03, AMM 21-61-03									
21-61-03	PAX DUCT TEMPERATURE SENSOR SWITCH							Component	ATA:21
PN:1300450-10	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:3931	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 21-61-03, AMM 21-61-03									
21-61-03	RH REAR DUCT TEMPERATURE SENSOR SWITCH							Component	ATA:21
PN:1300450-10	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:3968	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 21-61-03, AMM 21-61-03									
21-61-06-001 ^S	OPERATIONAL CHECK OF E-BAY OVERTEMPERATURE SENSOR							Service	ATA:21
	MOS		22-Jun-18					65	
	HRS	6400 (+30/-30)	0					655.4	
	AFL		0					544	
PROC. REF: AMM 21-61-06									
PKG:60									
215201-0101	VCS COMPRESSOR DRIVE MODULE							Component	ATA:21
PN:1133630-12	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:588	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 21-52-01, AMM 21-52-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 21 - AIR CONDITIONING									
215201-0102	CDM COMPRESSOR MODULE							Component	ATA:21
PN:PN	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:UNKNOWN	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 21-52-01, AMM 21-52-01									
215201-0201	COMPRESSOR DRIVE MODULE BELT							Component	ATA:21
PN:PN	MOS/MSC	H/T	22-Jun-18	TSN 0				65	
SN:UNKNOWN	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 21-52-01, AMM 21-52-01									
30-11-02	RH REAR CHECK VALVE							Component	ATA:21
PN:3D3555-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:N180023	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 30-11-02, AMM 30-11-02									
ANAC 2010-08-01	REPLACE THE FCISOV OF PN 1300230-13 AND PN 1300230-23 WITH NEW IMPROVED ONES PN 1300230-15 AND PN 1300230-25, RESPECTIVELY							AD	ATA:21
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
FAA 2010-23-16	REPLACEMENT OF BOTH FLOW CONTROL SHUTOFF VALVES, PART NUMBER (P/N) 1300230-13 AND P/N 1300230-23, WITH P/N 1300230-15 AND P/N 1300230-25							AD	ATA:21
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-21-0001 REV 01	AIR CONDITIONING - REPLACEMENT OF THE FLOW CONTROL SHUTOFF VALVE (FCISOV), SERVICE BULLETIN							Bulletin	ATA:21
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-21-0002	AIR CONDITIONING - COMPRESSOR DRIVE MODULE (CDM) TRAY REPLACEMENT, SERVICE BULLETIN							Bulletin	ATA:21
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 21 - AIR CONDITIONING									
SB 500-21-0003	AIR CONDITIONING - REPLACEMENT OF THE ECS TEMPERATURE CONTROLLERFROM PN 1300650-9 TO PN 1300650-10, SERVICE BULLETIN							Bulletin	ATA:21
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-21-0004 REV 01	AIR CONDITIONING - CPCS CONTROLLER (ECMU) HARDWARE CORRECTION, SERVICE BULLETIN							Bulletin	ATA:21
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-21-0005 REV 02	AIR CONDITIONING - COMPRESSOR DRIVE MODULE (CDM) REWORK, SERVICE BULLETIN							Bulletin	ATA:21
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-21-0006	AIR CONDITIONING - REWORK OF FLOW CONTROL SHUT OFF VALVE (FCSOV) -15/25, SERVICE BULLETIN							Bulletin	ATA:21
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-21-0007 REV 01	AIR CONDITIONING - REPLACEMENT OF THE ECS TEMPERATURE CONTROLLER (SUPERSEDED BY SB 500-21-0009 REV 01), SERVICE BULLETIN							Bulletin	ATA:21
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-21-0008	AIR CONDITIONING - GROUND COOLING FAN REPLACEMENT, SERVICE BULLETIN							Bulletin	ATA:21
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-21-0009 REV 01	AIR CONDITIONING - REPLACEMENT OF THE ECS TEMPERATURE CONTROLLER, SERVICE BULLETIN							Bulletin	ATA:21
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-21-0010 REV 01	AIR CONDITIONING - COCKPIT SIDE WINDOW DEFOGGING IMPROVEMENT (SUPERSEDED BY 500-21-0010 REV 02), SERVICE BULLETIN							Bulletin	ATA:21
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 21 - AIR CONDITIONING									
SB 500-21-0010 REV 01 PART I	ACCOMPLISH AIR CONDITIONING - COCKPIT SIDE WINDOW DEFOGGING IMPROVEMENT (SUPERSEDED BY 500-21-0010 REV 02), SERVICE BULLETIN WINDOW REVEAL WITH SUNSHADE							Bulletin	ATA:21
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-21-0010 REV 01 PART II	ACCOMPLISH AIR CONDITIONING - COCKPIT SIDE WINDOW DEFOGGING IMPROVEMENT (SUPERSEDED BY 500-21-0010 REV 02), SERVICE BULLETIN WINDOW REVEAL WITHOUT SUNSHADE							Bulletin	ATA:21
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-21-0010 REV 02	AIR CONDITIONING - COCKPIT SIDE WINDOW DEFOGGING IMPROVEMENT, SERVICE BULLETIN							Bulletin	ATA:21
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-21-0010 REV 02 PART I	ACCOMPLISH AIR CONDITIONING - COCKPIT SIDE WINDOW DEFOGGING IMPROVEMENT, SERVICE BULLETIN WINDOW REVEAL WITH SUNSHADE							Bulletin	ATA:21
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-21-0010 REV 02 PART II	ACCOMPLISH AIR CONDITIONING - COCKPIT SIDE WINDOW DEFOGGING IMPROVEMENT, SERVICE BULLETIN WINDOW REVEAL WITHOUT SUNSHADE							Bulletin	ATA:21
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-21-0011	AIR CONDITIONING - FLOW CONTROL SHUT-OFF VALVES - REPLACEMENT, SERVICE BULLETIN							Bulletin	ATA:21
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-21-0012	AIR CONDITIONING - COMPRESSOR DRIVE MODULE (CDM) - REPLACEMENT, SERVICE BULLETIN							Bulletin	ATA:21
	MOS/MSC	-							
	HRS								
	AFL								
ATA 22 - AUTO FLIGHT									
22-11-00-001 ^S	FUNCTIONAL CHECK OF AILERON SERVO							Service	ATA:22
	MOS	12 (+30d/-30d)	10-Jul-23					4.4	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued	
ATA 22 - AUTO FLIGHT										
	HRS		645.82						9.58	
	AFL		536						8	
				PROC. REF: AMM 22-11-00				PKG:80		
22-11-00-001 ^S	FUNCTIONAL CHECK OF ELEVATOR SERVO								Service	ATA:22
	MOS	12 (+30d/-30d)	10-Jul-23						4.4	
	HRS		645.82						9.58	
	AFL		536						8	
				PROC. REF: AMM 22-11-00				PKG:80		
22-11-00-001 ^S	FUNCTIONAL CHECK OF RUDDER SERVO								Service	ATA:22
	MOS	12 (+30d/-30d)	10-Jul-23						4.4	
	HRS		645.82						9.58	
	AFL		536						8	
				PROC. REF: AMM 22-11-00				PKG:80		
22-11-00-002 ^S	LUBRICATION OF SERVO ACTUATORS								Service	ATA:22
	MOS	12 (+1m/-1m)	10-Jul-23						4.4	
	HRS		645.82						9.58	
	AFL		536						8	
				PROC. REF: AMM 22-11-00				PKG:80		
22-11-00-003 ^S	DETAILED VISUAL INSPECTION OF AUTOPILOT SERVO CABLE								Service	ATA:22
	MOS	60 (+1m/-1m)	10-Jul-23						4.4	
	HRS	3200 (+30/-30)	645.82						9.58	
	AFL		536						8	
				PROC. REF: AMM 22-11-00				PKG:42		
22-11-01	GMC 715 GUIDANCE PANEL								Component	ATA:22
PN:011-01430-00	MOS/MSC	O/C	22-Jun-18	TSN 0					65	
SN:15905314	HRS		0	TSN 0					655.4	
	AFL		0	TSN 0					544	
				PROC. REF: AMM 22-11-01, AMM 22-11-01						
22-11-02	AILERON GSA 81 LOW TORQUE AUTOPILOT SERVO ACTUATOR								Component	ATA:22
PN:011-00878-20	MOS/MSC	O/C	22-Jun-18	TSN 0					65	
SN:1A1020104	HRS		0	TSN 0					655.4	
	AFL		0	TSN 0					544	
				PROC. REF: AMM 22-11-02, AMM 22-11-02						

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 22 - AUTO FLIGHT									
22-11-03	AILERON GSM 85A MED TORQUE SERVO MOUNT							Component	ATA:22
PN:011-01904-00	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:1GK020796	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 22-11-03, AMM 22-11-03									
22-11-04-001	FUNCTIONAL CHECK OF AILERON GSA 81 LOW TORQUE AUTOPILOT SERVO ACTUATOR CABLE							Service	ATA:22
	MOS/MSC	O/C	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
PROC. REF: AMM 22-11-04									
22-11-05	ELEVATOR GSA 81 LOW TORQUE AUTOPILOT SERVO ACTUATOR							Component	ATA:22
PN:011-00878-20	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:1A1020103	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 22-11-05, AMM 22-11-05									
22-11-06	ELEVATOR GSM 85A MED TORQUE SERVO MOUNT							Component	ATA:22
PN:011-01904-00	MOS/MSC	O/C	11-Aug-21	TSR 0				27.3	
SN:1GK017698	HRS		534.2	TSR 0				121.2	
	AFL		447	TSR 0				97	
PROC. REF: AMM 22-11-06, AMM 22-11-06									
22-11-07-001	FUNCTIONAL CHECK OF ELEVATOR GSA 81 LOW TORQUE AUTOPILOT SERVO ACTUATOR CABLE							Service	ATA:22
	MOS/MSC	O/C	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
PROC. REF: AMM 22-11-07									
22-11-08	RUDDER GSA 81 LOW TORQUE AUTOPILOT SERVO ACTUATOR							Component	ATA:22
PN:011-00878-20	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:1A1020111	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 22-11-08, AMM 22-11-08									
22-11-09	RUDDER GSM 85A MED TORQUE SERVO MOUNT							Component	ATA:22
PN:011-01904-00	MOS/MSC	O/C	11-Aug-21					27.3	
SN:1GK029983	HRS		534.2					121.2	
	AFL		447					97	
PROC. REF: AMM 22-11-09, AMM 22-11-09									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 22 - AUTO FLIGHT									
22-11-10-001		FUNCTIONAL CHECK OF RUDDER GSA 81 LOW TORQUE AUTOPILOT SERVO ACTUATOR CABLE							Service ATA:22
	MOS/MSC	O/C	22-Jun-18						65
	HRS		0						655.4
	AFL		0						544
PROC. REF: AMM 22-11-10									
SB 500-22-0002		AUTO FLIGHT - AUTOPILOT SERVOS CONTROL-CABLES INSPECTION, SERVICE BULLETIN							Bulletin ATA:22
	MOS/MSC	-	22-Jun-18						65
	HRS		0						655.4
	AFL		0						544
ATA 23 - COMMUNICATIONS									
23-12-02		BOTTOM VHF ANTENNA							Component ATA:23
PN:S65-8280-41	MOS/MSC	O/C	24-Mar-22						19.9
SN:322-7548	HRS		574.43						80.97
	AFL		473						71
PROC. REF: AMM 23-12-02, AMM 23-12-02									
23-12-02		TOP VHF ANTENNA							Component ATA:23
PN:S65-8280-41	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:322-5699	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: AMM 23-12-02, AMM 23-12-02									
23-15-01		IRIDIUM TRANSCEIVER							Component ATA:23
PN:011-02268-00	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:1NZ007534	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: AMM 23-15-01, AMM 23-15-01									
23-15-03		IRIDIUM ANTENNA							Component ATA:23
PN:S67-1575-109	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:430-15507	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: AMM 23-15-03, AMM 23-15-03									
23-23-01		GD59 DATALINK MANAGEMENT UNIT							Component ATA:23
PN:011-01746-00	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:1EJ006343	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: AMM 23-23-01, AMM 23-23-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 23 - COMMUNICATIONS									
23-23-03	WIFI - DATALINK ANTENNA							Component	ATA:23
PN:S65-5366-71S	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:258-5758	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 23-23-03, AMM 23-23-03									
23-51-00-001 ^S	OPERATIONAL CHECK OF AIRBORNE AUDIO SYSTEM FAIL-SAFE MODE							Service	ATA:23
	MOS		22-Jun-18					65	
	HRS	3200 (+30/-30)	0					655.4	
	AFL		0					544	
PROC. REF: AMM 23-51-00									PKG:40
23-51-05	LH AUDIO JACK CONTROL PANEL							Component	ATA:23
PN:441-40943-002	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:1761	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 23-51-05, AMM 23-51-05									
23-51-05	RH AUDIO JACK CONTROL PANEL							Component	ATA:23
PN:441-40943-002	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:1764	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 23-51-05, AMM 23-51-05									
23-51-09	LH MODEL HME 25-KA-2 HEADSET							Component	ATA:23
PN:026-55-2-999-0131	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:00300447	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
23-51-09	RH MODEL HME 25-KA-2 HEADSET							Component	ATA:23
PN:026-55-2-999-0131	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:00300538	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
23-51-11	COCKPIT ELECTRODYNAMIC MICROPHONE							Component	ATA:23
PN:85-03-12369-04	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:490639	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 23 - COMMUNICATIONS									
23-61-00-001 ^S	FUNCTIONAL CHECK OF STATIC DISCHARGERS								Service ATA:23
	MOS	48 (+1m/-1m)	06-Jul-22						16.5
	HRS		600.55						54.85
	AFL		494						50
				PROC. REF: AMM 23-61-00					PKG:83
23-CUS-0001 ^{U S}	CVR DOWNLOAD								Service ATA:23
	MOS	12	10-Jul-23						4.4
	HRS		645.82						9.58
	AFL		536						8
									PKG:80
SB 500-23-0001	COMMUNICATIONS - VHF1 WIRING INSPECTION AND MODIFICATION, SERVICE BULLETIN								Bulletin ATA:23
	MOS/MSC	-	22-Jun-18						65
	HRS		0						655.4
	AFL		0						544
SB 500-23-0002	COMMUNICATIONS - ACTIVATION OF THE DATALINK MANAGEMENT SYSTEM, SERVICE BULLETIN								Bulletin ATA:23
	MOS/MSC	-	22-Jun-18						65
	HRS		0						655.4
	AFL		0						544
SB 500-23-0003	COMMUNICATIONS - INSTALLATION OF THE DATA LINK MANAGEMENT SYSTEM (DLMS) WITHOUT HANDSET, SERVICE BULLETIN								Bulletin ATA:23
	MOS/MSC	-	22-Jun-18						65
	HRS		0						655.4
	AFL		0						544
SB 500-23-0004	COMMUNICATIONS - REMOVAL OF THE HF AND SELCAL SYSTEMS TO COMPLY WITH TCCA REQUIREMENTS, SERVICE BULLETIN								Bulletin ATA:23
	MOS/MSC	-	22-Jun-18						65
	HRS		0						655.4
	AFL		0						544
SB 500-23-0005 REV 01	COMMUNICATIONS - COMPLEMENTATION AND ACTIVATION OF THE CPDLC (CONTROLLER-TO-PILOT DATA LINK COMMUNICATION), SERVICE BULLETIN								Bulletin ATA:23
	MOS/MSC	-	22-Jun-18						65
	HRS		0						655.4
	AFL		0						544
SB 500-23-0006 REV 01	COMMUNICATIONS - FULL INSTALLATION OF THE CPDLC (CONTROLLER-TO-PILOT DATA LINK COMMUNICATION), SERVICE BULLETIN								Bulletin ATA:23
	MOS/MSC	-	22-Jun-18						65
	HRS		0						655.4
	AFL		0						544

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 23 - COMMUNICATIONS									
SB 500-23-0006 REV 02		COMMUNICATIONS - FULL INSTALLATION OF THE CPDLC (CONTROLLER-TO-PILOT DATA LINKCOMMUNICATION), SERVICE BULLETIN						Bulletin	ATA:23
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-23-0006 REV 02 PART I		ACCOMPLISH COMMUNICATIONS - FULL INSTALLATION OF THE CPDLC (CONTROLLER-TO-PILOT DATA LINKCOMMUNICATION), SERVICE BULLETIN ACTIVATION OF THE CPDLC SYSTEM						Bulletin	ATA:23
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-23-0006 REV 02 PART II		ACCOMPLISH COMMUNICATIONS - FULL INSTALLATION OF THE CPDLC (CONTROLLER-TO-PILOT DATA LINKCOMMUNICATION), SERVICE BULLETIN ADDITIONAL ACTION						Bulletin	ATA:23
	MOS/MSC	-							
	HRS								
	AFL								
ATA 24 - ELECTRICAL POWER									
24-01-01		ELECTRICAL CONTROL PANEL						Component	ATA:24
PN:441-40929-002	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:0881	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 24-01-01, AMM 24-01-01									
24-31-01		NO.1 ENGINE STARTER-GENERATOR						Component	ATA:24
PN:400SG180Q	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:S01177XL	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 24-31-01, AMM 24-31-01									
24-31-01		NO.2 ENGINE STARTER-GENERATOR						Component	ATA:24
PN:400SG180Q	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:S01182XL	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 24-31-01, AMM 24-31-01									
24-31-01-001		NO. 1 ENGINE STARTER/GENERATOR - RESTORATION (OVERHAUL) OF STARTER GENERATOR ON EMBRAER 500 ACFT WITH STARTER GENERATOR PN MG94F-2 OR PN 400SG180Q SERIES OR POST-MOD SB 500-24-0007						Service	ATA:24
PN:400SG180Q	MOS							17-Oct-2024	
SN:S01177XL	HRS	800 (+30/-30)	EFF		1200 * (M)	1230	544.6 (+30)		
	AFL								
PROC. REF: AMM 24-31-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 24 - ELECTRICAL POWER									
24-31-01-001	NO. 2 ENGINE STARTER/GENERATOR - RESTORATION (OVERHAUL) OF STARTER GENERATOR ON EMBRAER 500 ACFT WITH STARTER GENERATOR PN MG94F-2 OR PN 400SG180Q SERIES OR POST-MOD SB 500-24-0007								Service ATA:24
PN:400SG180Q	MOS							17-Oct-2024	
SN:S01182XL	HRS	800 (+30/-30)	EFF		1200 * (M)	1230	544.6 (+30)		
	AFL								
PROC. REF: AMM 24-31-01									
24-31-01-003	RESTORATION (OVERHAUL) OF NO.1 ENGINE STARTER-GENERATOR (P/N MG94F-1)								Service ATA:24
PN:400SG180Q	MOS/MSC	N/A							
SN:S01177XL	HRS		0					655.4	
	AFL								
PROC. REF: AMM 24-31-01									
24-31-01-003	RESTORATION (OVERHAUL) OF NO.2 ENGINE STARTER-GENERATOR (P/N MG94F-1)								Service ATA:24
PN:400SG180Q	MOS/MSC	N/A							
SN:S01182XL	HRS		0					655.4	
	AFL								
PROC. REF: AMM 24-31-01									
24-31-02	NO.1 GENERATOR - DC, 28V CONTROL UNIT								Component ATA:24
PN:GCSG550-13A	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:61057	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 24-31-02, AMM 24-31-02									
24-31-02	NO.2 GENERATOR - DC, 28V CONTROL UNIT								Component ATA:24
PN:GCSG550-13A	MOS/MSC	O/C	27-Oct-22					12.8	
SN:55009	HRS		633.03					22.37	
	AFL		524					20	
PROC. REF: AMM 24-31-02, AMM 24-31-02									
24-31-07	LH SHUNT GENERATOR								Component ATA:24
PN:PN	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:UNKNOWN	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 24-31-07, AMM 24-31-07									
24-31-07	RH SHUNT GENERATOR								Component ATA:24
PN:PN	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:UNKNOWN	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 24-31-07, AMM 24-31-07									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 24 - ELECTRICAL POWER									
24-31-07-001 ^S		RESTORATION (CLEANING) OF LH SHUNT GENERATOR							Service ATA:24
PN:PN	MOS	60 (+1m/-1m)	10-Jul-23						4.4
SN:UNKNOWN	HRS		645.82						9.58
	AFL		536						8
PROC. REF: AMM 24-31-07									PKG:84
24-31-07-001 ^S		RESTORATION (CLEANING) OF RH SHUNT GENERATOR							Service ATA:24
PN:PN	MOS	60 (+1m/-1m)	10-Jul-23						4.4
SN:UNKNOWN	HRS		645.82						9.58
	AFL		536						8
PROC. REF: AMM 24-31-07									PKG:84
24-36-01		NO.1 MAIN BATTERY							Component ATA:24
PN:7639-30LT	MOS/MSC	O/C	10-Jul-23	TSN 12					4.4
SN:G03139707	HRS		645.82	TSN 45.27					9.58
	AFL		536	TSN 42					8
PROC. REF: AMM 24-36-01, AMM 24-36-01, AMM 24-36-01									
24-36-01		NO.2 MAIN BATTERY							Component ATA:24
PN:7639-30LT	MOS/MSC	O/C	10-Jul-23	TSN 12					4.4
SN:G03139744	HRS		645.82	TSN 45.27					9.58
	AFL		536	TSN 42					8
PROC. REF: AMM 24-36-01, AMM 24-36-01, AMM 24-36-01									
24-36-01-003		DISCARD NO.1 MAIN BATTERY							Service ATA:24
PN:7639-30LT	MOS	24 (+1m/-1m)	06-Jul-22		16-Feb-24 (M)	16-Mar-24	87 d (+29)	16-Feb-2024	16.5
SN:G03139707	HRS		600.55						54.85
	AFL	600 (+30/-30)	494		1094	1124	550 (+30)		50
PROC. REF: AMM 24-36-01									
24-36-01-003		DISCARD NO.2 MAIN BATTERY							Service ATA:24
PN:7639-30LT	MOS	24 (+1m/-1m)	06-Jul-22		16-Feb-24 (M)	16-Mar-24	87 d (+29)	16-Feb-2024	16.5
SN:G03139744	HRS		600.55						54.85
	AFL	600 (+30/-30)	494		1094	1124	550 (+30)		50
PROC. REF: AMM 24-36-01									
24-36-01-005		FUNCTIONAL CHECK OF NO.1 MAIN BATTERY - (POST-MOD SB 500-24-0014)							Service ATA:24
PN:7639-30LT	MOS	6 (+1m/-1m)	10-Jul-23	Adj -4d	06-Jan-24	06-Feb-24	46 d (+31)	06-Jan-2024	4.4
SN:G03139707	HRS		645.82						9.58
	AFL		536						8
PROC. REF: AMM 24-36-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 24 - ELECTRICAL POWER									
24-36-01-005	FUNCTIONAL CHECK OF NO.2 MAIN BATTERY - (POST-MOD SB 500-24-0014)								Service ATA:24
PN:7639-30LT	MOS	6 (+1m/-1m)	10-Jul-23	Adj -4d	06-Jan-24	06-Feb-24	46 d (+31)	06-Jan-2024	4.4
SN:G03139744	HRS		645.82						9.58
	AFL		536						8
PROC. REF: AMM 24-36-01									
24-36-02	BATTERY CURRENT (HB2) SENSOR								Component ATA:24
PN:PN	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:UNKNOWN	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: AMM 24-36-02, AMM 24-36-02									
24-36-02-001 ^S	OPERATIONAL CHECK BATTERY CURRENT (HB2) SENSOR								Service ATA:24
PN:PN	MOS		22-Jun-18						65
SN:UNKNOWN	HRS	6400 (+30/-30)	0						655.4
	AFL		0						544
PROC. REF: AMM 24-36-02									
									PKG:60
24-54-05	28 VDC / 115 VAC STATIC INVERTER								Component ATA:24
PN:1215-30	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:002729	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: AMM 24-54-05, AMM 24-54-05									
24-65-01	LEFT POWER DISTRIBUTION UNIT ASSEMBLY								Component ATA:24
PN:SX7EG16-3	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:0474	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: AMM 24-65-01, AMM 24-65-01									
24-65-02	RIGHT POWER DISTRIBUTION UNIT ASSEMBLY								Component ATA:24
PN:SX7EG17-3	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:0468	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: AMM 24-65-02, AMM 24-65-02									
24-65-03	CENTER POWER DISTRIBUTION UNIT ASSEMBLY								Component ATA:24
PN:SX7EG18-3	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:0470	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: AMM 24-65-03, AMM 24-65-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 24 - ELECTRICAL POWER									
ANAC 2010-09-02	WIRING HARNESS W101 REWORK								AD ATA:24
	MOS/MSC	-	22-Jun-18						65
	HRS		0						655.4
	AFL		0						544
ASB 500-24-A007 REV 02	ELECTRICAL POWER - REPLACEMENT OF THE STARTER GENERATORS (SUPERSEDED BY SB 500-24-0007 REV 02), ALERT SERVICE BULLETIN								Bulletin ATA:24
	MOS/MSC	-	22-Jun-18						65
	HRS		0						655.4
	AFL		0						544
SB 500-24-0002	ELECTRICAL POWER - PROTECTION TO PREVENT INTERFERENCES WITH HARNESS W101 IN THE FORWARD REGION, SERVICE BULLETIN								Bulletin ATA:24
	MOS/MSC	-	22-Jun-18						65
	HRS		0						655.4
	AFL		0						544
SB 500-24-0002 PART I	PERFORM ELECTRICAL POWER - PROTECTION TO PREVENT INTERFERENCES WITH HARNESS W101 IN THE FORWARD REGION, SERVICE BULLETIN INSTALLATION OF CLAMPS TO HARNESS W101 AND OXYGEN TUBE (GROUP 1)								Bulletin ATA:24
	MOS/MSC	-	22-Jun-18						65
	HRS		0						655.4
	AFL		0						544
SB 500-24-0002 PART II	PERFORM ELECTRICAL POWER - PROTECTION TO PREVENT INTERFERENCES WITH HARNESS W101 IN THE FORWARD REGION, SERVICE BULLETIN INSTALLATION OF CLAMPS TO HARNESS W101 (GROUPS 1 E 2)								Bulletin ATA:24
	MOS/MSC	-	22-Jun-18						65
	HRS		0						655.4
	AFL		0						544
SB 500-24-0003	ELECTRICAL POWER - PDU CONTACTORS INSPECTION AND REPLACEMENT (SUPERSEDED BY SB 500-24-0010 REV 02), SERVICE BULLETIN								Bulletin ATA:24
	MOS/MSC	-	22-Jun-18						65
	HRS		0						655.4
	AFL		0						544
SB 500-24-0004	ELECTRICAL POWER - PROTECTION TO PREVENT INTERFERENCE BETWEENHARNESS W201 AND THE OXYGEN TUBE, SERVICE BULLETIN								Bulletin ATA:24
	MOS/MSC	-	22-Jun-18						65
	HRS		0						655.4
	AFL		0						544

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 24 - ELECTRICAL POWER									
SB 500-24-0005		ELECTRICAL POWER - SPACER INSTALLATION FOR HARNESSSES W314 AND W601, SERVICE BULLETIN						Bulletin	ATA:24
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-24-0006 REV 02		ELECTRICAL POWER - PYLON CONNECTOR - MISSING SCREWS, SERVICE BULLETIN						Bulletin	ATA:24
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-24-0007 REV 02		ELECTRICAL POWER - REPLACEMENT OF THE STARTERS GENERATORS, SERVICE BULLETIN						Bulletin	ATA:24
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-24-0007 REV 02 PART I		REPLACEMENT ELECTRICAL POWER - REPLACEMENT OF THE STARTERS GENERATORS, SERVICE BULLETIN OF THE STARTER GENERATOR PN MG94F-1 WITH OTHER NEW STARTER GENERATOR PN MG94F-2						Bulletin	ATA:24
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-24-0007 REV 02 PART II		INSPECTION ELECTRICAL POWER - REPLACEMENT OF THE STARTERS GENERATORS, SERVICE BULLETIN OF THE CLAMP PN MS21919WCH6 INSTALLATION						Bulletin	ATA:24
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-24-0007 REV 02 PART III		ADDITIONAL ACTION ELECTRICAL POWER - REPLACEMENT OF THE STARTERS GENERATORS, SERVICE BULLETIN						Bulletin	ATA:24
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-24-0008		ELECTRICAL POWER - REPLACEMENT OF THE LPDU, RPDU AND EPDU CONTACTORS (SUPERSEDED BY SB 500-24-0010 R2), SERVICE BULLETIN						Bulletin	ATA:24
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 24 - ELECTRICAL POWER									
SB 500-24-0008 PART I		ELECTRICAL POWER ELECTRICAL POWER - REPLACEMENT OF THE LPDU, RPDU AND EPDU CONTACTORS (SUPERSEDED BY SB 500-24-0010 R2), SERVICE BULLETIN REPLACEMENT OF THE CONTACTORS PN SM400D117 INTHE LPDU						Bulletin	ATA:24
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-24-0008 PART II		ELECTRICAL POWER ELECTRICAL POWER - REPLACEMENT OF THE LPDU, RPDU AND EPDU CONTACTORS (SUPERSEDED BY SB 500-24-0010 R2), SERVICE BULLETIN REPLACEMENT OF THE CONTACTORS PN SM400D117 INTHE RPDU						Bulletin	ATA:24
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-24-0008 PART III		ELECTRICAL POWER ELECTRICAL POWER - REPLACEMENT OF THE LPDU, RPDU AND EPDU CONTACTORS (SUPERSEDED BY SB 500-24-0010 R2), SERVICE BULLETIN REPLACEMENT OF THE CONTACTORS PN SM400D117 INTHE EPDU						Bulletin	ATA:24
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-24-0009 REV 01		ELECTRICAL POWER - MODIFICATION OF THE EMERGENCY BUS CONTACTOR (EBC) 1 GROUND WIRE, SERVICE BULLETIN						Bulletin	ATA:24
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-24-0010 REV 02		ELECTRICAL POWER - REPLACEMENT OF THE LPDU, RPDU AND EPDU, SERVICE BULLETIN						Bulletin	ATA:24
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-24-0010 REV 02 PART I		REPLACEMENT ELECTRICAL POWER - REPLACEMENT OF THE LPDU, RPDU AND EPDU, SERVICE BULLETIN OF THE LEFT POWER DISTRIBUTION UNIT (LPDU)						Bulletin	ATA:24
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-24-0010 REV 02 PART II		REPLACEMENT ELECTRICAL POWER - REPLACEMENT OF THE LPDU, RPDU AND EPDU, SERVICE BULLETIN OF THE RIGHT POWER DISTRIBUTION UNIT (RPDU)						Bulletin	ATA:24
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 24 - ELECTRICAL POWER									
SB 500-24-0010 REV 02 PART III	REPLACEMENT ELECTRICAL POWER - REPLACEMENT OF THE LPDU, RPDU AND EPDU, SERVICE BULLETIN OF THE EMERGENCY POWER DISTRIBUTION UNIT (EPDU)							Bulletin	ATA:24
	MOS/MSC	-	22-Jun-18						65
	HRS		0						655.4
	AFL		0						544
SB 500-24-0011	ELECTRICAL POWER - RE-ROUTE OF THE W102 IN THE PASSENGER CABIN, SERVICE BULLETIN							Bulletin	ATA:24
	MOS/MSC	-	22-Jun-18						65
	HRS		0						655.4
	AFL		0						544
SB 500-24-0012	ELECTRICAL POWER - INSPECTION/REPAIR OF THE HARNESS W201 WITH MAIN PANEL STRUCTURE, SERVICE BULLETIN							Bulletin	ATA:24
	MOS/MSC	-	22-Jun-18						65
	HRS		0						655.4
	AFL		0						544
SB 500-24-0013	ELECTRICAL POWER - INSTALLATION OF BRACKET TO REMOVE CHAFING BETWEEN W207 AND PEDAL MECHANISM, SERVICE BULLETIN							Bulletin	ATA:24
	MOS/MSC	-	22-Jun-18						65
	HRS		0						655.4
	AFL		0						544
SB 500-24-0014	ELECTRICAL POWER - MAIN BATTERY REPLACEMENT, SERVICE BULLETIN							Bulletin	ATA:24
	MOS/MSC	-	22-Jun-18						65
	HRS		0						655.4
	AFL		0						544
SB 500-24-0014 REV 01	ELECTRICAL POWER - MAIN BATTERY REPLACEMENT, SERVICE BULLETIN							Bulletin	ATA:24
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-24-0015	ELECTRICAL POWER - GCU (GENERATOR CONTROL UNIT) REPLACEMENT, SERVICE BULLETIN							Bulletin	ATA:24
	MOS/MSC	-	22-Jun-18						65
	HRS		0						655.4
	AFL		0						544
SB 500-24-0015 PART I	REPLACEMENT ELECTRICAL POWER - GCU (GENERATOR CONTROL UNIT) REPLACEMENT, SERVICE BULLETIN OF THE GCU PN CG301A-10 WITH PN CG301A-12							Bulletin	ATA:24
	MOS/MSC	-	22-Jun-18						65
	HRS		0						655.4
	AFL		0						544

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 24 - ELECTRICAL POWER									
SB 500-24-0015 PART II		REPLACEMENT ELECTRICAL POWER - GCU (GENERATOR CONTROL UNIT) REPLACEMENT, SERVICE BULLETIN OF THE GCU PN CG301A-11 WITH PN CG301A-12						Bulletin	ATA:24
	MOS/MSC	-	22-Jun-18						65
	HRS		0						655.4
	AFL		0						544
SB 500-24-0017		ELECTRICAL POWER - AC OUTLETS WITH USB INSTALLATION IN SIDELEDGES, SERVICE BULLETIN						Bulletin	ATA:24
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-24-0017 REV 01		ELECTRICAL POWER - AC OUTLETS WITH USB INSTALLATION IN SIDELEDGES, SERVICE BULLETIN						Bulletin	ATA:24
	MOS/MSC	-	07-Apr-23						7.5
	HRS		639.85						15.55
	AFL		529						15
ATA 25 - EQUIPMENT/FURNISHINGS									
25-11-01		COPILOT CITRINE FINISH GOODRICH SEAT						Component	ATA:25
PN:1419-04HE	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:472-1419	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: AMM 25-11-01, AMM 25-11-01									
25-11-01		PILOT CITRINE FINISH GOODRICH SEAT						Component	ATA:25
PN:1419-03HE	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:689-1419	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: AMM 25-11-01, AMM 25-11-01									
25-11-01-001 ^S		DETAILED VISUAL INSPECTION COPILOT CITRINE FINISH GOODRICH SEAT						Service	ATA:25
PN:1419-04HE	MOS		22-Jun-18						65
SN:472-1419	HRS	2400 (+30/-30)	0						655.4
	AFL		0						544
PROC. REF: AMM 25-11-01									
25-11-01-001 ^S		DETAILED VISUAL INSPECTION PILOT CITRINE FINISH GOODRICH SEAT						Service	ATA:25
PN:1419-03HE	MOS		22-Jun-18						65
SN:689-1419	HRS	2400 (+30/-30)	0						655.4
	AFL		0						544
PROC. REF: AMM 25-11-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 25 - EQUIPMENT/FURNISHINGS									
25-11-01-002 ^S		DETAILED VISUAL INSPECTION OF COCKPIT SEAT BELTS						Service	ATA:25
	MOS		22-Jun-18					65	
	HRS	2400 (+30/-30)	0					655.4	
	AFL		0					544	
PROC. REF: AMM 25-11-01									PKG:20
25-21-01		LH AFT PAX SEAT						Component	ATA:25
PN:403176-3BDAGGH	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:62751	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 25-21-01, AMM 25-21-01, AMM 25-21-00, AMM 25-21-00									
25-21-01		LH FWD PAX SEAT						Component	ATA:25
PN:403176-1RBDAGGH	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:60198	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 25-21-01, AMM 25-21-01, AMM 25-21-00, AMM 25-21-00									
25-21-01		RH AFT PAX SEAT						Component	ATA:25
PN:403176-4BDAGGH	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:62851	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 25-21-01, AMM 25-21-01, AMM 25-21-00, AMM 25-21-00									
25-21-01		RH FWD PAX SEAT						Component	ATA:25
PN:403176-2RBDAGGH	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:62853	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 25-21-01, AMM 25-21-01, AMM 25-21-00, AMM 25-21-00									
25-21-01-001 ^S		DETAILED VISUAL INSPECTION LH AFT PAX SEAT						Service	ATA:25
PN:403176-3BDAGGH	MOS		22-Jun-18					65	
SN:62751	HRS	2400 (+30/-30)	0					655.4	
	AFL		0					544	
PROC. REF: AMM 25-21-01									PKG:20
25-21-01-001 ^S		DETAILED VISUAL INSPECTION LH FWD PAX SEAT						Service	ATA:25
PN:403176-1RBDAGGH	MOS		22-Jun-18					65	
SN:60198	HRS	2400 (+30/-30)	0					655.4	
	AFL		0					544	
PROC. REF: AMM 25-21-01									PKG:20

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 25 - EQUIPMENT/FURNISHINGS									
25-21-01-001 ^S		DETAILED VISUAL INSPECTION RH AFT PAX SEAT						Service	ATA:25
PN:403176-4BDAGGH	MOS			22-Jun-18				65	
SN:62851	HRS	2400 (+30/-30)	0					655.4	
	AFL		0					544	
PROC. REF: AMM 25-21-01									PKG:20
25-21-01-001 ^S		DETAILED VISUAL INSPECTION RH FWD PAX SEAT						Service	ATA:25
PN:403176-2RBDAGGH	MOS			22-Jun-18				65	
SN:62853	HRS	2400 (+30/-30)	0					655.4	
	AFL		0					544	
PROC. REF: AMM 25-21-01									PKG:20
25-21-01-002 ^S		DETAILED VISUAL INSPECTION OF PASSENGER SEAT BELTS						Service	ATA:25
	MOS			22-Jun-18				65	
	HRS	2400 (+30/-30)	0					655.4	
	AFL		0					544	
PROC. REF: AMM 25-21-01									PKG:20
25-21-03-001 ^S		DETAILED INSPECTION OF FIFTH SEAT						Service	ATA:25
	MOS			22-Jun-18				65	
	HRS	2400 (+30/-30)	0					655.4	
	AFL		0					544	
PROC. REF: AMM 25-21-03									PKG:20
25-21-03-002 ^S		DETAILED INSPECTION OF THE FIFTH SEAT BELT						Service	ATA:25
	MOS			22-Jun-18				65	
	HRS	2400 (+30/-30)	0					655.4	
	AFL		0					544	
PROC. REF: AMM 25-21-03									PKG:20
25-43-01-001 ^S		DETAILED VISUAL INSPECTION OF BELTED TOILET UNIT						Service	ATA:25
	MOS			22-Jun-18				65	
	HRS	3200 (+30/-30)	0					655.4	
	AFL		0					544	
PROC. REF: AMM 25-43-02									PKG:40
25-43-01-002 ^S		DETAILED VISUAL INSPECTION OF BELTED TOILET SEAT BELT						Service	ATA:25
	MOS			22-Jun-18				65	
	HRS	3200 (+30/-30)	0					655.4	
	AFL		0					544	
PROC. REF: AMM 25-43-02									PKG:40

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 25 - EQUIPMENT/FURNISHINGS									
25-61-00-001	OPERATIONAL CHECK EMERGENCY LOCATOR TRANSMITTER SYSTEM								Service ATA:25
PN:S1821502-02	MOS	12	24-Jun-23		24-Jun-24		216 d	24-Jun-2024	4.9
SN:LX1100570150	HRS								
	AFL								
PROC. REF: AMM 25-61-00									
25-61-00-002	GENERAL VISUAL INSPECTION OF EMERGENCY LOCATOR TRANSMITTER								Service ATA:25
PN:S1821502-02	MOS	12	24-Jun-23		24-Jun-24		216 d	24-Jun-2024	4.9
SN:LX1100570150	HRS								
	AFL								
PROC. REF: AMM 25-61-00									
25-61-01	EMERGENCY LOCATOR TRANSMITTER								Component ATA:25
PN:S1821502-02	MOS/MSC	O/C	07-Jul-21	TSN 37					28.5
SN:LX1100570150	HRS		533.5	TSN 533.5					121.9
	AFL		447	TSN 447					97
PROC. REF: AMM 25-61-01, AMM 25-61-01									
25-61-02	EMERGENCY LOCATOR TRANSMITTER BATTERY								Component ATA:25
PN:S1820506-01	MOS/MSC	H/T	22-Jun-18	TSN 0					65
SN:433844	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: AMM 25-61-04									
25-61-03	ELT ANTENNA								Component ATA:25
PN:S65-8282-406	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:401-3408	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: AMM 25-61-03, AMM 25-61-03									
25-61-04-001	DISCARD EMERGENCY LOCATOR TRANSMITTER BATTERY								Service ATA:25
PN:S1820506-01	MOS/MSC	DUE			01-Feb-24 (M)		72 d	01-Feb-2024	
SN:433844	HRS								
	AFL								
PROC. REF: AMM 25-61-04									
25-62-01	FIRST AID KIT								Component ATA:25
PN:019708-0005L	MOS/MSC	H/T	06-Jul-22	TSN 0					16.5
SN:130774	HRS		600.55	TSN 0					54.85
	AFL		494	TSN 0					50
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 25 - EQUIPMENT/FURNISHINGS									
25-62-01-001	VISUAL CHECK FIRST AID KIT								Service ATA:25
PN:019708-0005L	MOS/MSC	DUE	10-Jul-23		31-Oct-23 (M)		OVD	31-Oct-2023	4.4
SN:130774	HRS		645.82						9.58
	AFL		536						8
PROC. REF: AMM 25-62-01									
25-62-02	COPILOT CREW LIFE VEST								Component ATA:25
PN:66601-505	MOS/MSC	H/T	22-Jun-18	TSN 0					65
SN:L4068836	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: AMM 25-62-02, AMM 25-62-02									
25-62-02	NO.1 PAX LIFE VEST								Component ATA:25
PN:66601-105	MOS/MSC	H/T	22-Jun-18	TSN 0					65
SN:L4097519	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: AMM 25-62-02, AMM 25-62-02									
25-62-02	NO.2 PAX LIFE VEST								Component ATA:25
PN:66601-105	MOS/MSC	H/T	22-Jun-18	TSN 0					65
SN:L4097520	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: AMM 25-62-02, AMM 25-62-02									
25-62-02	NO.3 PAX LIFE VEST								Component ATA:25
PN:66601-105	MOS/MSC	H/T	22-Jun-18	TSN 0					65
SN:L4097521	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: AMM 25-62-02, AMM 25-62-02									
25-62-02	NO.4 PAX LIFE VEST								Component ATA:25
PN:66601-105	MOS/MSC	H/T	22-Jun-18	TSN 0					65
SN:L4097522	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: AMM 25-62-02, AMM 25-62-02									
25-62-02	NO.5 PAX LIFE VEST								Component ATA:25
PN:66601-105	MOS/MSC	H/T	22-Jun-18	TSN 0					65
SN:L4097526	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: AMM 25-62-02, AMM 25-62-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 25 - EQUIPMENT/FURNISHINGS									
25-62-02	PILOT CREW LIFE VEST							Component	ATA:25
PN:66601-505	MOS/MSC	H/T	22-Jun-18	TSN 0				65	
SN:L4068834	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 25-62-02, AMM 25-62-02									
25-62-02	TOILET PAX LIFE VEST							Component	ATA:25
PN:66601-105	MOS/MSC	H/T	22-Jun-18	TSN 0				65	
SN:L4097545	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 25-62-02, AMM 25-62-02									
25-62-02-001	RESTORATION (OVERHAUL) OF COPILOT LIFE VEST							Service	ATA:25
	MOS	120	01-Feb-18		01-Feb-28		1533 d	01-Feb-2028	69.6
	HRS								
	AFL								
PROC. REF: AMM 25-62-02									
25-62-02-001	RESTORATION (OVERHAUL) OF NO. 1 LIFE VEST							Service	ATA:25
	MOS	120	01-Mar-18		01-Mar-28		1562 d	01-Mar-2028	68.6
	HRS								
	AFL								
PROC. REF: AMM 25-62-02									
25-62-02-001	RESTORATION (OVERHAUL) OF NO. 2 LIFE VEST							Service	ATA:25
	MOS	120	01-Mar-18		01-Mar-28		1562 d	01-Mar-2028	68.6
	HRS								
	AFL								
PROC. REF: AMM 25-62-02									
25-62-02-001	RESTORATION (OVERHAUL) OF NO. 3 LIFE VEST							Service	ATA:25
	MOS	120	01-Mar-18		01-Mar-28		1562 d	01-Mar-2028	68.6
	HRS								
	AFL								
PROC. REF: AMM 25-62-02									
25-62-02-001	RESTORATION (OVERHAUL) OF NO. 4 LIFE VEST							Service	ATA:25
	MOS	120	01-Mar-18		01-Mar-28		1562 d	01-Mar-2028	68.6
	HRS								
	AFL								
PROC. REF: AMM 25-62-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 25 - EQUIPMENT/FURNISHINGS									
25-62-02-001	RESTORATION (OVERHAUL) OF NO. 5 LIFE VEST								Service ATA:25
	MOS	120	01-Mar-18		01-Mar-28		1562 d	01-Mar-2028	68.6
	HRS								
	AFL								
PROC. REF: AMM 25-62-02									
25-62-02-001	RESTORATION (OVERHAUL) OF PILOT LIFE VEST								Service ATA:25
	MOS	120	01-Feb-18		01-Feb-28		1533 d	01-Feb-2028	69.6
	HRS								
	AFL								
PROC. REF: AMM 25-62-02									
25-62-02-001	RESTORATION (OVERHAUL) OF TOILET LIFE VEST								Service ATA:25
	MOS	120	01-Mar-18		01-Mar-28		1562 d	01-Mar-2028	68.6
	HRS								
	AFL								
PROC. REF: AMM 25-62-02									
25-62-02-003	DISCARD OF BELTED TOILET SEAT - PAX LIFE VEST								Service ATA:25
PN:66601-105	MOS/MSC	O/C	01-Mar-18						68.6
SN:L4097545	HRS								
	AFL								
PROC. REF: AMM 25-62-02									
25-62-02-003	DISCARD OF NO.5 PAX LIFE VEST								Service ATA:25
PN:66601-105	MOS/MSC	O/C	01-Mar-18						68.6
SN:L4097526	HRS								
	AFL								
PROC. REF: AMM 25-62-02									
25-62-04	LAV WATER BARRIER								Component ATA:25
PN:PN	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:UNKNOWN	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: GENERIC NO REF									
25-62-04-001 ^S	DETAILED DIMENSIONAL INSPECTION LAV WATER BARRIER								Service ATA:25
PN:PN	MOS	24 (+1m/-1m)	06-Jul-22						16.5
SN:UNKNOWN	HRS		600.55						54.85
	AFL		494						50
PROC. REF: AMM 25-62-04									
									PKG:81

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 25 - EQUIPMENT/FURNISHINGS									
ANAC 2016-05-01	INSPECTION AND CORRECTION OF THE ATTACHMENT FITTING OF EACH PASSENGER SEAT							AD	ATA:25
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
EASA 2013-0020 R04	APPLIANCE AD - EQUIPMENT & FURNISHINGS - SAFETY BELTS / TORSO RESTRAINT SYSTEMS - INSPECTION / REPLACEMENT							AD	ATA:25
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
Category: APPLIANCE									
FAA 2016-22-02	EQUIPMENT / FURNISHING - INSPECT EACH APPLICABLE PASSENGER SEAT FOR THE CORRECT INSTALLATION OF ATTACHMENT FITTINGS AND CORRECT THE DISCREPANCY (IF ANY DISCREPANCY IS FOUND)							AD	ATA:25
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
FAA 2017-16-01	APPLIANCE AD - EQUIPMENT / FURNISHINGS - AMERI-KING CORPORATION MODEL AK-450() AND AK-451() SERIES EMERGENCY LOCATOR TRANSMITTERS - REPETATIVE INSPECTIONS, CHECKS, TESTS AND VERIFICATIONS							AD	ATA:25
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
Category: APPLIANCE									
SB 500-25-0001 REV 01	EQUIPMENT/FURNISHINGS - EMERGENCY-DOOR WATER-DRIP PREVENTION, SERVICE BULLETIN							Bulletin	ATA:25
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-25-0003	EQUIPMENT/FURNISHINGS - REPLACEMENT OF THE PASSENGER SEATS, SERVICE BULLETIN							Bulletin	ATA:25
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-25-0004	EQUIPMENT/FURNISHINGS - INTERIOR CONFIGURATION CONVERSION FROMCITRINE TO TOPAZ PATTERN, SERVICE BULLETIN							Bulletin	ATA:25
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 25 - EQUIPMENT/FURNISHINGS									
SB 500-25-0005	EQUIPMENT/FURNISHINGS - COCKPIT SUNSHADE AND SUNVISOR INSTALLATION (SUPERSEDED BY 500-25-0005 REV 01), SERVICE BULLETIN							Bulletin	ATA:25
	MOS/MSC	-	22-Jun-18						65
	HRS		0						655.4
	AFL		0						544
SB 500-25-0005 REV 01	EQUIPMENT/FURNISHINGS - COCKPIT SUNSHADE AND SUNVISOR INSTALLATION, SERVICE BULLETIN							Bulletin	ATA:25
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-25-0006 REV 09	EQUIPMENT / FURNISHINGS - REPLACEMENT OF THE LAVATORY DIVIDER WITH RIGID DOOR, SERVICE BULLETIN							Bulletin	ATA:25
	MOS/MSC	-	22-Jun-18						65
	HRS		0						655.4
	AFL		0						544
SB 500-25-0007 REV 14	EQUIPMENT/FURNISHINGS - BELTED TOILET INSTALLATION (SUPERSEDED BY 500-25-0007 REV 15), SERVICE BULLETIN							Bulletin	ATA:25
	MOS/MSC	-	22-Jun-18						65
	HRS		0						655.4
	AFL		0						544
SB 500-25-0007 REV 14 PART I	ACCOMPLISH EQUIPMENT/FURNISHINGS - BELTED TOILET INSTALLATION (SUPERSEDED BY 500-25-0007 REV 15), SERVICE BULLETIN AIRCRAFT EQUIPPED WITH LAVATORY RIGID DOOR (LRD)							Bulletin	ATA:25
	MOS/MSC	-	22-Jun-18						65
	HRS		0						655.4
	AFL		0						544
SB 500-25-0007 REV 14 PART II	ACCOMPLISH EQUIPMENT/FURNISHINGS - BELTED TOILET INSTALLATION (SUPERSEDED BY 500-25-0007 REV 15), SERVICE BULLETIN AIRCRAFT EQUIPPED WITH LAVATORY CURTAIN							Bulletin	ATA:25
	MOS/MSC	-	22-Jun-18						65
	HRS		0						655.4
	AFL		0						544
SB 500-25-0007 REV 14 PART III	ACCOMPLISH EQUIPMENT/FURNISHINGS - BELTED TOILET INSTALLATION (SUPERSEDED BY 500-25-0007 REV 15), SERVICE BULLETIN ADDITIONAL ACTION - INSTALLATION OF PLACARDS FOR AIRCRAFT EQUIPPED WITH LAVATORY RIGID DOOR (LRD)							Bulletin	ATA:25
	MOS/MSC	-	22-Jun-18						65
	HRS		0						655.4
	AFL		0						544

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 25 - EQUIPMENT/FURNISHINGS									
SB 500-25-0007 REV 14 PART IV	ACCOMPLISH EQUIPMENT/FURNISHINGS - BELTED TOILET INSTALLATION (SUPERSEDED BY 500-25-0007 REV 15), SERVICE BULLETIN ADDITIONAL ACTION - INSTALLATION OF PLACARDS FOR AIRCRAFT EQUIPPED WITH LAVATORY CURTAIN							Bulletin	ATA:25
	MOS/MSC	-	22-Jun-18						65
	HRS		0						655.4
	AFL		0						544
SB 500-25-0007 REV 14 PART V	ACCOMPLISH EQUIPMENT/FURNISHINGS - BELTED TOILET INSTALLATION (SUPERSEDED BY 500-25-0007 REV 15), SERVICE BULLETIN ADDITIONAL ACTION - INSTALLATION OF TOURMALINE FINISH PARTS							Bulletin	ATA:25
	MOS/MSC	-	22-Jun-18						65
	HRS		0						655.4
	AFL		0						544
SB 500-25-0007 REV 15	EQUIPMENT/FURNISHINGS - BELTED TOILET INSTALLATION, SERVICE BULLETIN							Bulletin	ATA:25
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-25-0007 REV 15 PART I	ACCOMPLISH, SERVICE BULLETIN AIRCRAFT EQUIPPED WITH LAVATORY RIGID DOOR (LRD)							Bulletin	ATA:25
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-25-0007 REV 15 PART II	ACCOMPLISH, SERVICE BULLETIN AIRCRAFT EQUIPPED WITH LAVATORY CURTAIN							Bulletin	ATA:25
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-25-0007 REV 15 PART III	ACCOMPLISH, SERVICE BULLETIN ADDITIONAL ACTION - INSTALLATION OF PLACARDS FOR AIRCRAFT EQUIPPED WITH LAVATORY RIGID DOOR (LRD)							Bulletin	ATA:25
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-25-0007 REV 15 PART IV	ACCOMPLISH, SERVICE BULLETIN ADDITIONAL ACTION - INSTALLATION OF PLACARDS FOR AIRCRAFT EQUIPPED WITH LAVATORY CURTAIN							Bulletin	ATA:25
	MOS/MSC	-							
	HRS								
	AFL								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 25 - EQUIPMENT/FURNISHINGS									
SB 500-25-0007 REV 15		ACCOMPLISH, SERVICE BULLETIN ADDITIONAL ACTION - INSTALLATION OF TOURMALINE FINISH PARTS						Bulletin	ATA:25
PART V									
		MOS/MSC	-						
		HRS							
		AFL							
SB 500-25-0007 REV 16		EQUIPMENT/FURNISHINGS - BELTED TOILET INSTALLATION, SERVICE BULLETIN						Bulletin	ATA:25
		MOS/MSC	-						
		HRS							
		AFL							
SB 500-25-0007 REV 16		ACCOMPLISH EQUIPMENT/FURNISHINGS - BELTED TOILET INSTALLATION, SERVICE BULLETIN AIRCRAFT EQUIPPED WITH LAVATORY RIGID DOOR (LRD)						Bulletin	ATA:25
PART I		MOS/MSC	-						
		HRS							
		AFL							
SB 500-25-0007 REV 16		ACCOMPLISH EQUIPMENT/FURNISHINGS - BELTED TOILET INSTALLATION, SERVICE BULLETIN AIRCRAFT EQUIPPED WITH LAVATORY CURTAIN						Bulletin	ATA:25
PART II		MOS/MSC	-						
		HRS							
		AFL							
SB 500-25-0007 REV 16		ACCOMPLISH EQUIPMENT/FURNISHINGS - BELTED TOILET INSTALLATION, SERVICE BULLETIN ADDITIONAL ACTION - INSTALLATION OF PLACARDS FOR AIRCRAFT EQUIPPED WITH LAVATORY RIGID DOOR (LRD)						Bulletin	ATA:25
PART III		MOS/MSC	-						
		HRS							
		AFL							
SB 500-25-0007 REV 16		ACCOMPLISH EQUIPMENT/FURNISHINGS - BELTED TOILET INSTALLATION, SERVICE BULLETIN ADDITIONAL ACTION - INSTALLATION OF PLACARDS FOR AIRCRAFT EQUIPPED WITH LAVATORY CURTAIN						Bulletin	ATA:25
PART IV		MOS/MSC	-						
		HRS							
		AFL							
SB 500-25-0007 REV 16		ACCOMPLISH EQUIPMENT/FURNISHINGS - BELTED TOILET INSTALLATION, SERVICE BULLETIN ADDITIONAL ACTION - INSTALLATION OF TOURMALINE FINISH PARTS						Bulletin	ATA:25
PART V		MOS/MSC	-						
		HRS							
		AFL							

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 25 - EQUIPMENT/FURNISHINGS									
SB 500-25-0007 REV 17	EQUIPMENT/FURNISHINGS - BELTED TOILET INSTALLATION, SERVICE BULLETIN							Bulletin	ATA:25
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-25-0007 REV 17 PART I	ACCOMPLISH EQUIPMENT/FURNISHINGS - BELTED TOILET INSTALLATION, SERVICE BULLETIN AIRCRAFT EQUIPPED WITH LAVATORY RIGID DOOR (LRD)							Bulletin	ATA:25
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-25-0007 REV 17 PART II	ACCOMPLISH EQUIPMENT/FURNISHINGS - BELTED TOILET INSTALLATION, SERVICE BULLETIN AIRCRAFT EQUIPPED WITH LAVATORY CURTAIN							Bulletin	ATA:25
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-25-0007 REV 17 PART III	ACCOMPLISH EQUIPMENT/FURNISHINGS - BELTED TOILET INSTALLATION, SERVICE BULLETIN ADDITIONAL ACTION - INSTALLATION OF PLACARDS FOR AIRCRAFT EQUIPPED WITH LAVATORY RIGID DOOR (LRD)							Bulletin	ATA:25
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-25-0007 REV 17 PART IV	ACCOMPLISH EQUIPMENT/FURNISHINGS - BELTED TOILET INSTALLATION, SERVICE BULLETIN ADDITIONAL ACTION - INSTALLATION OF PLACARDS FOR AIRCRAFT EQUIPPED WITH LAVATORY CURTAIN							Bulletin	ATA:25
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-25-0007 REV 17 PART V	ACCOMPLISH EQUIPMENT/FURNISHINGS - BELTED TOILET INSTALLATION, SERVICE BULLETIN ADDITIONAL ACTION - INSTALLATION OF TOURMALINE FINISH PARTS							Bulletin	ATA:25
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-25-0008 REV 04	EQUIPMENT/FURNISHINGS - SIDE FACING SEAT INSTALLATION (FIFTH SEAT INSTALLATION), SERVICE BULLETIN							Bulletin	ATA:25
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 25 - EQUIPMENT/FURNISHINGS									
SB 500-25-0008 REV 04 PART I	ACCOMPLISH EQUIPMENT/FURNISHINGS - SIDE FACING SEAT INSTALLATION (FIFTH SEAT INSTALLATION), SERVICE BULLETIN FIFTH SEAT INSTALLATION TO AIRCRAFT WITHOUT IFE SYSTEM							Bulletin	ATA:25
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-25-0008 REV 04 PART II	ACCOMPLISH EQUIPMENT/FURNISHINGS - SIDE FACING SEAT INSTALLATION (FIFTH SEAT INSTALLATION), SERVICE BULLETIN FIFTH SEAT INSTALLATION TO AIRCRAFT WITH IFE SYSTEM							Bulletin	ATA:25
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-25-0008 REV 04 PART III	ACCOMPLISH EQUIPMENT/FURNISHINGS - SIDE FACING SEAT INSTALLATION (FIFTH SEAT INSTALLATION), SERVICE BULLETIN FIFTH SEAT INSTALLATION TO AIRCRAFT WITHOUT IFE SYSTEM - TOPAZ FINISHING CONFIGURATION							Bulletin	ATA:25
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-25-0009	EQUIPMENT/FURNISHINGS - PLACARD INSTALLATION TO THE ELT REMOTECONTROL PANEL, SERVICE BULLETIN							Bulletin	ATA:25
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-25-0010 REV 04	EQUIPMENT/FURNISHINGS - BELTED TOILET INSTALLATION FOR PROVISIONED AIRCRAFT, SERVICE BULLETIN							Bulletin	ATA:25
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-25-0010 REV 04 PART I	EQUIPMENT/FURNISHINGS - BELTED TOILET INSTALLATION FOR PROVISIONED AIRCRAFT, SERVICE BULLETIN AIRCRAFT EQUIPPED WITH LAVATORY RIGID DOOR (LRD)							Bulletin	ATA:25
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-25-0010 REV 04 PART II	EQUIPMENT/FURNISHINGS - BELTED TOILET INSTALLATION FOR PROVISIONED AIRCRAFT, SERVICE BULLETIN AIRCRAFT EQUIPPED WITH LAVATORY CURTAIN							Bulletin	ATA:25
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 25 - EQUIPMENT/FURNISHINGS									
SB 500-25-0010 REV 04 PART III		EQUIPMENT/FURNISHINGS - BELTED TOILET INSTALLATION FOR PROVISIONED AIRCRAFT, SERVICE BULLETIN ADDITIONAL ACTION - INSTALLATION OF PLACARDS FOR AIRCRAFT EQUIPPED WITH LAVATORY RIGID DOOR (LRD)						Bulletin	ATA:25
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-25-0010 REV 04 PART IV		EQUIPMENT/FURNISHINGS - BELTED TOILET INSTALLATION FOR PROVISIONED AIRCRAFT, SERVICE BULLETIN ADDITIONAL ACTION - INSTALLATION OF PLACARDS FOR AIRCRAFT EQUIPPED WITH LAVATORY CURTAIN						Bulletin	ATA:25
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-25-0010 REV 05		EQUIPMENT/FURNISHINGS - BELTED TOILET INSTALLATION FOR PROVISIONED AIRCRAFT, SERVICE BULLETIN						Bulletin	ATA:25
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-25-0010 REV 05 PART I		ACCOMPLISH EQUIPMENT/FURNISHINGS - BELTED TOILET INSTALLATION FOR PROVISIONED AIRCRAFT, SERVICE BULLETIN AIRCRAFT EQUIPPED WITH LAVATORY RIGID DOOR (LRD)						Bulletin	ATA:25
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-25-0010 REV 05 PART II		ACCOMPLISH EQUIPMENT/FURNISHINGS - BELTED TOILET INSTALLATION FOR PROVISIONED AIRCRAFT, SERVICE BULLETIN AIRCRAFT EQUIPPED WITH LAVATORY CURTAIN						Bulletin	ATA:25
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-25-0010 REV 05 PART III		ACCOMPLISH EQUIPMENT/FURNISHINGS - BELTED TOILET INSTALLATION FOR PROVISIONED AIRCRAFT, SERVICE BULLETIN ADDITIONAL ACTION - INSTALLATION OF PLACARDS FOR AIRCRAFT EQUIPPED WITH LAVATORY RIGID DOOR (LRD)						Bulletin	ATA:25
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-25-0010 REV 05 PART IV		ACCOMPLISH EQUIPMENT/FURNISHINGS - BELTED TOILET INSTALLATION FOR PROVISIONED AIRCRAFT, SERVICE BULLETIN ADDITIONAL ACTION - INSTALLATION OF PLACARDS FOR AIRCRAFT EQUIPPED WITH LAVATORY CURTAIN						Bulletin	ATA:25
	MOS/MSC	-							
	HRS								
	AFL								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 25 - EQUIPMENT/FURNISHINGS									
SB 500-25-0012 REV 03	EQUIPMENT/FURNISHINGS - PREMIUM SEAT INSTALLATION, SERVICE BULLETIN							Bulletin	ATA:25
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-25-0013	EQUIPMENT/FURNISHINGS - AIRCRAFT SN 329 INTERIOR FURNISHING RECONFIGURATION, SERVICE BULLETIN							Bulletin	ATA:25
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-25-0014 REV 02	EQUIPMENT/FURNISHINGS - SINGLE SIDE FACING SEAT (FIFTH SEAT) INSTALLATION FOR AIRCRAFT WITH STRUCTURAL PROVISION, SERVICE BULLETIN							Bulletin	ATA:25
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-25-0014 REV 02 PART I	INSTALLATION EQUIPMENT/FURNISHINGS - SINGLE SIDE FACING SEAT (FIFTH SEAT) INSTALLATION FOR AIRCRAFT WITH STRUCTURAL PROVISION, SERVICE BULLETIN - FIFTH SEAT							Bulletin	ATA:25
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-25-0014 REV 02 PART II	REMOVE EQUIPMENT/FURNISHINGS - SINGLE SIDE FACING SEAT (FIFTH SEAT) INSTALLATION FOR AIRCRAFT WITH STRUCTURAL PROVISION, SERVICE BULLETIN - IFE SYSTEM							Bulletin	ATA:25
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-25-0014 REV 02 PART III	REROUTE EQUIPMENT/FURNISHINGS - SINGLE SIDE FACING SEAT (FIFTH SEAT) INSTALLATION FOR AIRCRAFT WITH STRUCTURAL PROVISION, SERVICE BULLETIN THE ELECTRICAL HARNESS (W201)							Bulletin	ATA:25
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-25-0015	EQUIPMENT/FURNISHINGS - SINGLE SIDE-FACING FIFTH SEAT INSTALLATION REQUIRING STRUCTURAL REINFORCEMENT, SERVICE BULLETIN							Bulletin	ATA:25
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 25 - EQUIPMENT/FURNISHINGS									
SB 500-25-0016	EQUIPMENT/FURNISHINGS - SEATS INSTALLATION FITTINGS INSPECTION, SERVICE BULLETIN							Bulletin	ATA:25
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-25-0017 REV 01	EQUIPMENT/FURNISHINGS - PLACARDS AND EXTERNAL INSCRIPTIONS REPLACEMENT - CZECH/ENGLISH LANGUAGE, SERVICE BULLETIN							Bulletin	ATA:25
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-25-0018 REV 01	EQUIPMENT/FURNISHINGS - REPLACEMENT OF BELTED TOILET AND FIFTH SEAT CUSHIONS, SERVICE BULLETIN							Bulletin	ATA:25
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-25-0019	EQUIPMENT / FURNISHINGS - LAVATORY CABINET - WATER BARRIER AND LIFE VEST PLACARDS INSTALLATION, SERVICE BULLETIN							Bulletin	ATA:25
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-25-0019 REV 01	EQUIPMENT/FURNISHINGS - LAVATORY CABINET - WATER BARRIER AND LIFE VEST PLACARDS INSTALLATION, SERVICE BULLETIN							Bulletin	ATA:25
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-25-0020	EQUIPMENT/FURNISHINGS - PLACARDS REPLACEMENT - POLISH/ENGLISH LANGUAGE, SERVICE BULLETIN							Bulletin	ATA:25
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-25-0021 REV 02	EQUIPMENT/FURNISHINGS - PLACARDS AND EXTERNAL INSCRIPTIONS REPLACEMENT - GERMAN/ENGLISH LANGUAGE, SERVICE BULLETIN							Bulletin	ATA:25
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-25-0021 REV 03	EQUIPMENT/FURNISHINGS - PLACARDS AND EXTERNAL INSCRIPTIONS REPLACEMENT - GERMAN/ ENGLISH LANGUAGE, SERVICE BULLETIN							Bulletin	ATA:25
	MOS/MSC	-							
	HRS								
	AFL								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 25 - EQUIPMENT/FURNISHINGS									
SB 500-25-0021 REV 03 PART I	ACCOMPLISH, SERVICE BULLETIN REPLACEMENT OF PLACARDS FOR AIRCRAFT TO BE CERTIFIED UNDER THE REPUBLIC OF GERMANY CERTIFICATION AUTHORITY							Bulletin	ATA:25
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-25-0021 REV 03 PART II	ACCOMPLISH, SERVICE BULLETIN ADDITIONAL ACTION TO REPLACE PLACARDS FOR AIRCRAFT TO BE CERTIFIED UNDER THE AUSTRIAN CERTIFICATION AUTHORITY							Bulletin	ATA:25
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-25-0021 REV 04	EQUIPMENT/FURNISHINGS - PLACARDS AND EXTERNAL INSCRIPTIONS REPLACEMENT - GERMAN/ENGLISH LANGUAGE, SERVICE BULLETIN							Bulletin	ATA:25
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-25-0021 REV 04 PART I	ACCOMPLISH EQUIPMENT/FURNISHINGS - PLACARDS AND EXTERNAL INSCRIPTIONS REPLACEMENT - GERMAN/ENGLISH LANGUAGE, SERVICE BULLETIN REPLACEMENT OF PLACARDS FOR AIRCRAFT TO BE CERTIFIED UNDER THE REPUBLIC OF GERMANY CERTIFICATION AUTHORITY							Bulletin	ATA:25
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-25-0021 REV 04 PART II	ACCOMPLISH EQUIPMENT/FURNISHINGS - PLACARDS AND EXTERNAL INSCRIPTIONS REPLACEMENT - GERMAN/ENGLISH LANGUAGE, SERVICE BULLETIN ADDITIONAL ACTION TO REPLACE PLACARDS FOR AIRCRAFT TO BE CERTIFIED UNDER THE AUSTRIAN CERTIFICATION AUTHORITY							Bulletin	ATA:25
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-25-0022	EQUIPMENT/FURNISHINGS - FIRST AID KIT REPLACEMENT (SUPERSEDED BY 500-25-0022 REV 01), SERVICE BULLETIN							Bulletin	ATA:25
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-25-0022 REV 01	EQUIPMENT/FURNISHINGS - FIRST AID KIT REPLACEMENT, SERVICE BULLETIN							Bulletin	ATA:25
	MOS/MSC	-							
	HRS								
	AFL								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 25 - EQUIPMENT/FURNISHINGS									
SB 500-25-0022 REV 02	EQUIPMENT/FURNISHINGS - FIRST AID KIT REPLACEMENT, SERVICE BULLETIN							Bulletin	ATA:25
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-25-0023	EQUIPMENT/FURNISHINGS - PLACARDS AND EXTERNAL INSCRIPTIONS REPLACEMENT - AUSTRIANGERMAN/ENGLISH LANGUAGE, SERVICE BULLETIN							Bulletin	ATA:25
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-25-0024	EQUIPMENT/FURNISHINGS - CARPET REPLACEMENT, SERVICE BULLETIN							Bulletin	ATA:25
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-25-0025	EQUIPMENT/FURNISHINGS - PILOT SEAT LEGROOM INCREASE, SERVICE BULLETIN							Bulletin	ATA:25
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-25-0027	EQUIPMENT/FURNISHINGS - RH REFRESHMENT CENTER AND RH FWD CABINET - REINFORCEMENT INSTALLATION, SERVICE BULLETIN							Bulletin	ATA:25
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-25-0028	EQUIPMENT/FURNISHINGS - COCKPIT SUNSHADE COVER - INSTALLATION, SERVICE BULLETIN							Bulletin	ATA:25
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-25-0028 PART I	ACCOMPLISH EQUIPMENT/FURNISHINGS - COCKPIT SUNSHADE COVER - INSTALLATION, SERVICE BULLETIN LH COCKPIT SUNSHADE COVER - INSTALLATION							Bulletin	ATA:25
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-25-0028 PART II	ACCOMPLISH EQUIPMENT/FURNISHINGS - COCKPIT SUNSHADE COVER - INSTALLATION, SERVICE BULLETIN RH COCKPIT SUNSHADE COVER - INSTALLATION							Bulletin	ATA:25
	MOS/MSC	-							
	HRS								
	AFL								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 25 - EQUIPMENT/FURNISHINGS									
SB 500-25-0029	EQUIPMENT/FURNISHINGS - COCKPIT SUN VISOR - REMOVAL, SERVICE BULLETIN								Bulletin ATA:25
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-25-0029 PART I	ACCOMPLISH EQUIPMENT/FURNISHINGS - COCKPIT SUN VISOR - REMOVAL, SERVICE BULLETIN LH COCKPIT SUN VISOR - REMOVAL								Bulletin ATA:25
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-25-0029 PART II	ACCOMPLISH EQUIPMENT/FURNISHINGS - COCKPIT SUN VISOR - REMOVAL, SERVICE BULLETIN RH COCKPIT SUN VISOR - REMOVAL								Bulletin ATA:25
	MOS/MSC	-							
	HRS								
	AFL								
ATA 26 - FIRE PROTECTION									
26-11-01	LH ENGINE FIRE DETECTOR								Component ATA:26
PN:3951-49-565/211C-3.7M	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:53802	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: AMM 26-11-01, AMM 26-11-01									
26-11-01	RH ENGINE FIRE DETECTOR								Component ATA:26
PN:3951-49-565/211C-3.7M	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:53881	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: AMM 26-11-01, AMM 26-11-01									
26-11-01-001 ^S	DETAILED VISUAL INSPECTION LH ENGINE FIRE DETECTOR								Service ATA:26
PN:3951-49-565/211C-3.7M	MOS		22-Jun-18						65
SN:53802	HRS	1600 (+30/-30)	0						655.4
	AFL		0						544
PROC. REF: AMM 26-11-01									
									PKG:10

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 26 - FIRE PROTECTION									
26-11-01-001 ^S		DETAILED VISUAL INSPECTION RH ENGINE FIRE DETECTOR							Service ATA:26
PN:3951-49-565/211C-3.7M	MOS		22-Jun-18						65
SN:53881	HRS	1600 (+30/-30)	0						655.4
	AFL		0						544
PROC. REF: AMM 26-11-01									PKG:10
26-11-01-002		OPERATIONAL CHECK LH ENGINE FIRE DETECTOR							Service ATA:26
PN:3951-49-565/211C-3.7M	MOS		22-Jun-18					17-Jun-2025	65
SN:53802	HRS	1600 (+30/-30)	0		1600	1630	944.6 (+30)		655.4
	AFL		0						544
PROC. REF: AMM 26-11-01									
26-11-01-002		OPERATIONAL CHECK RH ENGINE FIRE DETECTOR							Service ATA:26
PN:3951-49-565/211C-3.7M	MOS		22-Jun-18					17-Jun-2025	65
SN:53881	HRS	1600 (+30/-30)	0		1600	1630	944.6 (+30)		655.4
	AFL		0						544
PROC. REF: AMM 26-11-01									
26-21-01		FIRE/ENGINE START STOP/IGNITION/TRIM CONTROL PANEL							Component ATA:26
PN:441-44278-001	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:1310	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: AMM 26-21-01, AMM 26-21-01, AMM 26-21-02, AMM 26-21-02									
26-21-01-001		FUNCTIONAL CHECK FIRE/ENGINE START STOP/IGNITION/TRIM CONTROL PANEL FIREX PANEL/SYSTEM							Service ATA:26
PN:441-44278-001	MOS		22-Jun-18					17-Oct-2026	65
SN:1310	HRS	2400 (+30/-30)	0		2400	2430	1744.6 (+30)		655.4
	AFL		0						544
PROC. REF: AMM 26-21-00									
26-21-03		ENGINE FIRE EXTINGUISHING BOTTLE							Component ATA:26
PN:33000073-4	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:85608A1	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: AMM 26-21-03, AMM 26-21-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 26 - FIRE PROTECTION									
26-21-03-001	HYDROSTATIC TEST ENGINE FIRE EXTINGUISHING BOTTLE								Service ATA:26
PN:33000073-4	MOS	120	01-Jan-18		01-Jan-28		1502 d	01-Jan-2028	70.6
SN:85608A1	HRS								
	AFL								
PROC. REF: AMM 26-21-03									
26-21-05-001	OPERATIONAL CHECK OF TEMPERATURE COMPENSATED PRESSURE SWITCH (TCPS)								Service ATA:26
	MOS		22-Jun-18					17-Oct-2026	65
	HRS	2400 (+30/-30)	0		2400	2430	1744.6 (+30)		655.4
	AFL		0						544
PROC. REF: AMM 26-21-05									
26-21-07	LEFT ENG FIREX CARTRIDGE								Component ATA:26
PN:30903962-1	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:0868VL	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: AMM 26-21-07, AMM 26-21-07									
26-21-07	RIGHT ENG FIREX CARTRIDGE								Component ATA:26
PN:30903963-1	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:0301VM	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: AMM 26-21-07, AMM 26-21-07									
26-21-07-001	DISCARD LEFT ENG FIREX CARTRIDGE								Service ATA:26
PN:30903962-1	MOS	120	01-Jan-18		01-Jan-28		1502 d	01-Jan-2028	70.6
SN:0868VL	HRS								
	AFL								
Manufacture Date:: 01-Jan-18 PROC. REF: AMM 26-21-07									
26-21-07-001	DISCARD RIGHT ENG FIREX CARTRIDGE								Service ATA:26
PN:30903963-1	MOS	120	01-Jan-18		01-Jan-28		1502 d	01-Jan-2028	70.6
SN:0301VM	HRS								
	AFL								
Manufacture Date:: 01-Jan-18 PROC. REF: AMM 26-21-07									
26-21-09-001 ^S	DETAILED VISUAL INSPECTION OF ENGINE FIRE EXTINGUISHING DISCHARGE PIPING								Service ATA:26
	MOS		22-Jun-18						65
	HRS	2400 (+30/-30)	0						655.4
	AFL		0						544
PROC. REF: AMM 26-21-09									
									PKG:20

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 26 - FIRE PROTECTION									
26-24-01	CABIN PORTABLE EXTINGUISHER							Component	ATA:26
PN:RT-A1200	MOS/MSC	H/T	02-Jun-20	TSN 24				41.6	
SN:A25951616	HRS		412.7	TSN 412.7				242.7	
	AFL		351	TSN 351				193	
PROC. REF: AMM 26-24-01, AMM 26-24-01									
26-24-01	COCKPIT PORTABLE EXTINGUISHER							Component	ATA:26
PN:RT-A1200	MOS/MSC	H/T	02-Jun-20	TSN 24				41.6	
SN:D58292893	HRS		412.7	TSN 412.7				242.7	
	AFL		351	TSN 351				193	
PROC. REF: AMM 26-24-01, AMM 26-24-01									
26-24-01-001	WEIGHT CHECK CABIN PORTABLE EXTINGUISHER							Service	ATA:26
PN:RT-A1200	MOS	12	15-Jun-23	Adj -2d	13-Jun-24		205 d	13-Jun-2024	5.2
SN:A25951616	HRS								
	AFL								
PROC. REF: AMM 26-24-01									
26-24-01-001	WEIGHT CHECK COCKPIT PORTABLE EXTINGUISHER							Service	ATA:26
PN:RT-A1200	MOS	12	15-Jun-23	Adj -2d	13-Jun-24		205 d	13-Jun-2024	5.2
SN:D58292893	HRS								
	AFL								
PROC. REF: AMM 26-24-01									
26-24-01-002	DISCARD CABIN PORTABLE EXTINGUISHER							Service	ATA:26
PN:RT-A1200	MOS	144	01-Nov-17		01-Nov-29		2172 d	01-Nov-2029	72.6
SN:A25951616	HRS								
	AFL								
Manufacture Date:: 01-Nov-17 PROC. REF: AMM 26-24-01									
26-24-01-002	DISCARD COCKPIT PORTABLE EXTINGUISHER							Service	ATA:26
PN:RT-A1200	MOS	144	01-Dec-17		01-Dec-29		2202 d	01-Dec-2029	71.6
SN:D58292893	HRS								
	AFL								
Manufacture Date:: 01-Dec-17 PROC. REF: AMM 26-24-01									
26-24-01-004	WEIGHT CHECK CABIN PORTABLE EXTINGUISHER							Service	ATA:26
PN:RT-A1200	MOS/MSC	N/A							
SN:A25951616	HRS								
	AFL								
PROC. REF: AMM 26-24-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 26 - FIRE PROTECTION									
26-24-01-004	WEIGHT CHECK COCKPIT PORTABLE EXTINGUISHER								Service ATA:26
PN:RT-A1200	MOS/MSC	N/A							
SN:D58292893	HRS								
	AFL								
PROC. REF: AMM 26-24-01									
EASA 2009-0251-E	APPLIANCE/EMERGENCY AD - FIRE PROTECTION – PORTABLE FIRE EXTINGUISHERS – IDENTIFICATION / REPLACEMENT								AD ATA:26
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
Category: APPLIANCE, EMERGENCY									
EASA 2009-0262 R01	APPLIANCE AD - FIRE PROTECTION – HALON 1211 FIRE EXTINGUISHERS – IDENTIFICATION / REPLACEMENT								AD ATA:26
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
Category: APPLIANCE									
EASA 2009-0278	APPLIANCE AD - FIRE PROTECTION – PORTABLE HALON 1211 FIRE EXTINGUISHERS – IDENTIFICATION / REPLACEMENT								AD ATA:26
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
Category: APPLIANCE									
EASA 2010-0062 R01	APPLIANCE AD - FIRE PROTECTION - HALON 1211 FIRE EXTINGUISHERS - IDENTIFICATION /REPLACEMENT								AD ATA:26
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
Category: APPLIANCE									
FAA 2003-26-14	APPLIANCE AD - TO REMOVE FROM SERVICE FIRE EXTINGUISHERS THAT HAVE THIS INCOMPLETE CRIMPING OF THE SIPHON TUBE								AD ATA:26
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
Category: APPLIANCE									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 26 - FIRE PROTECTION									
FAA 2010-04-16	APPLIANCE AD - REPLACE ALL TYPE H1-10 AIR HALON 1211 (BCF) PORTABLE FIRE EXTINGUISHERS MANUFACTURED BY SICLI, HAVING P/N 1708337B4								AD ATA:26
	MOS/MSC	-	22-Jun-18						65
	HRS		0						655.4
	AFL		0						544
Category: APPLIANCE									
SB 500-26-0001 REV 02	FIRE PROTECTION - ENGINE FIRE DETECTOR REROUTING, SERVICE BULLETIN								Bulletin ATA:26
	MOS/MSC	-	22-Jun-18						65
	HRS		0						655.4
	AFL		0						544
SB 500-26-0002 REV 04	FIRE PROTECTION - ADDITIONAL FIRE EXTINGUISHER FOR 7 PASSENGERS CONFIGURATION, SERVICE BULLETIN								Bulletin ATA:26
	MOS/MSC	-	22-Jun-18						65
	HRS		0						655.4
	AFL		0						544
SB 500-26-0002 REV 05	FIRE PROTECTION - ADDITIONAL FIRE EXTINGUISHER FOR 7 PASSENGERS CONFIGURATION, SERVICE BULLETIN								Bulletin ATA:26
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-26-0003 REV 04	FIRE PROTECTION - PORTABLE FIRE EXTINGUISHER REPLACEMENT, SERVICE BULLETIN								Bulletin ATA:26
	MOS/MSC	-	22-Jun-18						65
	HRS		0						655.4
	AFL		0						544
SB 500-26-0004	FIRE PROTECTION - PORTABLE HALON FIRE EXTINGUISHER REPLACEMENT, SERVICE BULLETIN								Bulletin ATA:26
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-26-0005	FIRE PROTECTION - PORTABLE HALON FIRE EXTINGUISHER - REPLACEMENT, SERVICE BULLETIN								Bulletin ATA:26
	MOS/MSC	-							
	HRS								
	AFL								
ATA 27 - FLIGHT CONTROLS									
27-001	LEFT FLAP ACTUATOR								Component ATA:27
PN:6094A0001-08	MOS		22-Jun-18	TSN 0				01-Feb-2081	65
SN:0990	HRS	35000	0	TSN 0	35000		34344.6		655.4

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 27 - FLIGHT CONTROLS									
	AFL		0	TSN 0					544
PROC. REF: AMM 27-51-01, AMM 27-51-01									
27-001	RIGHT FLAP ACTUATOR								Component ATA:27
PN:6094A0001-08	MOS		16-Aug-19	TSN 0				12-Feb-2080	51.2
SN:0866	HRS	35000	199.6	TSN 784	34415.6		33760.2		455.8
	AFL			TSN 708					
PROC. REF: AMM 27-51-01, AMM 27-51-01									
27-002	ROLL TRIM ACTUATOR								Component ATA:27
PN:452900-1007	MOS		22-Jun-18	TSN 0				01-Feb-2081	65
SN:0441	HRS	35000	0	TSN 0	35000		34344.6		655.4
	AFL		0	TSN 0					544
PROC. REF: AMM 27-14-02, AMM 27-14-02									
27-003	YAW TRIM ACTUATOR								Component ATA:27
PN:453000-1007	MOS		22-Jun-18	TSN 0				01-Feb-2081	65
SN:0444	HRS	35000	0	TSN 0	35000		34344.6		655.4
	AFL		0	TSN 0					544
PROC. REF: AMM 27-24-02, AMM 27-24-02									
27-004	LEFT PITCH TRIM ACTUATOR								Component ATA:27
PN:453100-9009	MOS		22-Jun-18	TSN 0				01-Feb-2081	65
SN:0981	HRS	35000	0	TSN 0	35000		34344.6		655.4
	AFL		0	TSN 0					544
PROC. REF: AMM 27-34-02, AMM 27-34-02									
27-004	RIGHT PITCH TRIM ACTUATOR								Component ATA:27
PN:453100-9009	MOS		22-Jun-18	TSN 0				01-Feb-2081	65
SN:0982	HRS	35000	0	TSN 0	35000		34344.6		655.4
	AFL		0	TSN 0					544
PROC. REF: AMM 27-34-02, AMM 27-34-02									
27-005	LH WING GROUND SPOILER ACTUATOR								Component ATA:27
PN:2138-1000-401	MOS		22-Jun-18	TSN 0				01-Feb-2081	65
SN:00183	HRS	35000	0	TSN 0	35000		34344.6		655.4
	AFL		0	TSN 0					544
PROC. REF: AMM 27-62-01, AMM 27-62-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 27 - FLIGHT CONTROLS									
27-005	RH WING GROUND SPOILER ACTUATOR							Component	ATA:27
PN:2138-1000-401	MOS		22-Jun-18	TSN 0				01-Feb-2081	65
SN:00159	HRS	35000	0	TSN 0	35000		34344.6		655.4
	AFL		0	TSN 0					544
PROC. REF: AMM 27-62-01, AMM 27-62-01									
27-01-01	LEFT CONTROL YOKE							Component	ATA:27
PN:83912139	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:01127	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: AMM 27-01-01, AMM 27-01-01									
27-01-01	RIGHT CONTROL YOKE							Component	ATA:27
PN:83912141	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:01044	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: AMM 27-01-01, AMM 27-01-01									
27-01-02	LH PEDAL ASSEMBLY							Component	ATA:27
PN:500-15010-447	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:0000972726	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: AMM 27-01-02, AMM 27-01-02									
27-01-03-001 ^S	LUBRICATION OF ROTARY BALL SPLINE							Service	ATA:27
	MOS	24 (+1m/-1m)	06-Jul-22						16.5
	HRS		600.55						54.85
	AFL		494						50
PROC. REF: AMM 12-21-00									PKG:81
27-04-01	NO.1 TRIM ACTUATOR CONTROLLER							Component	ATA:27
PN:461600-1011	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:2004	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: AMM 27-04-01, AMM 27-04-01									
27-04-01	NO.2 TRIM ACTUATOR CONTROLLER							Component	ATA:27
PN:461600-1011	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:2005	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: AMM 27-04-01, AMM 27-04-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 27 - FLIGHT CONTROLS									
27-04-01-001 ^S		FUNCTIONAL CHECK OF TRIM ACTUATION TIME LIMITER						Service	ATA:27
	MOS		22-Jun-18					65	
	HRS	5600 (+30/-30)	0					655.4	
	AFL		0					544	
PROC. REF: AMM 27-04-01									PKG:50
27-04-01-002 ^S		FUNCTIONAL CHECK OF TRIM TABS ELECTRICAL STOP						Service	ATA:27
	MOS		22-Jun-18					65	
	HRS	5600 (+30/-30)	0					655.4	
	AFL		0					544	
PROC. REF: AMM 27-04-01									PKG:50
27-04-01-003 ^S		OPERATIONAL CHECK OF TRIM TAB JAM MONITORING FUNCTION						Service	ATA:27
	MOS		22-Jun-18					65	
	HRS	5600 (+30/-30)	0					655.4	
	AFL		0					544	
PROC. REF: AMM 27-04-01									PKG:50
27-11-00-001 ^S		GENERAL VISUAL INSPECTION OF AILERON ACTUATING SYSTEM MECHANICAL COMPONENTS						Service	ATA:27
	MOS	60 (+1m/-1m)	10-Jul-23					4.4	
	HRS	3200 (+30/-30)	645.82					9.58	
	AFL		536					8	
PROC. REF: AMM 27-11-00									PKG:42
27-11-01		LH AILERON BALANCED ASSEMBLY						Component	ATA:27
PN:500-14650-433	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:0000984264	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 27-11-01, AMM 27-11-01									
27-11-01		RH AILERON BALANCED ASSEMBLY						Component	ATA:27
PN:500-14651-421	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:0000986381	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 27-11-01, AMM 27-11-01									
27-11-02-001 ^S		FUNCTION CHECK OF AILERON CONTROL CABLES TENSION						Service	ATA:27
	MOS	60 (+1m/-1m)	10-Jul-23					4.4	
	HRS	3200 (+30/-30)	645.82					9.58	
	AFL		536					8	
PROC. REF: AMM 27-11-02									PKG:42

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 27 - FLIGHT CONTROLS									
27-11-02-001(INITIAL)		FUNCTION CHECK OF AILERON CONTROL CABLES TENSION - INITIAL 12 MOS CHECK							Service ATA:27
	MOS/MSC	-	22-Jun-18						65
	HRS		0						655.4
	AFL		0						544
PROC. REF: AMM 27-11-02									
27-11-02-002 ^S		DETAILED VISUAL INSPECTION OF AILERON CONTROL CABLES							Service ATA:27
	MOS	60 (+1m/-1m)	10-Jul-23						4.4
	HRS	3200 (+30/-30)	645.82						9.58
	AFL		536						8
PROC. REF: AMM 27-11-02									
27-14-02-001		FUNCTIONAL CHECK ROLL TRIM ACTUATOR AILERON TRIM BACKLASH/ INTEGRITY							Service ATA:27
PN:452900-1007	MOS		22-Jun-18					15-Oct-2032	65
SN:0441	HRS	6000 (+30/-30)	0		6000	6030	5344.6 (+30)		655.4
	AFL		0						544
PROC. REF: AMM 27-14-03									
27-14-03		LEFT AILERON TRIM TAB							Component ATA:27
PN:500-14630-419	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:0000979531	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: AMM 27-14-03, AMM 27-14-03									
27-21-00-001 ^S		GENERAL VISUAL INSPECTION OF RUDDER ACTUATING SYSTEM MECHANICAL COMPONENTS							Service ATA:27
	MOS	60 (+1m/-1m)	10-Jul-23						4.4
	HRS	3200 (+30/-30)	645.82						9.58
	AFL		536						8
PROC. REF: AMM 27-21-00									
27-21-01		RUDDER BALANCED ASSEMBLY							Component ATA:27
PN:500-10520-423	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:0000984263	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: AMM 27-21-01, AMM 27-21-01									
27-21-02-001 ^S		FUNCTIONAL CHECK OF RUDDER CONTROL CABLES TENSION							Service ATA:27
	MOS	60 (+1m/-1m)	10-Jul-23						4.4
	HRS	3200 (+30/-30)	645.82						9.58
	AFL		536						8
PROC. REF: AMM 27-21-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 27 - FLIGHT CONTROLS									
27-21-02-001(INITIAL)		FUNCTIONAL CHECK OF RUDDER CONTROL CABLES TENSION - INITIAL 12 MOS CHECK							Service ATA:27
	MOS/MSC	-	22-Jun-18						65
	HRS		0						655.4
	AFL		0						544
PROC. REF: GENERIC NO REF									
27-21-02-002 ^S		DETAILED VISUAL INSPECTION OF RUDDER CONTROL CABLES							Service ATA:27
	MOS	60 (+1m/-1m)	10-Jul-23						4.4
	HRS	3200 (+30/-30)	645.82						9.58
	AFL		536						8
PROC. REF: AMM 27-21-02									
27-24-02-001		FUNCTIONAL CHECK YAW TRIM ACTUATOR RUDDER TRIM BACKLASH INTEGRITY							Service ATA:27
PN:453000-1007	MOS		22-Jun-18					15-Oct-2032	65
SN:0444	HRS	6000 (+30/-30)	0		6000	6030	5344.6 (+30)		655.4
	AFL		0						544
PROC. REF: AMM 27-24-03									
27-24-03		TAB RUDDER							Component ATA:27
PN:500-10420-411	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:0000979529	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: AMM 27-24-03, AMM 27-24-03									
27-31-00-001 ^S		GENERAL VISUAL INSPECTION OF ELEVATOR ACTUATING SYSTEM MECHANICAL COMPONENTS							Service ATA:27
	MOS	60 (+1m/-1m)	10-Jul-23						4.4
	HRS	3200 (+30/-30)	645.82						9.58
	AFL		536						8
PROC. REF: AMM 27-31-00									
27-31-01		LEFT ELEVATOR							Component ATA:27
PN:500-11102-401	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:0000985720	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: AMM 27-31-01, AMM 27-31-01									
27-31-01		RIGHT ELEVATOR							Component ATA:27
PN:500-11102-402	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:0000969745	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: AMM 27-31-01, AMM 27-31-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 27 - FLIGHT CONTROLS									
27-31-02-001 ^S		FUNCTIONAL CHECK OF ELEVATOR CONTROL CABLES TENSION						Service	ATA:27
	MOS	60 (+1m/-1m)	10-Jul-23					4.4	
	HRS	3200 (+30/-30)	645.82					9.58	
	AFL		536					8	
PROC. REF: AMM 27-31-02									PKG:42
27-31-02-001(INITIAL)		FUNCTIONAL CHECK OF ELEVATOR CONTROL CABLES TENSION - INITIAL 12 MOS CHECK						Service	ATA:27
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
PROC. REF: GENERIC NO REF									
27-31-02-002 ^S		DETAILED VISUAL INSPECTION OF ELEVATOR CONTROL CABLES						Service	ATA:27
	MOS	60 (+1m/-1m)	10-Jul-23					4.4	
	HRS	3200 (+30/-30)	645.82					9.58	
	AFL		536					8	
PROC. REF: AMM 27-31-02									PKG:42
27-34-02-001		FUNCTIONAL CHECK OF PITCH TRIM BACKLASH/ INTEGRITY						Service	ATA:27
	MOS		22-Jun-18					15-Oct-2032	65
	HRS	6000 (+30/-30)	0		6000	6030	5344.6 (+30)	655.4	
	AFL		0					544	
PROC. REF: AMM 27-34-05									
27-34-04		PITCH TRIM INTERCONNECTION ACTUATOR						Component	ATA:27
PN:453110-1001	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:SSW0527	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 27-34-04, AMM 27-34-04									
27-34-05		LEFT ELEVATOR TRIM TAB						Component	ATA:27
PN:500-11104-401	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:0000981756	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 27-34-05, AMM 27-34-05									
27-34-05		RIGHT ELEVATOR TRIM TAB						Component	ATA:27
PN:500-11104-402	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:0000968277	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 27-34-05, AMM 27-34-05									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 27 - FLIGHT CONTROLS									
27-36-01	LEFT ANGLE-OF-ATTACK SENSOR							Component	ATA:27
PN:C-100117-4	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:173871-03	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 27-36-01, AMM 27-36-01									
27-36-01	RIGHT ANGLE-OF-ATTACK SENSOR							Component	ATA:27
PN:C-100117-4	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:173871-02	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 27-36-01, AMM 27-36-01									
27-36-01-001 ^S	OPERATIONAL CHECK OF ANGLE-OF-ATTACK (AOA) SENSOR							Service	ATA:27
	MOS		26-Jun-20					40.8	
	HRS	800 (+30/-30)	436.8					218.6	
	AFL		368					176	
PROC. REF: AMM 27-36-01									PKG:1
27-36-02	STICK PUSHER LINEAR ACTUATOR							Component	ATA:27
PN:260926258-0101	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:3034	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 27-36-02, AMM 27-36-02									
27-36-03-001 ^S	OPERATIONAL CHECK OF SPWS CUTOUT SWITCH							Service	ATA:27
	MOS		26-Jun-20					40.8	
	HRS	1600 (+30/-30)	436.8					218.6	
	AFL		368					176	
PROC. REF: AMM 27-36-03									PKG:10
27-36-04	STALL WARNING AND PROTECTION COMPUTER							Component	ATA:27
PN:C-100106-2	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:173862A-02	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 27-36-04, AMM 27-36-04									
27-51-01-001 ^S	LUBRICATION OF FLAP ACTUATORS BALL SCREWS							Service	ATA:27
	MOS	12 (+1m/-1m)	10-Jul-23					4.4	
	HRS		645.82					9.58	
	AFL		536					8	
PROC. REF: AMM 12-21-00									PKG:80

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 27 - FLIGHT CONTROLS									
27-51-01-002 ^S		DETAILED VISUAL INSPECTION LEFT FLAP ACTUATOR							Service ATA:27
PN:6094A0001-08	MOS		22-Jun-18						65
SN:0990	HRS	6400 (+30/-30)	0						655.4
	AFL		0						544
PROC. REF: AMM 27-51-01, AMM 27-51-01									PKG:60
27-51-01-002 ^S		DETAILED VISUAL INSPECTION RIGHT FLAP ACTUATOR							Service ATA:27
PN:6094A0001-08	MOS		16-Aug-19						51.2
SN:0866	HRS	6400 (+30/-30)	199.6	TAC 784					455.8
	AFL			TAC 708					
PROC. REF: AMM 27-51-01, AMM 27-51-01									PKG:60
27-51-01-003		RESTORE (OVERHAUL) LEFT FLAP ACTUATOR							Service ATA:27
PN:6094A0001-08	MOS		22-Jun-18					16-Jun-2029	65
SN:0990	HRS	4000 (+30/-30)	0		4000	4030	3344.6 (+30)		655.4
	AFL		0						544
PROC. REF: AMM 27-51-01									
27-51-01-003		RESTORE (OVERHAUL) RIGHT FLAP ACTUATOR							Service ATA:27
PN:6094A0001-08	MOS		16-Aug-19					26-Jun-2028	51.2
SN:0866	HRS	4000 (+30/-30)	199.6	TAC 784	3415.6	3445.6	2760.2 (+30)		455.8
	AFL			TAC 708					
PROC. REF: AMM 27-51-01									
27-51-03		LH WING FLAP							Component ATA:27
PN:500-14301-413	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:0000974845	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: AMM 27-51-03, AMM 27-51-03									
27-51-03		RH WING FLAP							Component ATA:27
PN:500-14301-414	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:0000976312	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: AMM 27-51-03, AMM 27-51-03									
27-53-01		FLAP SELECTOR LEVER							Component ATA:27
PN:780501-9	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:1850	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: AMM 27-53-01, AMM 27-53-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 27 - FLIGHT CONTROLS									
27-53-02	FLAP SYSTEM CONTROL UNIT							Component	ATA:27
PN:8025B0001-04	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:0643	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 27-53-02, AMM 27-53-02									
27-53-03	LH WING FLAP POSITION SENSOR UNIT							Component	ATA:27
PN:7906A0001-02	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:KA2205	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 27-53-03, AMM 27-53-03									
27-53-03	RH WING FLAP POSITION SENSOR UNIT							Component	ATA:27
PN:7906A0001-02	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:KA2206	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 27-53-03, AMM 27-53-03									
27-60-00-001	OPERATIONAL CHECK OF GROUND SPOILER SYSTEM							Service	ATA:27
	MOS		22-Jun-18					15-Jun-2033	65
	HRS	6400 (+30/-30)	0		6400	6430	5744.6 (+30)		655.4
	AFL		0						544
PROC. REF: AMM 27-60-00									
ANAC 2009-02-04	EMERGENCY AD - INCLUSION OF A TEMPORARY LIMITATION TO THE ANAC-APPROVED AIRPLANE FLIGHT MANUAL (AFM)							AD	ATA:27
	MOS/MSC	-	22-Jun-18						65
	HRS		0						655.4
	AFL		0						544
Category: EMERGENCY									
ANAC 2009-10-01 R03	MODIFICATION OF THE APPROVED AIRPLANE FLIGHT MANUAL (AFM)							AD	ATA:27
	MOS/MSC	-	22-Jun-18						65
	HRS		0						655.4
	AFL		0						544
ANAC 2009-10-01 R03 PART (1)	MODIFICATION MODIFICATION OF THE APPROVED AIRPLANE FLIGHT MANUAL (AFM) OF THE APPROVED AIRPLANE FLIGHT MANUAL (AFM)							AD	ATA:27
	MOS/MSC	-	22-Jun-18						65
	HRS		0						655.4
	AFL		0						544

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 27 - FLIGHT CONTROLS									
ANAC 2009-10-01 R03 PART (2)	MODIFICATION MODIFICATION OF THE APPROVED AIRPLANE FLIGHT MANUAL (AFM) OF THE APPROVED AIRPLANE FLIGHT MANUAL (AFM)							AD	ATA:27
	MOS/MSC	-	22-Jun-18						65
	HRS		0						655.4
	AFL		0						544
ANAC 2011-05-03	REPLACEMENT OF BOTH AOA SENSORS, REWORK AND REIDENTIFICATION OF THE RESPECTIVE COVER PLATES AND SEALANT APPLICATION ON THE INTERFACE BETWEEN THE AOA SENSORS AND COVER PLATES, IF NECESSARY.							AD	ATA:27
	MOS/MSC	-	22-Jun-18						65
	HRS		0						655.4
	AFL		0						544
ANAC 2017-11-01	INSPECTION AND REWORK, IF NECESSARY, OF AILERON, RUDDER AND ELEVATOR TRIM TAB (OR AUTOTAB)							AD	ATA:27
	MOS/MSC	-	22-Jun-18						65
	HRS		0						655.4
	AFL		0						544
ASB 500-27-A026 REV 01	FLIGHT CONTROLS - AILERON TRIM TAB, RUDDER TRIM TAB AND ELEVATOR TRIM TAB INSPECTION AND TORQUE, ALERT SERVICE BULLETIN							Bulletin	ATA:27
	MOS/MSC	-	22-Jun-18						65
	HRS		0						655.4
	AFL		0						544
FAA 2009-05-06	INCORPORATE INTO THE AIRPLANE FLIGHT MANUAL (AFM)THE PROCEDURES AND LIMITATIONS SECTION REVISIONS							AD	ATA:27
	MOS/MSC	-	22-Jun-18						65
	HRS		0						655.4
	AFL		0						544
FAA 2009-24-14	REPLACEMENT OF THE NUTS OF THE RIGHT AND LEFT ELEVATORS MASS BALANCE FASTENERS							AD	ATA:27
	MOS/MSC	-	22-Jun-18						65
	HRS		0						655.4
	AFL		0						544
FAA 2010-15-09	INSERTION OF INFORMATION INTO THE ABNORMAL PROCEDURES SECTION OF THE FAA-APPROVED AIRPLANE FLIGHT MANUAL (AFM)							AD	ATA:27
	MOS/MSC	-	22-Jun-18						65
	HRS		0						655.4
	AFL		0						544

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 27 - FLIGHT CONTROLS									
FAA 2011-17-15	REPLACEMENT OF BOTH ANGLE OF ATTACK (AOA) SENSORS AND COVER PLATES, INSPECTION OF THE SENSOR AREA, AND, IF NEEDED, APPLICATION OF SEALANT BETWEEN THE AOA COVERS AND THE AOA SENSORS.							AD	ATA:27
	MOS/MSC	-	22-Jun-18						65
	HRS		0						655.4
	AFL		0						544
FAA 2018-07-10	FLIGHT CONTROLS - INSPECT THE AILERON TRIM TAB, RUDDER TRIM TAB AND ELEVATOR TRIM TAB (OR AUTOTAB), AND CORRECT ANY DISCREPANCY							AD	ATA:27
	MOS/MSC	-	22-Jun-18						65
	HRS		0						655.4
	AFL		0						544
SB 500-27-0001	FLIGHT CONTROLS - REPLACEMENT OF THE SWPC AND FSCU WOW FUNCTION ACTIVATION, SERVICE BULLETIN							Bulletin	ATA:27
	MOS/MSC	-	22-Jun-18						65
	HRS		0						655.4
	AFL		0						544
SB 500-27-0001 PART I	PERFORM FLIGHT CONTROLS - REPLACEMENT OF THE SWPC AND FSCU WOW FUNCTION ACTIVATION, SERVICE BULLETIN REPLACEMENT OF THE STALL WARNING AND PROTECTION COMPUTER (SWPC)							Bulletin	ATA:27
	MOS/MSC	-	22-Jun-18						65
	HRS		0						655.4
	AFL		0						544
SB 500-27-0001 PART II	PERFORM FLIGHT CONTROLS - REPLACEMENT OF THE SWPC AND FSCU WOW FUNCTION ACTIVATION, SERVICE BULLETIN FLAP SYSTEM CONTROL UNIT (FSCU) WEIGHT-ON-WHEELS (WOW) FUNCTION ACTIVATION							Bulletin	ATA:27
	MOS/MSC	-	22-Jun-18						65
	HRS		0						655.4
	AFL		0						544
SB 500-27-0002 REV 02	FLIGHT CONTROLS - REPLACEMENT OF THE FLAP SYSTEM CONTROL UNIT (FSCU) (SUPERSEDED BY SB 500-27-0005), SERVICE BULLETIN							Bulletin	ATA:27
	MOS/MSC	-	22-Jun-18						65
	HRS		0						655.4
	AFL		0						544
SB 500-27-0003 REV 01	FLIGHT CONTROLS - REMOVAL OF THE FLAP LIMITATION, SERVICE BULLETIN							Bulletin	ATA:27
	MOS/MSC	-	22-Jun-18						65
	HRS		0						655.4
	AFL		0						544

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 27 - FLIGHT CONTROLS									
SB 500-27-0003 REV 01 PART I		PERFORM FLIGHT CONTROLS - REMOVAL OF THE FLAP LIMITATION, SERVICE BULLETIN REMOVAL OF THE FLAP POSITION 3 LIMITATION						Bulletin	ATA:27
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-27-0003 REV 01 PART II		PERFORM FLIGHT CONTROLS - REMOVAL OF THE FLAP LIMITATION, SERVICE BULLETIN REMOVAL OF THE FLAP POSITION FULL LIMITATION						Bulletin	ATA:27
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-27-0003 REV 01 PART III		PERFORM FLIGHT CONTROLS - REMOVAL OF THE FLAP LIMITATION, SERVICE BULLETIN REPLACEMENT OF THE FLAP SYSTEM CONTROL UNIT (FSCU-05/07 TOFSCU-08)						Bulletin	ATA:27
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-27-0005 REV 01		FLIGHT CONTROLS - REPLACEMENT OF THE FLAP SYSTEM CONTROL UNIT (FSCU- 3/4 TO FSCU-5) (SUPERSEDED BY SB 500-27-0003 REV 01), SERVICE BULLETIN						Bulletin	ATA:27
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-27-0006 REV 03		FLIGHT CONTROLS - CHANGE OF ANGLE OF ATTACK (AOA) SENSOR FROM PN C- 100117-2 TO PN C-100117-3 (SUPERSEDED BY SB 500- 27-0022), SERVICE BULLETIN						Bulletin	ATA:27
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-27-0007 REV 01		FLIGHT CONTROLS - PILOT CONTROL-YOKE ASSEMBLY INSTALLATION, SERVICE BULLETIN						Bulletin	ATA:27
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-27-0007 REV 01 PART I		PERFORM FLIGHT CONTROLS - PILOT CONTROL-YOKE ASSEMBLY INSTALLATION, SERVICE BULLETIN INSPECTION OF HOLE OF PILOT CONTROL YOKE GUST-LOCK FITTING						Bulletin	ATA:27
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 27 - FLIGHT CONTROLS									
SB 500-27-0007 REV 01 PART II		PERFORM FLIGHT CONTROLS - PILOT CONTROL-YOKE ASSEMBLY INSTALLATION, SERVICE BULLETIN CORRECTIVE ACTION ON PILOT CONTROL YOKE GUST-LOCK FITTING HOLE						Bulletin	ATA:27
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-27-0007 REV 01 PART III		PERFORM FLIGHT CONTROLS - PILOT CONTROL-YOKE ASSEMBLY INSTALLATION, SERVICE BULLETIN PILOT CONTROL YOKE ASSEMBLY INSPECTION						Bulletin	ATA:27
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-27-0007 REV 01 PART IV		PERFORM FLIGHT CONTROLS - PILOT CONTROL-YOKE ASSEMBLY INSTALLATION, SERVICE BULLETIN CORRECTIVE ACTION ON PILOT CONTROL YOKE INSTALLATION						Bulletin	ATA:27
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-27-0008 REV 01		FLIGHT CONTROLS - GROUND SPOILER SYSTEM INSTALLATION (SUPERSEDED BY SB 500-00-0009), SERVICE BULLETIN						Bulletin	ATA:27
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-27-0009		FLIGHT CONTROLS - CONTROL YOKE REPLACEMENT, SERVICE BULLETIN						Bulletin	ATA:27
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-27-0010 REV 01		FLIGHT CONTROLS - CONTROL YOKE MAP HOLDER REPLACEMENT, SERVICE BULLETIN						Bulletin	ATA:27
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-27-0011 REV 01		FLIGHT CONTROLS - REPLACEMENT OF TRIM ACTUATOR CONTROLLER, SERVICE BULLETIN						Bulletin	ATA:27
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-27-0013 REV 01		FLIGHT CONTROLS - MODIFICATION OF THE PEDAL POSITION TRANSDUCER STOPS, SERVICE BULLETIN						Bulletin	ATA:27
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 27 - FLIGHT CONTROLS									
SB 500-27-0015 REV 01		FLIGHT CONTROLS - REPLACEMENT OF THE BOLT THAT ATTACHES THE LINK ARM TO THE FLAP POSITION SENSOR, SERVICE BULLETIN						Bulletin	ATA:27
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-27-0015 REV 01 PART I		REPLACEMENT FLIGHT CONTROLS - REPLACEMENT OF THE BOLT THAT ATTACHES THE LINK ARM TO THE FLAP POSITION SENSOR, SERVICE BULLETIN OF BOLT THAT ATTACHES THE LINK ARM FROM PN NAS6303-11 TO PN NAS1801-3-16						Bulletin	ATA:27
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-27-0015 REV 01 PART II		REPLACEMENT FLIGHT CONTROLS - REPLACEMENT OF THE BOLT THAT ATTACHES THE LINK ARM TO THE FLAP POSITION SENSOR, SERVICE BULLETIN OF BOLT THAT ATTACHES THE LINK ARM FROM PN NAS1801-3-15 TO PN NAS1801-3-16						Bulletin	ATA:27
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-27-0016 REV 01		FLIGHT CONTROLS - ELECTRICAL WIRING MODIFICATION IN THE COPILOT CONTROL WHEEL CONNECTOR 2J0505, SERVICE BULLETIN						Bulletin	ATA:27
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-27-0017 REV 03		FLIGHT CONTROLS - PILOT CONTROL PEDAL ASSEMBLY REWORK, SERVICE BULLETIN						Bulletin	ATA:27
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-27-0017 REV 03 PART I		INSTALLATION FLIGHT CONTROLS - PILOT CONTROL PEDAL ASSEMBLY REWORK, SERVICE BULLETIN - OF BOLT PIN ASSEMBLY						Bulletin	ATA:27
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-27-0017 REV 03 PART II		INSTALLATION FLIGHT CONTROLS - PILOT CONTROL PEDAL ASSEMBLY REWORK, SERVICE BULLETIN - OF LIMITER BOLT ASSEMBLY						Bulletin	ATA:27
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 27 - FLIGHT CONTROLS									
SB 500-27-0017 REV 03 PART III		INSTALLATION FLIGHT CONTROLS - PILOT CONTROL PEDAL ASSEMBLY REWORK, SERVICE BULLETIN - OF ADJUSTABLE STOP SCREW ASSEMBLY						Bulletin	ATA:27
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-27-0017 REV 03 PART IV		INSTALLATION FLIGHT CONTROLS - PILOT CONTROL PEDAL ASSEMBLY REWORK, SERVICE BULLETIN - OF ADJUSTABLE STOP SCREW ASSEMBLY AND ROLLERS STANDARDIZATION						Bulletin	ATA:27
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-27-0019 REV 02		FLIGHT CONTROLS - CHECK OF LOCK WIRE FOR PROPER ROUTING, SERVICE BULLETIN						Bulletin	ATA:27
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-27-0019 REV 02 PART I		CHECK FLIGHT CONTROLS - CHECK OF LOCK WIRE FOR PROPER ROUTING, SERVICE BULLETIN FOR LOCK WIRE PROPER ROUTING ON ROLL TRIM ACTUATOR, YAW TRIM ACTUATOR AND PITCH TRIM ACTUATOR						Bulletin	ATA:27
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-27-0019 REV 02 PART II		FLIGHT CONTROLS - CHECK OF LOCK WIRE FOR PROPER ROUTING, SERVICE BULLETIN LOCK WIRE REINSTALLATION - ROLL TRIM ACTUATOR						Bulletin	ATA:27
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-27-0019 REV 02 PART III		FLIGHT CONTROLS - CHECK OF LOCK WIRE FOR PROPER ROUTING, SERVICE BULLETIN LOCK WIRE REINSTALLATION - YAW TRIM ACTUATOR						Bulletin	ATA:27
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-27-0019 REV 02 PART IV		FLIGHT CONTROLS - CHECK OF LOCK WIRE FOR PROPER ROUTING, SERVICE BULLETIN LOCK WIRE REINSTALLATION - PITCH TRIM ACTUATOR						Bulletin	ATA:27
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 27 - FLIGHT CONTROLS									
SB 500-27-0020		FLIGHT CONTROLS - REPLACEMENT OF THE FLAP SYSTEM CONTROL UNIT (FSCU), SERVICE BULLETIN						Bulletin	ATA:27
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-27-0021 REV 01		FLIGHT CONTROLS - REPLACEMENT OF FLAP LINEAR ACTUATORS, SERVICE BULLETIN						Bulletin	ATA:27
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-27-0022		FLIGHT CONTROLS - ANGLE OF ATTACK (AOA) SENSOR REPLACEMENT, SERVICE BULLETIN						Bulletin	ATA:27
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-27-0024		FLIGHT CONTROLS - INSPECTION AND REPLACEMENT OF THE BARREL SELF-LOCKING NUT, SERVICE BULLETIN						Bulletin	ATA:27
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-27-0025		FLIGHT CONTROLS - CABLES INSPECTION, SERVICE BULLETIN						Bulletin	ATA:27
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
ATA 28 - FUEL									
28-11-00-001 ^S		FUNCTIONAL CHECK OF FUEL TANKS FOR MICRO-ORGANISMS						Service	ATA:28
	MOS	12 (+1m/-1m)	10-Jul-23					4.4	
	HRS		645.82					9.58	
	AFL		536					8	
PROC. REF: AMM 28-11-00								PKG:80	
28-11-05		LH WING WATER DRAIN VALVE						Component	ATA:28
PN:L83A13-628	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:J96933	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 28-11-05, AMM 28-11-05									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 28 - FUEL									
28-11-05	RH WING WATER DRAIN VALVE							Component	ATA:28
PN:L83A13-628	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:J98298	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 28-11-05, AMM 28-11-05									
28-11-07	LH WING DUMP VALVE							Component	ATA:28
PN:V98A32-001	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:J96218	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 28-11-07, AMM 28-11-07									
28-11-07	RH WING DUMP VALVE							Component	ATA:28
PN:V98A32-001	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:J97893	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 28-11-07, AMM 28-11-07									
28-12-01-001 ^S	SPECIAL DETAILED INSPECTION OF FUEL VENT NACA							Service	ATA:28
	MOS		26-Jun-20					40.8	
	HRS	800 (+30/-30)	436.8					218.6	
	AFL		368					176	
PROC. REF: AMM 28-12-01									PKG:1
28-12-03	LH WING FUEL TANK FLOAT VENT VALVE							Component	ATA:28
PN:L87-19-001P2	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:J93333	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 28-12-03, AMM 28-12-03, AMM 28-12-07, AMM 28-12-07									
28-12-03	RH WING FUEL TANK FLOAT VENT VALVE							Component	ATA:28
PN:L87-19-001P2	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:J93337	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 28-12-03, AMM 28-12-03, AMM 28-12-07, AMM 28-12-07									
28-12-03-001 ^S	OPERATIONAL CHECK LH WING FUEL TANK FLOAT VENT VALVE							Service	ATA:28
PN:L87-19-001P2	MOS		22-Jun-18					65	
SN:J93333	HRS	6400 (+30/-30)	0					655.4	
	AFL		0					544	
PROC. REF: AMM 28-12-03									PKG:60

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 28 - FUEL									
28-12-03-001 ^S		OPERATIONAL CHECK RH WING FUEL TANK FLOAT VENT VALVE						Service	ATA:28
PN:L87-19-001P2	MOS			22-Jun-18				65	
SN:J93337	HRS	6400 (+30/-30)	0					655.4	
	AFL		0					544	
PROC. REF: AMM 28-12-03									PKG:60
28-21-00		NO.1 3/4 IN CHECK VALVE						Component	ATA:28
PN:L96-19-007P4	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:J93136	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 28-21-01, AMM 28-21-01									
28-21-00		NO.2 3/4 IN CHECK VALVE						Component	ATA:28
PN:L96-19-007P4	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:J93116	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 28-21-01, AMM 28-21-01									
28-21-00		NO.3 3/4 IN CHECK VALVE						Component	ATA:28
PN:L96-19-007P4	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:J96110	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 28-21-01, AMM 28-21-01									
28-21-00		NO.4 3/4 IN CHECK VALVE						Component	ATA:28
PN:L96-19-007P4	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:J93137	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 28-21-01, AMM 28-21-01									
28-21-03		LH WING DC AUXILIARY CANISTER BOOST PUMP						Component	ATA:28
PN:C93R19-601	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:L13274	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 28-21-03, AMM 28-21-03									
28-21-03		RH WING DC AUXILIARY CANISTER BOOST PUMP						Component	ATA:28
PN:C93R19-601	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:L13273	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 28-21-03, AMM 28-21-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 28 - FUEL									
28-21-04	LH WING DC AUXILIARY CARTRIDGE BOOST PUMP							Component	ATA:28
PN:P99C19-602	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:L12781	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 28-21-03, AMM 28-21-03									
28-21-04	RH WING DC AUXILIARY CARTRIDGE BOOST PUMP							Component	ATA:28
PN:P99C19-602	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:L12780	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 28-21-03, AMM 28-21-03									
28-21-05	LH WING MAIN EJECTOR PUMP							Component	ATA:28
PN:T99A19-601	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:L09794	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 28-21-05, AMM 28-21-05									
28-21-05	RH WING MAIN EJECTOR PUMP							Component	ATA:28
PN:T99A19-601	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:L08596	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 28-21-05, AMM 28-21-05									
28-21-07-001	OPERATIONAL CHECK LEFT WING 0.75 IN SHUTOFF VALVE							Service	ATA:28
PN:B97-15-601	MOS		22-Jun-18					17-Oct-2024	65
SN:J94439	HRS	1200 (+30/-30)	0		1200	1230	544.6 (+30)		655.4
	AFL		0						544
PROC. REF: AMM 28-21-07									
28-21-07-001	OPERATIONAL CHECK RIGHT WING 0.75 IN SHUTOFF VALVE							Service	ATA:28
PN:B97-15-601	MOS		22-Jun-18					17-Oct-2024	65
SN:J94440	HRS	1200 (+30/-30)	0		1200	1230	544.6 (+30)		655.4
	AFL		0						544
PROC. REF: AMM 28-21-07									
28-21-07-01	LEFT WING 0.75 IN SHUTOFF VALVE							Component	ATA:28
PN:B97-15-601	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:J94439	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 28-21-07, AMM 28-21-07									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 28 - FUEL									
28-21-07-01	RIGHT WING 0.75 IN SHUTOFF VALVE							Component	ATA:28
PN:B97-15-601	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:J94440	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 28-21-07, AMM 28-21-07									
28-21-07-02	LH WING 28-V DC ENGINE SHUTOFF VALVE ACTUATOR ASSEMBLY							Component	ATA:28
PN:D97C00-644P2	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:C702734	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 28-21-07, AMM 28-21-07									
28-21-07-02	RH WING 28-V DC ENGINE SHUTOFF VALVE ACTUATOR ASSEMBLY							Component	ATA:28
PN:D97C00-644P2	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:C702746	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 28-21-07, AMM 28-21-07									
28-21-08-001 ^S	OPERATIONAL CHECK OF FUEL TRANSFER VALVE							Service	ATA:28
PN:B97-38-603P2	MOS		26-Jun-20					40.8	
SN:J89578	HRS	1600 (+30/-30)	436.8					218.6	
	AFL		368					176	
PROC. REF: AMM 28-21-08									
PKG:10									
28-21-08-01	1.5 IN FUEL SYSTEM SHUTOFF VALVE							Component	ATA:28
PN:B97-38-603P2	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:J89578	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 28-21-08, AMM 28-21-08									
28-21-08-02	ENGINE 28-V DC TRANSFER VALVE ACTUATOR ASSEMBLY							Component	ATA:28
PN:D97C00-644P2	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:C702735	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 28-21-08, AMM 28-21-08									
28-21-11	LH WING MOTIVE FLOW 3/8 IN CHECK VALVE							Component	ATA:28
PN:L96-09-001P4	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:F05134	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 28-21-11, AMM 28-21-11									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 28 - FUEL									
28-21-11	RH WING MOTIVE FLOW 3/8 IN CHECK VALVE							Component	ATA:28
PN:L96-09-001P4	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:F05125	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 28-21-11, AMM 28-21-11									
28-21-13	FUEL CONTROL PANEL							Component	ATA:28
PN:441-42854-002	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:0404	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 28-21-13, AMM 28-21-13									
28-41-01	NO. 1 LEFT WING FUEL QUANTITY PROBE							Component	ATA:28
PN:765551-1-0	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:765551IN00552	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 28-41-01, AMM 28-41-01									
28-41-01	NO. 1 RIGHT WING FUEL QUANTITY PROBE							Component	ATA:28
PN:765826-1-0	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:765826IN00591	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 28-41-01, AMM 28-41-01									
28-41-01	NO. 2 LEFT WING FUEL QUANTITY PROBE							Component	ATA:28
PN:765548-1-0	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:765548IN00541	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 28-41-01, AMM 28-41-01									
28-41-01	NO. 2 RIGHT WING FUEL QUANTITY PROBE							Component	ATA:28
PN:765827-1-0	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:765827IN00557	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 28-41-01, AMM 28-41-01									
28-41-01	NO. 3 LEFT WING FUEL QUANTITY PROBE							Component	ATA:28
PN:765549-1-0	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:765549IN00941	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 28-41-01, AMM 28-41-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 28 - FUEL									
28-41-01	NO. 3 RIGHT WING FUEL QUANTITY PROBE							Component	ATA:28
PN:765549-1-0	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:765549IN00942	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 28-41-01, AMM 28-41-01									
28-41-01	NO. 4 LEFT WING FUEL QUANTITY PROBE							Component	ATA:28
PN:765550-1-0	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:765550IN00914	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 28-41-01, AMM 28-41-01									
28-41-01	NO. 4 RIGHT WING FUEL QUANTITY PROBE							Component	ATA:28
PN:765550-1-0	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:765550IN00915	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 28-41-01, AMM 28-41-01									
28-41-05	ELECTRONIC FUEL CONTROL UNIT							Component	ATA:28
PN:738742-1-4	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:738790IN01183	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 28-41-05, AMM 28-41-05									
28-43-01	FUEL TEMPERATURE SENSOR							Component	ATA:28
PN:798840-1-0	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:05316	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 28-43-01, AMM 28-43-01									
28-43-01-001 ^S	FUNCTIONAL CHECK FUEL TEMPERATURE SENSOR							Service	ATA:28
PN:798840-1-0	MOS		22-Jun-18					65	
SN:05316	HRS	6400 (+30/-30)	0					655.4	
	AFL		0					544	
PROC. REF: AMM 28-43-01									
								PKG:60	
28-45-01	NO.1 FUEL LOW PRESSURE SWITCH							Component	ATA:28
PN:D98C07-611	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:1813	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 28-45-01, AMM 28-45-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 28 - FUEL									
28-45-01	NO.2 FUEL LOW PRESSURE SWITCH							Component	ATA:28
PN:D98C07-611	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:1854	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 28-45-01, AMM 28-45-01									
SB 500-28-0001	FUEL - REPLACEMENT OF THE ENGINE-FEED EJECTOR PUMP, SERVICE BULLETIN							Bulletin	ATA:28
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-28-0002	FUEL - RETORQUE OF THE ENGINE FEED SYSTEM FITTING UNION AND NACA FUEL VENT LINES, SERVICE BULLETIN							Bulletin	ATA:28
	MOS/MSC	-	05-May-23					6.5	
	HRS		639.9					15.5	
	AFL		529					15	
ATA 29 - HYDRAULIC POWER									
29-00-00-001 ^S	VISUAL CHECK OF HYDRAULIC SYSTEM FILTER DIFFERENTIAL PRESSURE INDICATOR (DPI)							Service	ATA:29
PN:PN	MOS	12 (+1m/-1m)	10-Jul-23					4.4	
SN:UNKNOWN	HRS		645.82					9.58	
	AFL		536					8	
PROC. REF: AMM 29-31-02									
								PKG:80	
29-10-01	FORWARD FUSELAGE BLEED / RELIEF HYDRAULIC VALVE							Component	ATA:29
PN:2235-0001-401	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:00087	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 29-11-04, AMM 29-11-04									
29-11-01	HYDRAULIC POWERPACK							Component	ATA:29
PN:3032988-002	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:MX806574	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 29-11-01, AMM 29-11-01									
29-11-01-001	RESTORATION (OVERHAUL) OF THE HYDRAULIC POWERPACK							Service	ATA:29
PN:3032988-002	MOS							17-Oct-2024	
SN:MX806574	HRS	800 (+30/-30)	EFF		1200 * (M)	1230	544.6 (+30)		
	AFL								
PROC. REF: AMM 29-11-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 29 - HYDRAULIC POWER									
29-11-01-002		RESTORATION (OVERHAUL) OF THE HYDRAULIC POWERPACK						Service	ATA:29
PN:3032988-002	MOS/MSC	N/A	22-Jun-18					65	
SN:MX806574	HRS		0					655.4	
	AFL		0					544	
PROC. REF: AMM 29-11-01									
29-11-09		HYDRAULIC POWERPACK TEMPERATURE SWITCH						Component	ATA:29
PN:PN	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:UNKNOWN	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 29-11-09, AMM 29-11-09									
29-11-09-001 ^S		FUNCTIONAL CHECK OF TEMPERATURE SWITCH						Service	ATA:29
PN:PN	MOS		22-Jun-18					65	
SN:UNKNOWN	HRS	6400 (+30/-30)	0					655.4	
	AFL		0					544	
PROC. REF: AMM 29-11-09									
PKG:60									
29-15-01		LH WING - GROUND SPOILER ACTUATOR PRESSURE HOSE						Component	ATA:29
PN:PN	MOS/MSC	H/T	22-Jun-18	TSN 0				65	
SN:UNKNOWN	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 29-15-01, AMM 29-15-01									
29-15-01		LH WING - GROUND SPOILER ACTUATOR RETURN HOSE						Component	ATA:29
PN:PN	MOS/MSC	H/T	22-Jun-18	TSN 0				65	
SN:UNKNOWN	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 29-15-01, AMM 29-15-01									
29-15-01		RH WING - GROUND SPOILER ACTUATOR PRESSURE HOSE						Component	ATA:29
PN:PN	MOS/MSC	H/T	22-Jun-18	TSN 0				65	
SN:UNKNOWN	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 29-15-01, AMM 29-15-01									
29-15-01		RH WING - GROUND SPOILER ACTUATOR RETURN HOSE						Component	ATA:29
PN:PN	MOS/MSC	H/T	22-Jun-18	TSN 0				65	
SN:UNKNOWN	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 29-15-01, AMM 29-15-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 29 - HYDRAULIC POWER									
29-15-01-001	DISCARD LH WING - GROUND SPOILER ACTUATOR PRESSURE HOSE								Service ATA:29
PN:PN	MOS/MSC	N/A	22-Jun-18						65
SN:UNKNOWN	HRS		0						655.4
	AFL		0						544
PROC. REF: AMM 29-15-01									
29-15-01-001	DISCARD LH WING - GROUND SPOILER ACTUATOR RETURN HOSE								Service ATA:29
PN:PN	MOS/MSC	N/A	22-Jun-18						65
SN:UNKNOWN	HRS		0						655.4
	AFL		0						544
PROC. REF: AMM 29-15-01									
29-15-01-001	DISCARD RH WING - GROUND SPOILER ACTUATOR PRESSURE HOSE								Service ATA:29
PN:PN	MOS/MSC	N/A	22-Jun-18						65
SN:UNKNOWN	HRS		0						655.4
	AFL		0						544
PROC. REF: AMM 29-15-01									
29-15-01-001	DISCARD RH WING - GROUND SPOILER ACTUATOR RETURN HOSE								Service ATA:29
PN:PN	MOS/MSC	N/A	22-Jun-18						65
SN:UNKNOWN	HRS		0						655.4
	AFL		0						544
PROC. REF: AMM 29-15-01									
29-15-03	HYDRAULIC ACCUMULATOR								Component ATA:29
PN:3032936-000	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:8423-13360T	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: AMM 29-15-03, AMM 29-15-03									
29-15-03-001	DISCARD OF HYDRAULIC ACCUMULATOR								Service ATA:29
	MOS		22-Jun-18					19-Mar-2089	65
	HRS		0						655.4
	AFL	28000	0		28000		27456		544
PROC. REF: AMM 29-15-03									
29-16-01	FORWARD FUSELAGE HYDRAULIC PISTON SEPARATOR RESERVOIR								Component ATA:29
PN:2735-0001-401	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:00083	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 29 - HYDRAULIC POWER									
29-20-01	POWERPACK VENTILATION FAN							Component	ATA:29
PN:SF9202D00	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:L008110065	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 29-20-01, AMM 29-20-01									
29-20-01-001 ^S	OPERATIONAL CHECK OF POWERPACK VENTILATION FAN							Service	ATA:29
PN:SF9202D00	MOS		22-Jun-18					65	
SN:L008110065	HRS	800 (+30/-30)	0					655.4	
	AFL		0					544	
PROC. REF: AMM 29-20-01									PKG:1
29-31-02	HYDRAULIC SYSTEM FILTER DIFFERENTIAL PRESSURE INDICATOR							Component	ATA:29
PN:PN	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:UNKNOWN	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 29-31-02, AMM 29-31-02									
SB 500-29-0001	HYDRAULIC POWER - TORQUE VERIFICATION IN THE HYDRAULIC FITTINGS, SERVICE BULLETIN							Bulletin	ATA:29
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-29-0002 REV 01	HYDRAULIC POWER - HYDRAULIC POWER PACK REPLACEMENT, SERVICE BULLETIN							Bulletin	ATA:29
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-29-0004 REV 01	HYDRAULIC POWER - REDUCTION OF RESERVOIR FULL FLUID LEVEL INDICATION OF POWER-PACK, SERVICE BULLETIN							Bulletin	ATA:29
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-29-0007	HYDRAULIC POWER - HYDRAULIC SYSTEM SUCTION LINE REPLACEMENT, SERVICE BULLETIN							Bulletin	ATA:29
	MOS/MSC	-							
	HRS								
	AFL								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 29 - HYDRAULIC POWER									
SB 500-29-0007 REV 01		HYDRAULIC POWER - HYDRAULIC SYSTEM SUCTION LINE REPLACEMENT, SERVICE BULLETIN						Bulletin	ATA:29
	MOS/MSC	-							
	HRS								
	AFL								
ATA 30 - ICE AND RAIN PROTECTION									
30-10-00-001 ^S		OPERATIONAL CHECK OF PNEUMATIC DE-ICING SYSTEM						Service	ATA:30
	MOS		26-Jun-20					40.8	
	HRS	800 (+30/-30)	436.8					218.6	
	AFL		368					176	
PROC. REF: AMM 30-10-00								PKG:1	
30-11-01		DE-ICING SYSTEM CONTROLLER						Component	ATA:30
PN:4D2037-24	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:UF938	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 30-11-01, AMM 30-11-01									
30-11-02		NO.1 REAR FUSELAGE CHECK VALVE						Component	ATA:30
PN:3D3555-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:N172584	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 30-11-02, AMM 30-11-02									
30-11-02		NO.2 REAR FUSELAGE CHECK VALVE						Component	ATA:30
PN:3D3555-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:N172586	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 30-11-02, AMM 30-11-02									
30-11-03		REAR FUS PRESSURE REGULATOR/RELIEVER VALVE						Component	ATA:30
PN:4D2095-2011	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:N180222	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 30-11-03, AMM 30-11-03									
30-11-03-001 ^S		CLEANING REAR FUS PRESSURE REGULATOR/RELIEVER VALVE						Service	ATA:30
PN:4D2095-2011	MOS		22-Jun-18					65	
SN:N180222	HRS	6400 (+30/-30)	0					655.4	
	AFL		0					544	
PROC. REF: AMM 30-11-03								PKG:60	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 30 - ICE AND RAIN PROTECTION									
30-11-04	AFT WATER SEPARATOR							Component	ATA:30
PN:44E13-1A	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:N172846	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 30-11-04, AMM 30-11-04									
30-11-04	FORWARD WATER SEPARATOR							Component	ATA:30
PN:PN	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:UNKNOWN	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 30-11-04, AMM 30-11-04									
30-11-04-001 ^S	RESTORATION (CLEANING) OF THE AFT WATER SEPARATOR							Service	ATA:30
PN:44E13-1A	MOS		22-Jun-18					65	
SN:N172846	HRS	6400 (+30/-30)	0					655.4	
	AFL		0					544	
PROC. REF: AMM 30-11-04									
								PKG:60	
30-11-04-001 ^S	RESTORATION (CLEANING) OF THE FORWARD WATER SEPARATOR							Service	ATA:30
PN:PN	MOS		22-Jun-18					65	
SN:UNKNOWN	HRS	6400 (+30/-30)	0					655.4	
	AFL		0					544	
PROC. REF: AMM 30-11-04									
								PKG:60	
30-11-05	REAR FUS LOW PRESSURE SWITCH							Component	ATA:30
PN:3D3552-02	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:0534	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 30-11-05, AMM 30-11-05									
30-11-05-001 ^S	FUNCTIONAL CHECK OF DE-ICING LOW PRESSURESWITCH (REAR FUS)							Service	ATA:30
PN:3D3552-02	MOS		22-Jun-18					65	
SN:0534	HRS	5600 (+30/-30)	0					655.4	
	AFL		0					544	
PROC. REF: AMM 30-11-05									
								PKG:50	
30-13-01	INBOARD WING FLOW CONTROL VALVE							Component	ATA:30
PN:3D2376-07	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:N180161	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 30-13-01, AMM 30-13-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 30 - ICE AND RAIN PROTECTION									
30-13-01	OUTBOARD WING FLOW CONTROL VALVE							Component	ATA:30
PN:3D2376-07	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:N180162	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 30-13-01, AMM 30-13-01									
30-13-02	NO.1 L/H WING DE ICE PRESSURE SWITCH							Component	ATA:30
PN:3D3533-04	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:2038	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 30-13-02, AMM 30-13-02									
30-13-02	NO.1 R/H WING DE ICE PRESSURE SWITCH							Component	ATA:30
PN:3D3533-04	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:2040	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 30-13-02, AMM 30-13-02									
30-13-02	NO.2 L/H WING DE ICE PRESSURE SWITCH							Component	ATA:30
PN:3D3533-04	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:2039	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 30-13-02, AMM 30-13-02									
30-13-02	NO.2 R/H WING DE ICE PRESSURE SWITCH							Component	ATA:30
PN:3D3533-04	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:2041	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 30-13-02, AMM 30-13-02									
30-13-02-001 ^S	FUNCTIONAL CHECK NO.1 L/H WING DE ICE PRESSURE SWITCH							Service	ATA:30
PN:3D3533-04	MOS		22-Jun-18					65	
SN:2038	HRS	5600 (+30/-30)	0					655.4	
	AFL		0					544	
PROC. REF: AMM 30-13-02									
								PKG:50	
30-13-02-001 ^S	FUNCTIONAL CHECK NO.1 R/H WING DE ICE PRESSURE SWITCH							Service	ATA:30
PN:3D3533-04	MOS		22-Jun-18					65	
SN:2040	HRS	5600 (+30/-30)	0					655.4	
	AFL		0					544	
PROC. REF: AMM 30-13-02									
								PKG:50	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 30 - ICE AND RAIN PROTECTION									
30-13-02-001 ^S		FUNCTIONAL CHECK NO.2 L/H WING DE ICE PRESSURE SWITCH						Service	ATA:30
PN:3D3533-04	MOS		22-Jun-18					65	
SN:2039	HRS	5600 (+30/-30)	0					655.4	
	AFL		0					544	
PROC. REF: AMM 30-13-02									PKG:50
30-13-02-001 ^S		FUNCTIONAL CHECK NO.2 R/H WING DE ICE PRESSURE SWITCH						Service	ATA:30
PN:3D3533-04	MOS		22-Jun-18					65	
SN:2041	HRS	5600 (+30/-30)	0					655.4	
	AFL		0					544	
PROC. REF: AMM 30-13-02									PKG:50
30-13-03		LH WING DE-ICER BOOT						Component	ATA:30
PN:PS29S4D5321-23	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:NEJ9480	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 30-13-03, AMM 30-13-03									
30-13-03		RH WING DE-ICER BOOT						Component	ATA:30
PN:PS29S4D5321-24	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:NED9720	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 30-13-03, AMM 30-13-03									
30-13-03-001 ^S		GENERAL VISUAL INSPECTION LH WING DE-ICER BOOT						Service	ATA:30
PN:PS29S4D5321-23	MOS	12 (+1m/-1m)	10-Jul-23					4.4	
SN:NEJ9480	HRS		645.82					9.58	
	AFL		536					8	
PROC. REF: AMM 30-13-03									PKG:80
30-13-03-001 ^S		GENERAL VISUAL INSPECTION RH WING DE-ICER BOOT						Service	ATA:30
PN:PS29S4D5321-24	MOS	12 (+1m/-1m)	10-Jul-23					4.4	
SN:NED9720	HRS		645.82					9.58	
	AFL		536					8	
PROC. REF: AMM 30-13-03									PKG:80
30-15-01		REAR FUS FLOW CONTROL VALVE						Component	ATA:30
PN:3D2376-07	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:N173370	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 30-15-01, AMM 30-15-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 30 - ICE AND RAIN PROTECTION									
30-15-02	REAR FUS DE ICE PRESSURE SWITCH							Component	ATA:30
PN:3D3533-04	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:2042	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 30-15-02, AMM 30-15-02									
30-15-02-001 ^S	FUNCTIONAL CHECK OF HORIZONTAL STABILIZER DE-ICER PRESSURE SWITCH (REAR FUS)							Service	ATA:30
PN:3D3533-04	MOS		22-Jun-18					65	
SN:2042	HRS	5600 (+30/-30)	0					655.4	
	AFL		0					544	
PROC. REF: AMM 30-15-02									PKG:50
30-15-03	LH TAIL DE-ICER BOOT							Component	ATA:30
PN:PS29S4D5321-21	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:NEE5800	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 30-15-03, AMM 30-15-03									
30-15-03	RH TAIL DE-ICER BOOT							Component	ATA:30
PN:PS29S4D5321-22	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:NEE5750	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 30-15-03, AMM 30-15-03									
30-15-03-001 ^S	GENERAL VISUAL INSPECTION OF LH TAIL DE-ICER BOOT							Service	ATA:30
PN:PS29S4D5321-21	MOS	12 (+1m/-1m)	10-Jul-23					4.4	
SN:NEE5800	HRS		645.82					9.58	
	AFL		536					8	
PROC. REF: AMM 30-15-03									PKG:80
30-15-03-001 ^S	GENERAL VISUAL INSPECTION OF RH TAIL DE-ICER BOOT							Service	ATA:30
PN:PS29S4D5321-22	MOS	12 (+1m/-1m)	10-Jul-23					4.4	
SN:NEE5750	HRS		645.82					9.58	
	AFL		536					8	
PROC. REF: AMM 30-15-03									PKG:80
30-21-00-900-801-01	LH ENGINE ANTI ICING DUCT							Component	ATA:30
PN:PN	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:UNKNOWN	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 30-21-00, AMM 30-21-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 30 - ICE AND RAIN PROTECTION									
30-21-00-900-801-02		RH ENGINE ANTI ICING DUCT						Component	ATA:30
PN:PN	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:UNKNOWN	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 30-21-00, AMM 30-21-00									
30-21-01		LEFT ENGINE ANTI-ICE SYSTEM SHUTOFF VALVE						Component	ATA:30
PN:5727-00-5	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:0827A	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 30-21-01, AMM 30-21-01									
30-21-01		RIGHT ENGINE ANTI-ICE SYSTEM SHUTOFF VALVE						Component	ATA:30
PN:5727-00-5	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:0829A	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 30-21-01, AMM 30-21-01									
30-21-02		LH ENG ANTI-ICE PRESSURE TRANSDUCER						Component	ATA:30
PN:APTE-473A-1000-50G	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:8404-5-452	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 30-21-02, AMM 30-21-02									
30-21-02		RH ENG ANTI-ICE PRESSURE TRANSDUCER						Component	ATA:30
PN:APTE-473A-1000-50G	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:8404-5-463	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 30-21-02, AMM 30-21-02									
30-21-02-001		FUNCTIONAL CHECK OF LH ENG ANTI-ICE PRESSURE TRANSDUCER						Service	ATA:30
PN:APTE-473A-1000-50G	MOS		22-Jun-18					13-Oct-2042	65
SN:8404-5-452	HRS	12000 (+30/-30)	0		12000	12030	11344.6 (+30)		655.4
	AFL		0						544
PROC. REF: AMM 30-21-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 30 - ICE AND RAIN PROTECTION									
30-21-02-001	FUNCTIONAL CHECK OF RH ENG ANTI-ICE PRESSURE TRANSDUCER								Service ATA:30
PN:APTE-473A-1000-50G	MOS		22-Jun-18					13-Oct-2042	65
SN:8404-5-463	HRS	12000 (+30/-30)	0		12000	12030	11344.6 (+30)		655.4
	AFL		0						544
PROC. REF: AMM 30-21-02									
30-21-03-001 ^S	BORESCOPE INSPECTION OF PICCOLO TUBE								Service ATA:30
	MOS		22-Jun-18						65
	HRS	5600 (+30/-30)	0						655.4
	AFL		0						544
PROC. REF: AMM 30-21-03									
									PKG:50
30-21-04-001 ^S	DETAILED VISUAL INSPECTION OF ENGINE ANTI-ICE DUCTS								Service ATA:30
	MOS		22-Jun-18						65
	HRS	2400 (+30/-30)	0						655.4
	AFL		0						544
PROC. REF: AMM 30-21-00									
									PKG:20
30-31-00-001 ^S	OPERATIONAL CHECK OF PITOT, STATIC, AOA AND P-STATIC HEATING								Service ATA:30
	MOS	24 (+1m/-1m)	06-Jul-22						16.5
	HRS		600.55						54.85
	AFL		494						50
PROC. REF: AMM 30-30-00									
									PKG:81
30-31-01	AIR DATA PROBES HEATER CURRENT MONITOR-								Component ATA:30
PN:C-100131-1	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:140337-06	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: AMM 30-31-01, AMM 30-31-01									
30-41-01-001	FUNCTIONAL CHECK OF WINDSHIELD RAIN REPELLENT COATING								Service ATA:30
	MOS/MSC	O/C	22-Jun-18						65
	HRS		0						655.4
	AFL		0						544
PROC. REF: AMM 30-41-01									
30-41-01-002 ^S	DISCARD OF WINDSHIELD RAIN REPELLENT COATING								Service ATA:30
	MOS	12 (+1m/-1m)	10-Jul-23						4.4
	HRS		645.82						9.58
	AFL		536						8
PROC. REF: AMM 30-41-01									
									PKG:80

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 30 - ICE AND RAIN PROTECTION									
30-41-01-003 ^S		FUNCTIONAL CHECK OF RAIN REPELLENT COATING (RRC) LAYER ON WINDSHIELD SURFACE						Service	ATA:30
	MOS	12 (+1m/-1m)	10-Jul-23					4.4	
	HRS		645.82					9.58	
	AFL		536					8	
PROC. REF: AMM 30-41-01									PKG:80
30-42-00-001 ^S		OPERATIONAL CHECK OF WINDSHIELD HEATING SYSTEM						Service	ATA:30
	MOS		22-Jun-18					65	
	HRS	800 (+30/-30)	0					655.4	
	AFL		0					544	
PROC. REF: AMM 30-42-00									PKG:1
30-42-01		LH WINDSHIELD HEATER CONTROL UNIT						Component	ATA:30
PN:EPM-112-4	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:03595	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 30-42-01, AMM 30-42-01									
30-42-01		RH WINDSHIELD HEATER CONTROL UNIT						Component	ATA:30
PN:EPM-112-4	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:03596	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 30-42-01, AMM 30-42-01									
SB 500-30-0001 REV 01		ICE AND RAIN PROTECTION - REPLACEMENT OF THE WHCU, SERVICE BULLETIN						Bulletin	ATA:30
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-30-0002		ICE AND RAIN PROTECTION - TORQUE ON WINDSHIELD HEATING GROUND STUD, SERVICE BULLETIN						Bulletin	ATA:30
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-30-0004 REV 03		ICE AND RAIN PROTECTION - DE-ICE LINE MODIFICATION, SERVICE BULLETIN						Bulletin	ATA:30
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 30 - ICE AND RAIN PROTECTION									
SB 500-30-0005 REV 03		ICE AND RAIN PROTECTION - WATER SEPARATOR INSTALLATION, SERVICE BULLETIN						Bulletin	ATA:30
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-30-0005 REV 03 PART I		ICE AND RAIN PROTECTION - WATER SEPARATOR INSTALLATION, SERVICE BULLETIN WATER SEPARATOR ASSEMBLY INSTALLATION						Bulletin	ATA:30
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-30-0005 REV 03 PART II		ADDITIONAL ACTION ICE AND RAIN PROTECTION - WATER SEPARATOR INSTALLATION, SERVICE BULLETIN - REPLACEMENT OF THE DOWNSTREAM HOSE						Bulletin	ATA:30
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-30-0005 REV 03 PART III		ICE AND RAIN PROTECTION - WATER SEPARATOR INSTALLATION, SERVICE BULLETIN TUBES AND HOSES INSTALLATION						Bulletin	ATA:30
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-30-0006		ICE AND RAIN PROTECTION - ICE DETECTOR INSTALLATION, SERVICE BULLETIN						Bulletin	ATA:30
	MOS/MSC	-							
	HRS								
	AFL								
ATA 31 - INDICATING/RECORDING SYSTEMS									
31-31-00-002 ^S		OPERATIONAL CHECK OF COCKPIT VOICE AND DATA RECORDER SYSTEM						Service	ATA:31
PN:5013-6100-50	MOS	12 (+1m/-1m)	10-Jul-23					4.4	
SN:001263568	HRS		645.82					9.58	
	AFL		536					8	
					PROC. REF: AMM 31-31-00		PKG:80		
31-31-01		CVDR - COCKPIT VOICE AND DATA RECORDER						Component	ATA:31
PN:5013-6100-50	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:001263568	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 31-31-01, AMM 31-31-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 31 - INDICATING/RECORDING SYSTEMS									
31-31-03	CVDR/ULB UNDERWATER LOCATOR BEACON BATTERY							Component	ATA:31
PN:266-E5542-00	MOS/MSC	H/T	22-Jun-18	TSN 0				65	
SN:ULB020627	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 31-31-03, AMM 31-31-03									
31-31-03-001	DISCARD CVDR/ULB UNDERWATER LOCATOR BEACON BATTERY							Service	ATA:31
PN:266-E5542-00	MOS/MSC	DUE			01-Jan-25 (M)		407 d	01-Jan-2025	
SN:ULB020627	HRS								
	AFL								
PROC. REF: AMM 31-31-03									
31-31-04	IMPACT SWITCH							Component	ATA:31
PN:5930-4-000	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:7745	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 31-31-04, AMM 31-31-04									
31-41-01	GSD 41 DATA CONCENTRATOR UNIT							Component	ATA:31
PN:011-01457-00	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:16907062	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 31-41-01, AMM 31-41-01									
31-41-03	NO.1 ENGINE/AIRFRAME INTERFACE UNIT							Component	ATA:31
PN:011-00831-00	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:46725280	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 31-41-03, AMM 31-41-03									
31-41-03	NO.2 ENGINE/AIRFRAME INTERFACE UNIT							Component	ATA:31
PN:011-00831-00	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:46725225	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 31-41-03, AMM 31-41-03									
31-41-03	NO.3 ENGINE/AIRFRAME INTERFACE UNIT							Component	ATA:31
PN:011-00831-00	MOS/MSC	O/C	21-Jan-21	TSR 0				34	
SN:46722178	HRS		512.6	TSR 0				142.8	
	AFL		429	TSR 0				115	
PROC. REF: AMM 31-41-03, AMM 31-41-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 31 - INDICATING/RECORDING SYSTEMS									
31-41-05	NO.1 GIA63W INTEGRATED AVIONICS UNIT							Component	ATA:31
PN:011-01105-40	MOS/MSC	O/C	24-Mar-22					19.9	
SN:2DC003731	HRS		574.43					80.97	
	AFL		473					71	
PROC. REF: AMM 31-41-05, AMM 31-41-05									
31-41-05	NO.2 GIA63W INTEGRATED AVIONICS UNIT							Component	ATA:31
PN:011-01105-40	MOS/MSC	O/C	01-Jun-23	TSO 0				5.6	
SN:2DC004773	HRS		639.9	TSO 0				15.5	
	AFL		529	TSO 0				15	
PROC. REF: AMM 31-41-05, AMM 31-41-05									
31-42-00-001 ^S	OPERATIONAL CHECK OF HSDB SWITCH REVERSION							Service	ATA:31
	MOS		22-Jun-18					65	
	HRS	6400 (+30/-30)	0					655.4	
	AFL		0					544	
PROC. REF: AMM 31-42-00									
31-42-01	MAINTENANCE CONTROL PANEL							Component	ATA:31
PN:441-40947-001	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:O394	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 31-42-01, AMM 31-42-01									
31-61-00-001 ^S	OPERATIONAL CHECK MFD FLIGHT DISPLAY SYSTEM (MANUAL AND AUTOMATIC REVERSION MODE)							Service	ATA:31
	MOS		22-Jun-18					65	
	HRS	3200 (+30/-30)	0					655.4	
	AFL		0					544	
PROC. REF: AMM 31-61-00									
31-61-00-001 ^S	OPERATIONAL CHECK PFD 1 FLIGHT DISPLAY SYSTEM (MANUAL AND AUTOMATIC REVERSION MODE)							Service	ATA:31
	MOS		22-Jun-18					65	
	HRS	3200 (+30/-30)	0					655.4	
	AFL		0					544	
PROC. REF: AMM 31-61-00									
31-61-00-001 ^S	OPERATIONAL CHECK PFD 2 FLIGHT DISPLAY SYSTEM (MANUAL AND AUTOMATIC REVERSION MODE)							Service	ATA:31
	MOS		22-Jun-18					65	
	HRS	3200 (+30/-30)	0					655.4	
	AFL		0					544	
PROC. REF: AMM 31-61-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 31 - INDICATING/RECORDING SYSTEMS									
31-61-01	MFD (MULTI-FUNCTION FLIGHT DISPLAY)							Component	ATA:31
PN:011-01910-10	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:1F1105608	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 31-61-01, AMM 31-61-01									
31-61-01	PFD 1 (PRIMARY FLIGHT DISPLAY)							Component	ATA:31
PN:011-01910-10	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:1F1105609	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 31-61-01, AMM 31-61-01									
31-61-01	PFD 2 (PRIMARY FLIGHT DISPLAY)							Component	ATA:31
PN:011-01910-10	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:1F1105611	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 31-61-01, AMM 31-61-01									
31-CUS-0001 ^{U S}	FDR DOWNLOAD							Service	ATA:31
	MOS	12	10-Jul-23					4.4	
	HRS		645.82					9.58	
	AFL		536					8	
PKG:80									
FAA 2021-23-12	APPLIANCE AD - INDICATING / RECORDING / NAVIGATION - RADIO (RADAR) ALTIMETER - AFM REVISION TO INCORPORATE LIMITATIONS							AD	ATA:31
	MOS/MSC	-	31-Jan-22					21.7	
	HRS		570.6					84.8	
	AFL		471					73	
Category: APPLIANCE									
FAA 2023-10-02	APPLIANCE AD - INDICATING/RECORDING SYSTEM/NAVIGATION - RADIO ALTIMETER - AFM REVISION							AD	ATA:31
	MOS/MSC	-							
	HRS								
	AFL								
Category: APPLIANCE									
FAA 2023-10-02 PARA (H)	REVISE THE LIMITATIONS SECTION OF THE EXISTING AFM (UNTIL 30-JUNE-2023 - SATISFIED BY FAA 2021-23-12)							AD	ATA:31
	MOS/MSC	-							
	HRS								
	AFL								
Category: APPLIANCE									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 31 - INDICATING/RECORDING SYSTEMS									
FAA 2023-10-02 PARA (I) REVISE THE LIMITATIONS SECTION AND REMOVE THE AFM REVISION REQUIRED BY PARA (H) (AFTER 30 JUN 2023)									AD ATA:31
	MOS/MSC	-							
	HRS								
	AFL								
Category: APPLIANCE									
SB 500-31-0001	INDICATING/RECORDING SYSTEMS - INSTALLATION OF G1000 LOAD 25.30 AVIONICS SOFTWARE AND CMC LOAD 6 SOFTWARE, SERVICE BULLETIN							Bulletin	ATA:31
	MOS/MSC	-		22-Jun-18				65	
	HRS			0				655.4	
	AFL			0				544	
SB 500-31-0002	INDICATING/RECORDING SYSTEMS - ACTIVATION OF THE CVDR SYSTEM, SERVICE BULLETIN							Bulletin	ATA:31
	MOS/MSC	-		22-Jun-18				65	
	HRS			0				655.4	
	AFL			0				544	
SB 500-31-0003 REV 01	INDICATING/RECORDING SYSTEMS - INSTALLATION OF G1000 LOAD 36 AVIONICS SOFTWARE AND CMC LOAD 7 SOFTWARE, SERVICE BULLETIN							Bulletin	ATA:31
	MOS/MSC	-		22-Jun-18				65	
	HRS			0				655.4	
	AFL			0				544	
SB 500-31-0004 REV 17	INDICATING/RECORDING SYSTEMS - INSTALLATION OF ELECTRONIC CHECKLIST (ECL), SERVICE BULLETIN							Bulletin	ATA:31
	MOS/MSC	-		22-Jun-18				65	
	HRS			0				655.4	
	AFL			0				544	
SB 500-31-0004 REV 18	INDICATING/RECORDING SYSTEMS - INSTALLATION OF ELECTRONIC CHECKLIST (ECL), SERVICE BULLETIN							Bulletin	ATA:31
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-31-0005 REV 30	INDICATING/RECORDING SYSTEMS - INSTALLATION OF THE SYNTHETIC VISION, SERVICE BULLETIN							Bulletin	ATA:31
	MOS/MSC	-		22-Jun-18				65	
	HRS			0				655.4	
	AFL			0				544	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 31 - INDICATING/RECORDING SYSTEMS									
SB 500-31-0005 REV 30 PART I		ACCOMPLISH, SERVICE BULLETIN INSTALLATION OF THE SYNTHETIC VISION						Bulletin	ATA:31
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-31-0005 REV 30 PART II		ACCOMPLISH, SERVICE BULLETIN ACTIVATION OF THE SYNTHETIC VISION						Bulletin	ATA:31
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-31-0005 REV 31		INDICATING/RECORDING SYSTEMS - INSTALLATION OF THE SYNTHETIC VISION (SUPERSEDED BY 500-31-0005 REV 32), SERVICE BULLETIN						Bulletin	ATA:31
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-31-0005 REV 31 PART I		ACCOMPLISH INDICATING/RECORDING SYSTEMS - INSTALLATION OF THE SYNTHETIC VISION (SUPERSEDED BY 500-31-0005 REV 32), SERVICE BULLETIN INSTALLATION OF THE SYNTHETIC VISION						Bulletin	ATA:31
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-31-0005 REV 31 PART II		ACCOMPLISH INDICATING/RECORDING SYSTEMS - INSTALLATION OF THE SYNTHETIC VISION (SUPERSEDED BY 500-31-0005 REV 32), SERVICE BULLETIN ACTIVATION OF THE SYNTHETIC VISION						Bulletin	ATA:31
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-31-0005 REV 32		INDICATING/RECORDING SYSTEMS - INSTALLATION OF THE SYNTHETIC VISION, SERVICE BULLETIN						Bulletin	ATA:31
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-31-0005 REV 32 PART I		ACCOMPLISH, SERVICE BULLETIN INSTALLATION OF THE SYNTHETIC VISION						Bulletin	ATA:31
	MOS/MSC	-							
	HRS								
	AFL								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 31 - INDICATING/RECORDING SYSTEMS									
SB 500-31-0005 REV 32		ACCOMPLISH, SERVICE BULLETIN ACTIVATION OF THE SYNTHETIC VISION						Bulletin	ATA:31
PART II		MOS/MSC	-						
		HRS							
		AFL							
SB 500-31-0005 REV 33		INDICATING/RECORDING SYSTEMS - INSTALLATION OF THE SYNTHETIC VISION, SERVICE BULLETIN						Bulletin	ATA:31
		MOS/MSC	-						
		HRS							
		AFL							
SB 500-31-0005 REV 33		ACCOMPLISH INDICATING/RECORDING SYSTEMS - INSTALLATION OF THE SYNTHETIC VISION, SERVICE BULLETIN INSTALLATION OF THE SYNTHETIC VISION						Bulletin	ATA:31
PART I		MOS/MSC	-						
		HRS							
		AFL							
SB 500-31-0005 REV 33		ACCOMPLISH INDICATING/RECORDING SYSTEMS - INSTALLATION OF THE SYNTHETIC VISION, SERVICE BULLETIN ACTIVATION OF THE SYNTHETIC VISION						Bulletin	ATA:31
PART II		MOS/MSC	-						
		HRS							
		AFL							
SB 500-31-0006 REV 01		INDICATING/RECORDING SYSTEMS - INSTALLATION OF G1000 LOAD 43 AVIONICS SOFTWARE AND CMC LOAD 8 SOFTWARE, SERVICE BULLETIN						Bulletin	ATA:31
		MOS/MSC	-	22-Jun-18				65	
		HRS		0				655.4	
		AFL		0				544	
SB 500-31-0007 REV 01		INDICATING/RECORDING SYSTEMS - INSTALLATION OF G1000 LOAD 43.5 AVIONICS SOFTWARE AND CMC LOAD 9 SOFTWARE, SERVICE BULLETIN						Bulletin	ATA:31
		MOS/MSC	-	22-Jun-18				65	
		HRS		0				655.4	
		AFL		0				544	
SB 500-31-0008		INDCIATING/RECORDING SYSTEMS - INSTALLATION OF G1000 LOAD 54 AVIONICS SOFTWARE AND CMC SOFTWARE LOAD 10, SERVICE BULLETIN						Bulletin	ATA:31
		MOS/MSC	-	22-Jun-18				65	
		HRS		0				655.4	
		AFL		0				544	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 31 - INDICATING/RECORDING SYSTEMS									
SB 500-31-0009 REV 02		INDICATING/RECORDING SYSTEMS - INSTALLATION OF G1000 LOAD 63.7 AVIONICS SOFTWARE AND CMC LOAD 11, SERVICE BULLETIN						Bulletin	ATA:31
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-31-0010 REV 03		INDICATING/RECORDING SYSTEMS - G1000 AVIONICS - DOWNGRADE FROM LOAD 63.7 AVIONICS SOFTWARE AND CMC LOAD 11 SOFTWARE TO LOAD 55 AVIONICS SOFTWARE AND CMC LOAD 10.1 SOFTWARE, SERVICE BULLETIN						Bulletin	ATA:31
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-31-0011 REV 02		INDICATING/RECORDING SYSTEMS - INSTALLATION OF G1000 LOAD 72.1 AVIONICS SOFTWARE AND CMC LOAD 12.5, SERVICE BULLETIN						Bulletin	ATA:31
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-31-0012		INDICATING/RECORDING SYSTEMS - TAWS-A (TERRAIN AWARENESS AND WARNING SYSTEM) ELECTRICAL WIRING INSTALLATION, SERVICE BULLETIN						Bulletin	ATA:31
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-31-0013 REV 01		INDICATING/RECORDING SYSTEMS - INSTALLATION OF G1000 LOAD 83.25 AVIONICS SOFTWARE AND CMC LOAD 13.4, SERVICE BULLETIN						Bulletin	ATA:31
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-31-0014 REV 01		INDICATING/RECORDING SYSTEMS - CVDR REPLACEMENT (SUPERSEDED BY 500-31-0014 REV 02), SERVICE BULLETIN						Bulletin	ATA:31
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-31-0014 REV 02		INDICATING/RECORDING SYSTEMS - CVDR REPLACEMENT, SERVICE BULLETIN						Bulletin	ATA:31
	MOS/MSC	-							
	HRS								
	AFL								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 31 - INDICATING/RECORDING SYSTEMS									
SB 500-31-0015 REV 01		INDICATING/RECORDING SYSTEMS - INSTALLATION OF G1000 LOAD 92.00 AVIONICS SOFTWARE AND CMC LOAD 14.2 (SUPERSEDED BY 500-31-0015 REV 02), SERVICE BULLETIN						Bulletin	ATA:31
	MOS/MSC	-		22-Jun-18					65
	HRS			0					655.4
	AFL			0					544
SB 500-31-0015 REV 02		INDICATING/RECORDING SYSTEMS - INSTALLATION OF G1000 LOAD 92.00 AVIONICS SOFTWARE AND CMC LOAD 14.2, SERVICE BULLETIN						Bulletin	ATA:31
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-31-0015 REV 02 PART I		ACCOMPLISH INDICATING/RECORDING SYSTEMS - INSTALLATION OF G1000 LOAD 92.00 AVIONICS SOFTWARE AND CMC LOAD 14.2, SERVICE BULLETIN AIRCRAFT CONFIGURED WITH AVIONICS SOFTWARE LOAD VERSION 72.1 OR LOWER						Bulletin	ATA:31
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-31-0015 REV 02 PART II		ACCOMPLISH INDICATING/RECORDING SYSTEMS - INSTALLATION OF G1000 LOAD 92.00 AVIONICS SOFTWARE AND CMC LOAD 14.2, SERVICE BULLETIN AIRCRAFT CONFIGURED WITH AVIONICS SOFTWARE LOAD VERSION 83.25 OR POST-MOD SB500-31-0013						Bulletin	ATA:31
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-31-0015 REV 02 PART III		ACCOMPLISH INDICATING/RECORDING SYSTEMS - INSTALLATION OF G1000 LOAD 92.00 AVIONICS SOFTWARE AND CMC LOAD 14.2, SERVICE BULLETIN ADDITIONAL ACTION						Bulletin	ATA:31
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-31-0016		INDICATING/RECORDING SYSTEMS - INSTALLATION OF G3000 LOAD 18.10 AVIONICS SOFTWARE AND CMC LOAD V5.21 (SUPERSEDED BY 500-31-0016 REV 01), SERVICE BULLETIN						Bulletin	ATA:31
	MOS/MSC	-		22-Jun-18					65
	HRS			0					655.4
	AFL			0					544
SB 500-31-0016 REV 01		INDICATING/RECORDING SYSTEMS - INSTALLATION OF G3000 LOAD 18.10 AVIONICS SOFTWARE AND CMC LOAD V5.21, SERVICE BULLETIN						Bulletin	ATA:31
	MOS/MSC	-		06-Apr-23					7.5
	HRS			639.85					15.55
	AFL			529					15

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 31 - INDICATING/RECORDING SYSTEMS									
SB 500-31-0016 REV 02	INDICATING/RECORDING SYSTEMS - INSTALLATION OF G3000 LOAD 18.10 AVIONICS SOFTWARE AND CMC LOAD V5.21, SERVICE BULLETIN							Bulletin	ATA:31
	MOS/MSC	-		07-Apr-23					7.5
	HRS			639.9					15.5
	AFL			529					15
SB 500-31-0017	INDICATING/RECORDING SYSTEMS - INSTALLATION OF G1000 LOAD 92.10 AVIONICS SOFTWARE AND CMC LOAD 15.0, SERVICE BULLETIN							Bulletin	ATA:31
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-31-0017 PART I	ACCOMPLISH INDICATING/RECORDING SYSTEMS - INSTALLATION OF G1000 LOAD 92.10 AVIONICS SOFTWARE AND CMC LOAD 15.0, SERVICE BULLETIN AIRCRAFT CONFIGURED WITH AVIONICS SOFTWARE LOAD VERSION 72.1 OR LOWER							Bulletin	ATA:31
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-31-0017 PART II	ACCOMPLISH INDICATING/RECORDING SYSTEMS - INSTALLATION OF G1000 LOAD 92.10 AVIONICS SOFTWARE AND CMC LOAD 15.0, SERVICE BULLETIN AIRCRAFT CONFIGURED WITH AVIONICS SOFTWARE LOAD VERSION 83.25 OR POST-MOD SB500-31-0013							Bulletin	ATA:31
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-31-0017 PART III	ACCOMPLISH INDICATING/RECORDING SYSTEMS - INSTALLATION OF G1000 LOAD 92.10 AVIONICS SOFTWARE AND CMC LOAD 15.0, SERVICE BULLETIN AIRCRAFT CONFIGURED WITH AVIONICS SOFTWARE LOAD VERSION 92.00 OR POST-MOD SB500-31-0015							Bulletin	ATA:31
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-31-0017 REV 01	INDICATING/RECORDING SYSTEMS - INSTALLATION OF G1000 LOAD 92.10 AVIONICS SOFTWARE AND CMC LOAD 15.0, SERVICE BULLETIN							Bulletin	ATA:31
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-31-0017 REV 01 PART I	ACCOMPLISH INDICATING/RECORDING SYSTEMS - INSTALLATION OF G1000 LOAD 92.10 AVIONICS SOFTWARE AND CMC LOAD 15.0, SERVICE BULLETIN AIRCRAFT CONFIGURED WITH AVIONICS SOFTWARE LOAD VERSION 72.1 OR LOWER							Bulletin	ATA:31
	MOS/MSC	-							
	HRS								
	AFL								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 31 - INDICATING/RECORDING SYSTEMS									
SB 500-31-0017 REV 01 PART II	ACCOMPLISH INDICATING/RECORDING SYSTEMS - INSTALLATION OF G1000 LOAD 92.10 AVIONICS SOFTWARE AND CMC LOAD 15.0, SERVICE BULLETIN AIRCRAFT CONFIGURED WITH AVIONICS SOFTWARE LOAD VERSION 83.25 OR POST-MOD SB500-31-0013							Bulletin	ATA:31
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-31-0017 REV 01 PART III	ACCOMPLISH INDICATING/RECORDING SYSTEMS - INSTALLATION OF G1000 LOAD 92.10 AVIONICS SOFTWARE AND CMC LOAD 15.0, SERVICE BULLETIN AIRCRAFT CONFIGURED WITH AVIONICS SOFTWARE LOAD VERSION 92.00 OR POST-MOD SB500-31-0015							Bulletin	ATA:31
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-31-0018	INDICATING/RECORDING SYSTEMS - INSTALLATION OF G3000 LOAD 23.20 AVIONICS SOFTWARE AND CMC LOAD V7.01, SERVICE BULLETIN							Bulletin	ATA:31
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-31-0018 REV 01	INDICATING/RECORDING SYSTEMS - INSTALLATION OF G3000 LOAD 23.20 AVIONICS SOFTWARE AND CMC LOAD V7.01, SERVICE BULLETIN							Bulletin	ATA:31
	MOS/MSC	-							
	HRS								
	AFL								
ATA 32 - LANDING GEAR									
32-00-00-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF LANDING GEAR POLYURETHANE FILMS							Service	ATA:32
	MOS			22-Jun-18				65	
	HRS	800 (+30/-30)	0					655.4	
	AFL		0					544	
					PROC. REF: AMM 32-00-20				PKG:1
32-000	LEFT MAIN GEAR ASSEMBLY							Component	ATA:32
PN:PN	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:UNKNOWN	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
					PROC. REF: GENERIC NO REF				
32-000	RIGHT MAIN GEAR ASSEMBLY							Component	ATA:32
PN:PN	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:UNKNOWN	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
					PROC. REF: GENERIC NO REF				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 32 - LANDING GEAR									
32-001	LEFT MAIN GEAR SHOCK STRUT - MAIN FITTING							Component	ATA:32
PN:2310-2206-503	MOS		22-Jun-18	TSN 0				23-Jul-2072	65
SN:1701327/001	HRS		0	TSN 0					655.4
	AFL	21000	0	TSN 0	21000		20456		544
PROC. REF: AMM 32-11-01, AMM 32-11-01									
32-002	RIGHT MAIN GEAR SHOCK STRUT - MAIN FITTING							Component	ATA:32
PN:2310-2206-504	MOS		22-Jun-18	TSN 0				23-Jul-2072	65
SN:1689167/001	HRS		0	TSN 0					655.4
	AFL	21000	0	TSN 0	21000		20456		544
PROC. REF: AMM 32-11-01, AMM 32-11-01									
32-005	NO.1 LEFT MAIN GEAR PINTLE PIN							Component	ATA:32
PN:2310-2107-003	MOS		22-Jun-18	TSN 0				23-Jul-2072	65
SN:1673813/006	HRS		0	TSN 0					655.4
	AFL	21000	0	TSN 0	21000		20456		544
PROC. REF: GENERIC NO REF									
32-005	NO.1 RIGHT MAIN GEAR PINTLE PIN							Component	ATA:32
PN:2310-2107-003	MOS		22-Jun-18	TSN 0				23-Jul-2072	65
SN:1673813/001	HRS		0	TSN 0					655.4
	AFL	21000	0	TSN 0	21000		20456		544
PROC. REF: GENERIC NO REF									
32-005	NO.2 LEFT MAIN GEAR PINTLE PIN							Component	ATA:32
PN:2310-2107-003	MOS		22-Jun-18	TSN 0				23-Jul-2072	65
SN:1673813/010	HRS		0	TSN 0					655.4
	AFL	21000	0	TSN 0	21000		20456		544
PROC. REF: GENERIC NO REF									
32-005	NO.2 RIGHT MAIN GEAR PINTLE PIN							Component	ATA:32
PN:2310-2107-003	MOS		22-Jun-18	TSN 0				23-Jul-2072	65
SN:1673813/004	HRS		0	TSN 0					655.4
	AFL	21000	0	TSN 0	21000		20456		544
PROC. REF: GENERIC NO REF									
32-006	LEFT MAIN GEAR UPPER AXLE							Component	ATA:32
PN:2310-2104-001	MOS		22-Jun-18	TSN 0				23-Jul-2072	65
SN:1682389/003	HRS		0	TSN 0					655.4
	AFL	21000	0	TSN 0	21000		20456		544
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 32 - LANDING GEAR									
32-006	RIGHT MAIN GEAR UPPER AXLE							Component	ATA:32
PN:2310-2104-001	MOS		22-Jun-18	TSN 0				23-Jul-2072	65
SN:1679051/002	HRS		0	TSN 0					655.4
	AFL	21000	0	TSN 0	21000		20456		544
PROC. REF: GENERIC NO REF									
32-007	LEFT MAIN GEAR LOWER AXLE							Component	ATA:32
PN:2310-2108-003	MOS		22-Jun-18	TSN 0				23-Jul-2072	65
SN:1661011/003	HRS		0	TSN 0					655.4
	AFL	21000	0	TSN 0	21000		20456		544
PROC. REF: GENERIC NO REF									
32-007	RIGHT MAIN GEAR LOWER AXLE							Component	ATA:32
PN:2310-2108-003	MOS		22-Jun-18	TSN 0				23-Jul-2072	65
SN:1661011/001	HRS		0	TSN 0					655.4
	AFL	21000	0	TSN 0	21000		20456		544
PROC. REF: GENERIC NO REF									
32-008	LEFT MAIN GEAR JACKING PIN							Component	ATA:32
PN:2310-2109-001	MOS		22-Jun-18	TSN 0				23-Jul-2072	65
SN:1695945/003	HRS		0	TSN 0					655.4
	AFL	21000	0	TSN 0	21000		20456		544
PROC. REF: GENERIC NO REF									
32-008	RIGHT MAIN GEAR JACKING PIN							Component	ATA:32
PN:2310-2109-001	MOS		22-Jun-18	TSN 0				23-Jul-2072	65
SN:1695945/013	HRS		0	TSN 0					655.4
	AFL	21000	0	TSN 0	21000		20456		544
PROC. REF: GENERIC NO REF									
32-009	LEFT MAIN GEAR PIN							Component	ATA:32
PN:2310-2103-001	MOS		22-Jun-18	TSN 0				23-Jul-2072	65
SN:1638190/005	HRS		0	TSN 0					655.4
	AFL	21000	0	TSN 0	21000		20456		544
PROC. REF: GENERIC NO REF									
32-009	RIGHT MAIN GEAR PIN							Component	ATA:32
PN:2310-2103-001	MOS		22-Jun-18	TSN 0				23-Jul-2072	65
SN:1638190/006	HRS		0	TSN 0					655.4
	AFL	21000	0	TSN 0	21000		20456		544
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 32 - LANDING GEAR									
32-010	LEFT MAIN GEAR PIN							Component	ATA:32
PN:2310-2113-003	MOS		22-Jun-18	TSN 0				23-Jul-2072	65
SN:1681502/001	HRS		0	TSN 0					655.4
	AFL	21000	0	TSN 0	21000		20456		544
PROC. REF: GENERIC NO REF									
32-010	RIGHT MAIN GEAR PIN							Component	ATA:32
PN:2310-2113-003	MOS		22-Jun-18	TSN 0				23-Jul-2072	65
SN:1681502/003	HRS		0	TSN 0					655.4
	AFL	21000	0	TSN 0	21000		20456		544
PROC. REF: GENERIC NO REF									
32-100	LEFT MAIN GEAR TRAILING ARM ASSEMBLY							Component	ATA:32
PN:2310-3000-403	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:00424	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: AMM 32-11-04, AMM 32-11-04									
32-100	RIGHT MAIN GEAR TRAILING ARM ASSEMBLY							Component	ATA:32
PN:2310-3000-404	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:00418	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: AMM 32-11-04, AMM 32-11-04									
32-101	LEFT MAIN GEAR TRAILING ARM AXLE							Component	ATA:32
PN:2310-2102-003	MOS		22-Jun-18	TSN 0				23-Jul-2072	65
SN:1668183/003	HRS		0	TSN 0					655.4
	AFL	21000	0	TSN 0	21000		20456		544
PROC. REF: AMM 32-11-04, AMM 32-11-04									
32-101	RIGHT MAIN GEAR TRAILING ARM AXLE							Component	ATA:32
PN:2310-2102-003	MOS		22-Jun-18	TSN 0				23-Jul-2072	65
SN:1668183/014	HRS		0	TSN 0					655.4
	AFL	21000	0	TSN 0	21000		20456		544
PROC. REF: AMM 32-11-04, AMM 32-11-04									
32-102	LEFT MAIN GEAR TRAILING ARM							Component	ATA:32
PN:2310-3002-503	MOS		22-Jun-18	TSN 0				23-Jul-2072	65
SN:1700677 /001	HRS		0	TSN 0					655.4
	AFL	21000	0	TSN 0	21000		20456		544
PROC. REF: AMM 32-11-04, AMM 32-11-04									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 32 - LANDING GEAR									
32-103	RIGHT MAIN GEAR TRAILING ARM							Component	ATA:32
PN:2310-3002-504	MOS		22-Jun-18	TSN 0				23-Jul-2072	65
SN:1700687/001	HRS		0	TSN 0					655.4
	AFL	21000	0	TSN 0	21000		20456		544
PROC. REF: AMM 32-11-04, AMM 32-11-04									
32-106	LEFT MAIN GEAR TRAILING ARM WHEEL AXLE							Component	ATA:32
PN:2310-3010-001	MOS		22-Jun-18	TSN 0				23-Jul-2072	65
SN:1690381/001	HRS		0	TSN 0					655.4
	AFL	21000	0	TSN 0	21000		20456		544
PROC. REF: AMM 32-11-04, AMM 32-11-04									
32-106	RIGHT MAIN GEAR TRAILING ARM WHEEL AXLE							Component	ATA:32
PN:2310-3010-001	MOS		22-Jun-18	TSN 0				23-Jul-2072	65
SN:1690381/002	HRS		0	TSN 0					655.4
	AFL	21000	0	TSN 0	21000		20456		544
PROC. REF: AMM 32-11-04, AMM 32-11-04									
32-11-00-001 ^S	GENERAL VISUAL INSPECTION LEFT MAIN GEAR ASSEMBLY							Service	ATA:32
PN:PN	MOS	12 (+1m/-1m)	10-Jul-23						4.4
SN:UNKNOWN	HRS		645.82						9.58
	AFL		536						8
PROC. REF: AMM 32-11-00									
								PKG:80	
32-11-00-001 ^S	GENERAL VISUAL INSPECTION RIGHT MAIN GEAR ASSEMBLY							Service	ATA:32
PN:PN	MOS	12 (+1m/-1m)	10-Jul-23						4.4
SN:UNKNOWN	HRS		645.82						9.58
	AFL		536						8
PROC. REF: AMM 32-11-00									
								PKG:80	
32-11-00-002	RESTORE (OVERHAUL) LEFT MAIN GEAR ASSEMBLY							Service	ATA:32
PN:PN	MOS/MSC	O/C	22-Jun-18						65
SN:UNKNOWN	HRS		0						655.4
	AFL		0						544
PROC. REF: AMM 32-11-00									
32-11-00-002	RESTORE (OVERHAUL) RIGHT MAIN GEAR ASSEMBLY							Service	ATA:32
PN:PN	MOS/MSC	O/C	22-Jun-18						65
SN:UNKNOWN	HRS		0						655.4
	AFL		0						544
PROC. REF: AMM 32-11-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 32 - LANDING GEAR									
32-11-00-003	LUBRICATION OF LEFT MAIN GEAR ASSEMBLY								Service ATA:32
PN:PN	MOS	12 (+1m/-1m)	10-Jul-23	Adj -14d	26-Jun-24	26-Jul-24	218 d (+30)	26-Jun-2024	4.4
SN:UNKNOWN	HRS		645.82						9.58
	AFL	650 (+30/-30)	536		1186	1216	642 (+30)		8
PROC. REF: AMM 12-21-00									
32-11-00-003	LUBRICATION OF RIGHT MAIN GEAR ASSEMBLY								Service ATA:32
PN:PN	MOS	12 (+1m/-1m)	10-Jul-23	Adj -14d	26-Jun-24	26-Jul-24	218 d (+30)	26-Jun-2024	4.4
SN:UNKNOWN	HRS		645.82						9.58
	AFL	650 (+30/-30)	536		1186	1216	642 (+30)		8
PROC. REF: AMM 12-21-00									
32-11-01	LEFT MAIN GEAR SHOCK STRUT								Component ATA:32
PN:2310-2000-405	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:00423	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: AMM 32-11-01, AMM 32-11-01									
32-11-01	RIGHT MAIN GEAR SHOCK STRUT								Component ATA:32
PN:2310-2000-406	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:00420	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: AMM 32-11-01, AMM 32-11-01									
32-11-01-001	RESTORATION (OVERHAUL) OF MAIN LANDING GEAR - STRUT ASSY (LH)								Service ATA:32
PN:2310-2000-405	MOS	120 (+1m/-1m)	22-Jun-18		22-Jun-28	22-Jul-28	1675 d (+30)	22-Jun-2028	65
SN:00423	HRS		0						655.4
	AFL	12000 (+30/-30)	0		12000	12030	11456 (+30)		544
PROC. REF: AMM 32-11-00									
32-11-01-002	RESTORATION (OVERHAUL) OF MAIN LANDING GEAR - STRUT ASSY (RH)								Service ATA:32
PN:2310-2000-406	MOS	120 (+1m/-1m)	22-Jun-18		22-Jun-28	22-Jul-28	1675 d (+30)	22-Jun-2028	65
SN:00420	HRS		0						655.4
	AFL	12000 (+30/-30)	0		12000	12030	11456 (+30)		544
PROC. REF: AMM 32-11-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 32 - LANDING GEAR									
32-11-02-001	RESTORATION (OVERHAUL) OF MAIN LANDING GEAR - LOCKING ACTUATOR (LH)								Service ATA:32
PN:2136-1000-405	MOS	120 (+1m/-1m)	22-Jun-18		22-Jun-28	22-Jul-28	1675 d (+30)	22-Jun-2028	65
SN:00906	HRS		0						655.4
	AFL	12000 (+30/-30)	0		12000	12030	11456 (+30)		544
PROC. REF: AMM 32-11-00									
32-11-02-002	RESTORATION (OVERHAUL) OF MAIN LANDING GEAR - LOCKING ACTUATOR (RH)								Service ATA:32
PN:2136-1000-405	MOS	120 (+1m/-1m)	22-Jun-18		22-Jun-28	22-Jul-28	1675 d (+30)	22-Jun-2028	65
SN:00907	HRS		0						655.4
	AFL	12000 (+30/-30)	0		12000	12030	11456 (+30)		544
PROC. REF: AMM 32-11-00									
32-11-03-001	RESTORATION (OVERHAUL) OF MAIN LANDING GEAR - SHOCK ABSORBER (LH)								Service ATA:32
PN:2310-4000-409	MOS	120 (+1m/-1m)	22-Jun-18		22-Jun-28	22-Jul-28	1675 d (+30)	22-Jun-2028	65
SN:01443	HRS		0						655.4
	AFL	12000 (+30/-30)	0		12000	12030	11456 (+30)		544
PROC. REF: AMM 32-11-00									
32-11-03-002	RESTORATION (OVERHAUL) OF MAIN LANDING GEAR - SHOCK ABSORBER (RH)								Service ATA:32
PN:2310-4000-409	MOS	120 (+1m/-1m)	22-Jun-18		22-Jun-28	22-Jul-28	1675 d (+30)	22-Jun-2028	65
SN:01442	HRS		0						655.4
	AFL	12000 (+30/-30)	0		12000	12030	11456 (+30)		544
PROC. REF: AMM 32-11-00									
32-11-03-004	SERVICING LEFT MAIN GEAR SHOCK ABSORBER ASSEMBLY								Service ATA:32
PN:2310-4000-409	MOS	12 (+1m/-1m)	10-Jul-23	Adj -14d	26-Jun-24	26-Jul-24	218 d (+30)	26-Jun-2024	4.4
SN:01443	HRS		645.82						9.58
	AFL	650 (+30/-30)	536		1186	1216	642 (+30)		8
PROC. REF: AMM 12-14-02									
32-11-03-004	SERVICING RIGHT MAIN GEAR SHOCK ABSORBER ASSEMBLY								Service ATA:32
PN:2310-4000-409	MOS	12 (+1m/-1m)	10-Jul-23	Adj -14d	26-Jun-24	26-Jul-24	218 d (+30)	26-Jun-2024	4.4
SN:01442	HRS		645.82						9.58
	AFL	650 (+30/-30)	536		1186	1216	642 (+30)		8
PROC. REF: AMM 12-14-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 32 - LANDING GEAR									
32-11-04-001	RESTORATION (OVERHAUL) OF MAIN LANDING GEAR - TRAILING ARM (LH)								Service ATA:32
PN:2310-3000-403	MOS	120 (+1m/-1m)	22-Jun-18		22-Jun-28	22-Jul-28	1675 d (+30)	22-Jun-2028	65
SN:00424	HRS		0						655.4
	AFL	12000 (+30/-30)	0		12000	12030	11456 (+30)		544
PROC. REF: AMM 32-11-00									
32-11-04-002	RESTORATION (OVERHAUL) OF MAIN LANDING GEAR - TRAILING ARM (RH)								Service ATA:32
PN:2310-3000-404	MOS	120 (+1m/-1m)	22-Jun-18		22-Jun-28	22-Jul-28	1675 d (+30)	22-Jun-2028	65
SN:00418	HRS		0						655.4
	AFL	12000 (+30/-30)	0		12000	12030	11456 (+30)		544
PROC. REF: AMM 32-11-00									
32-200	LEFT MAIN GEAR SHOCK ABSORBER ASSEMBLY								Component ATA:32
PN:2310-4000-409	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:01443	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: AMM 32-11-03, AMM 32-11-03									
32-200	RIGHT MAIN GEAR SHOCK ABSORBER ASSEMBLY								Component ATA:32
PN:2310-4000-409	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:01442	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: AMM 32-11-03, AMM 32-11-03									
32-201	LEFT MAIN GEAR SHOCK ABSORBER CYLINDER								Component ATA:32
PN:2310-4102-501	MOS		22-Jun-18	TSN 0				23-Jul-2072	65
SN:1687497/001	HRS		0	TSN 0					655.4
	AFL	21000	0	TSN 0	21000		20456		544
PROC. REF: GENERIC NO REF									
32-201	RIGHT MAIN GEAR SHOCK ABSORBER CYLINDER								Component ATA:32
PN:2310-4102-501	MOS		22-Jun-18	TSN 0				23-Jul-2072	65
SN:1687497/003	HRS		0	TSN 0					655.4
	AFL	21000	0	TSN 0	21000		20456		544
PROC. REF: GENERIC NO REF									
32-204	LEFT MAIN GEAR SHOCK ABSORBER SLIDING TUBE								Component ATA:32
PN:2310-4201-003	MOS		22-Jun-18	TSN 0				23-Jul-2072	65
SN:1667893/001	HRS		0	TSN 0					655.4
	AFL	21000	0	TSN 0	21000		20456		544
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 32 - LANDING GEAR									
32-204	RIGHT MAIN GEAR SHOCK ABSORBER SLIDING TUBE							Component	ATA:32
PN:2310-4201-003	MOS		22-Jun-18	TSN 0				23-Jul-2072	65
SN:1667894/002	HRS		0	TSN 0					655.4
	AFL	21000	0	TSN 0	21000		20456		544
PROC. REF: GENERIC NO REF									
32-206	LEFT MAIN GEAR SHOCK ABSORBER BEARING							Component	ATA:32
PN:2310-4006-007	MOS		22-Jun-18	TSN 0				23-Jul-2072	65
SN:1695089/001	HRS		0	TSN 0					655.4
	AFL	21000	0	TSN 0	21000		20456		544
PROC. REF: GENERIC NO REF									
32-206	RIGHT MAIN GEAR SHOCK ABSORBER BEARING							Component	ATA:32
PN:2310-4006-007	MOS		22-Jun-18	TSN 0				23-Jul-2072	65
SN:1695089/004	HRS		0	TSN 0					655.4
	AFL	21000	0	TSN 0	21000		20456		544
PROC. REF: GENERIC NO REF									
32-207	LEFT MAIN GEAR SHOCK ABSORBER BEARING CAP							Component	ATA:32
PN:2310-4014-001	MOS		22-Jun-18	TSN 0				23-Jul-2072	65
SN:1689852/008	HRS		0	TSN 0					655.4
	AFL	21000	0	TSN 0	21000		20456		544
PROC. REF: GENERIC NO REF									
32-207	RIGHT MAIN GEAR SHOCK ABSORBER BEARING CAP							Component	ATA:32
PN:2310-4014-001	MOS		22-Jun-18	TSN 0				23-Jul-2072	65
SN:1689852/007	HRS		0	TSN 0					655.4
	AFL	21000	0	TSN 0	21000		20456		544
PROC. REF: GENERIC NO REF									
32-21-00-001 ^S	GENERAL VISUAL INSPECTION OF NOSE LANDING GEAR ASSEMBLY							Service	ATA:32
PN:PN	MOS	12 (+1m/-1m)	10-Jul-23						4.4
SN:UNKNOWN	HRS		645.82						9.58
	AFL		536						8
PROC. REF: AMM 32-21-00									
								PKG:80	
32-21-00-002	RESTORE (OVERHAUL) NOSE LANDING GEAR ASSEMBLY							Service	ATA:32
PN:PN	MOS/MSC	O/C	22-Jun-18						65
SN:UNKNOWN	HRS		0						655.4
	AFL		0						544
PROC. REF: AMM 32-21-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 32 - LANDING GEAR									
32-21-00-003	LUBRICATION OF NOSE LANDING GEAR ASSEMBLY								Service ATA:32
PN:PN	MOS	12 (+1m/-1m)	10-Jul-23	Adj -14d	26-Jun-24	26-Jul-24	218 d (+30)	26-Jun-2024	4.4
SN:UNKNOWN	HRS		645.82						9.58
	AFL	650 (+30/-30)	536		1186	1216	642 (+30)		8
PROC. REF: AMM 12-21-00									
32-21-01	NOSE LANDING GEAR SHOCK STRUT								Component ATA:32
PN:2310-5000-401	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:00442	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: AMM 32-21-01, AMM 32-21-01									
32-21-01-001	RESTORATION (OVERHAUL) OF NOSE LANDING GEAR - STRUT ASSY								Service ATA:32
	MOS	120 (+1m/-1m)	EFF		22-Jun-28 *	22-Jul-28	1675 d (+30)	22-Jun-2028	
	HRS		EFF						
	AFL	12000 (+30/-30)	EFF		12000 *	12030	11456 (+30)		
PROC. REF: AMM 32-21-00									
32-21-02	NOSE LANDING GEAR RETRACT ACTUATOR ASSEMBLY								Component ATA:32
PN:2135-1000-403	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:00418	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: AMM 32-21-02, AMM 32-21-02									
32-21-03	NOSE LANDING GEAR DOWNLOCK RELEASE ACTUATOR ASSEMBLY								Component ATA:32
PN:2137-1000-401	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:00396	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: AMM 32-21-03, AMM 32-21-03									
32-21-04-001	RESTORATION (OVERHAUL) OF NOSE LANDING GEAR - LOCKING STAY								Service ATA:32
	MOS	120 (+1m/-1m)	EFF		22-Jun-28 *	22-Jul-28	1675 d (+30)	22-Jun-2028	
	HRS		EFF						
	AFL	12000 (+30/-30)	EFF		12000 *	12030	11456 (+30)		
PROC. REF: AMM 32-21-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 32 - LANDING GEAR									
32-21-05-001	RESTORATION (OVERHAUL) OF NOSE LANDING GEAR - SHOCK ABSORBER								Service ATA:32
	MOS	120 (+1m/-1m)	EFF		22-Jun-28 *	22-Jul-28	1675 d (+30)	22-Jun-2028	
	HRS		EFF						
	AFL	12000 (+30/-30)	EFF		12000 *	12030	11456 (+30)		
PROC. REF: AMM 32-21-00									
32-21-05-004	SERVICING NOSE LANDING GEAR (ALUM STRUT) SHOCK ABSORBER								Service ATA:32
PN:2310-7000-401	MOS	12 (+1m/-1m)	10-Jul-23	Adj -14d	26-Jun-24	26-Jul-24	218 d (+30)	26-Jun-2024	4.4
SN:00448	HRS		645.82						9.58
	AFL	650 (+30/-30)	536		1186	1216	642 (+30)		8
PROC. REF: AMM 12-14-03									
32-21-06-005 ^S	VISUAL CHECK OF NOSE LANDING GEAR SHIMMY DAMPER								Service ATA:32
PN:2310-1500-405	MOS	12 (+1m/-1m)	10-Jul-23						4.4
SN:1696778/044	HRS		645.82						9.58
	AFL		536						8
PROC. REF: AMM 32-21-06									
									PKG:80
32-21-09-001	RESTORATION (OVERHAUL) OF NOSE LANDING GEAR - DRAG BRACE ASSY								Service ATA:32
	MOS	120 (+1m/-1m)	EFF		22-Jun-28 *	22-Jul-28	1675 d (+30)	22-Jun-2028	
	HRS		EFF						
	AFL	12000 (+30/-30)	EFF		12000 *	12030	11456 (+30)		
PROC. REF: AMM 32-21-00									
32-28-03	CENTER FUSELAGE SELECTOR VALVE SOLENOID								Component ATA:32
PN:2230-0001-401	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:00059	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: GENERIC NO REF									
32-300	LEFT MAIN GEAR LOCKING ACTUATOR ASSEMBLY								Component ATA:32
PN:2136-1000-405	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:00906	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: AMM 32-11-02, AMM 32-11-02									
32-300	RIGHT MAIN GEAR LOCKING ACTUATOR ASSEMBLY								Component ATA:32
PN:2136-1000-405	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:00907	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: AMM 32-11-02, AMM 32-11-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 32 - LANDING GEAR									
32-301	LEFT MAIN GEAR LOCKING ACTUATOR CYLINDER							Component	ATA:32
PN:2135-1013-503	MOS		22-Jun-18	TSN 0				23-Jul-2072	65
SN:1689996/002	HRS		0	TSN 0					655.4
	AFL	21000	0	TSN 0	21000		20456		544
PROC. REF: GENERIC NO REF									
32-301	RIGHT MAIN GEAR LOCKING ACTUATOR CYLINDER							Component	ATA:32
PN:2135-1013-503	MOS		22-Jun-18	TSN 0				23-Jul-2072	65
SN:1689996/004	HRS		0	TSN 0					655.4
	AFL	21000	0	TSN 0	21000		20456		544
PROC. REF: GENERIC NO REF									
32-304	LEFT MAIN GEAR LOCKING ACTUATOR PISTON							Component	ATA:32
PN:2136-1035-003	MOS		22-Jun-18	TSN 0				23-Jul-2072	65
SN:1692985/001	HRS		0	TSN 0					655.4
	AFL	21000	0	TSN 0	21000		20456		544
PROC. REF: GENERIC NO REF									
32-304	RIGHT MAIN GEAR LOCKING ACTUATOR PISTON							Component	ATA:32
PN:2136-1035-003	MOS		22-Jun-18	TSN 0				23-Jul-2072	65
SN:1692985/003	HRS		0	TSN 0					655.4
	AFL	21000	0	TSN 0	21000		20456		544
PROC. REF: GENERIC NO REF									
32-305	LEFT MAIN GEAR LOCKING ACTUATOR FINGER							Component	ATA:32
PN:2136-1052-901	MOS		22-Jun-18	TSN 0				23-Jul-2072	65
SN:20130	HRS		0	TSN 0					655.4
	AFL	21000	0	TSN 0	21000		20456		544
PROC. REF: GENERIC NO REF									
32-305	RIGHT MAIN GEAR LOCKING ACTUATOR FINGER							Component	ATA:32
PN:2136-1052-901	MOS		22-Jun-18	TSN 0				23-Jul-2072	65
SN:20218	HRS		0	TSN 0					655.4
	AFL	21000	0	TSN 0	21000		20456		544
PROC. REF: GENERIC NO REF									
32-306	LEFT MAIN GEAR LOCKING ACTUATOR ROD							Component	ATA:32
PN:2136-1020-001	MOS		22-Jun-18	TSN 0				23-Jul-2072	65
SN:1686355/003	HRS		0	TSN 0					655.4
	AFL	21000	0	TSN 0	21000		20456		544
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 32 - LANDING GEAR									
32-306	RIGHT MAIN GEAR LOCKING ACTUATOR ROD							Component	ATA:32
PN:2136-1020-001	MOS		22-Jun-18	TSN 0				23-Jul-2072	65
SN:1686355/001	HRS		0	TSN 0					655.4
	AFL	21000	0	TSN 0	21000		20456		544
PROC. REF: GENERIC NO REF									
32-307	LEFT MAIN GEAR LOCKING ACTUATOR LOCKING PISTON							Component	ATA:32
PN:2136-1046-009	MOS		22-Jun-18	TSN 0				27-Dec-2068	65
SN:1640881/006	HRS		0	TSN 0					655.4
	AFL	19500	0	TSN 0	19500		18956		544
PROC. REF: GENERIC NO REF									
32-307	RIGHT MAIN GEAR LOCKING ACTUATOR LOCKING PISTON							Component	ATA:32
PN:2136-1046-009	MOS		22-Jun-18	TSN 0				27-Dec-2068	65
SN:1640881/012	HRS		0	TSN 0					655.4
	AFL	19500	0	TSN 0	19500		18956		544
PROC. REF: GENERIC NO REF									
32-309	LEFT MAIN GEAR LOCKING ACTUATOR PIN							Component	ATA:32
PN:2136-1049-001	MOS		22-Jun-18	TSN 0				23-Jul-2072	65
SN:1678570/011	HRS		0	TSN 0					655.4
	AFL	21000	0	TSN 0	21000		20456		544
PROC. REF: GENERIC NO REF									
32-309	RIGHT MAIN GEAR LOCKING ACTUATOR PIN							Component	ATA:32
PN:2136-1049-001	MOS		22-Jun-18	TSN 0				23-Jul-2072	65
SN:1678570/009	HRS		0	TSN 0					655.4
	AFL	21000	0	TSN 0	21000		20456		544
PROC. REF: GENERIC NO REF									
32-31-01	LANDING GEAR CONTROL LEVER PANEL							Component	ATA:32
PN:827101-15	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:00036	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: AMM 32-31-01, AMM 32-31-01									
32-31-02	LANDING GEAR HYDRAULIC SYSTEM (MANIFOLD) ASSEMBLY							Component	ATA:32
PN:72375-3	MOS/MSC	O/C	24-Mar-22						19.9
SN:0109	HRS		574.43						80.97
	AFL		473						71
PROC. REF: AMM 32-31-02, AMM 32-31-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 32 - LANDING GEAR									
32-310	LEFT MAIN GEAR LOCKING ACTUATOR LOCKING SLEEVE							Component	ATA:32
PN:2136-1036-003	MOS		22-Jun-18	TSN 0				23-Jul-2072	65
SN:85255	HRS		0	TSN 0					655.4
	AFL	21000	0	TSN 0	21000		20456		544
PROC. REF: GENERIC NO REF									
32-310	RIGHT MAIN GEAR LOCKING ACTUATOR LOCKING SLEEVE							Component	ATA:32
PN:2136-1036-003	MOS		22-Jun-18	TSN 0				23-Jul-2072	65
SN:85254	HRS		0	TSN 0					655.4
	AFL	21000	0	TSN 0	21000		20456		544
PROC. REF: GENERIC NO REF									
32-311	LEFT MAIN GEAR LOCKING ACTUATOR CAP BEARING							Component	ATA:32
PN:2136-1005-003	MOS		22-Jun-18	TSN 0				23-Jul-2072	65
SN:1688699/003	HRS		0	TSN 0					655.4
	AFL	21000	0	TSN 0	21000		20456		544
PROC. REF: GENERIC NO REF									
32-311	RIGHT MAIN GEAR LOCKING ACTUATOR CAP BEARING							Component	ATA:32
PN:2136-1005-003	MOS		22-Jun-18	TSN 0				23-Jul-2072	65
SN:1688699/006	HRS		0	TSN 0					655.4
	AFL	21000	0	TSN 0	21000		20456		544
PROC. REF: GENERIC NO REF									
32-312	LEFT MAIN GEAR LOCKING ACTUATOR NUT							Component	ATA:32
PN:2136-1042-003	MOS		22-Jun-18	TSN 0				23-Jul-2072	65
SN:1668660/002	HRS		0	TSN 0					655.4
	AFL	21000	0	TSN 0	21000		20456		544
PROC. REF: GENERIC NO REF									
32-312	RIGHT MAIN GEAR LOCKING ACTUATOR NUT							Component	ATA:32
PN:2136-1042-003	MOS		22-Jun-18	TSN 0				23-Jul-2072	65
SN:1668660/009	HRS		0	TSN 0					655.4
	AFL	21000	0	TSN 0	21000		20456		544
PROC. REF: GENERIC NO REF									
32-313	LEFT MAIN GEAR LOCKING ACTUATOR STOP							Component	ATA:32
PN:2136-1008-003	MOS		22-Jun-18	TSN 0				23-Jul-2072	65
SN:1680986/003	HRS		0	TSN 0					655.4
	AFL	21000	0	TSN 0	21000		20456		544
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 32 - LANDING GEAR									
32-313	RIGHT MAIN GEAR LOCKING ACTUATOR STOP							Component	ATA:32
PN:2136-1008-003	MOS		22-Jun-18	TSN 0				23-Jul-2072	65
SN:1680986/005	HRS		0	TSN 0					655.4
	AFL	21000	0	TSN 0	21000		20456		544
PROC. REF: GENERIC NO REF									
32-314	LEFT MAIN GEAR LOCKING ACTUATOR ROD END							Component	ATA:32
PN:MEK12EL	MOS		22-Jun-18	TSN 0				23-Jul-2072	65
SN:00775	HRS		0	TSN 0					655.4
	AFL	21000	0	TSN 0	21000		20456		544
PROC. REF: GENERIC NO REF									
32-314	RIGHT MAIN GEAR LOCKING ACTUATOR ROD END							Component	ATA:32
PN:MEK12EL	MOS		22-Jun-18	TSN 0				23-Jul-2072	65
SN:00781	HRS		0	TSN 0					655.4
	AFL	21000	0	TSN 0	21000		20456		544
PROC. REF: GENERIC NO REF									
32-35-00-001 ^S	FUNCTIONAL CHECK OF LANDING GEAR EMERGENCY EXTENSION SYSTEM							Service	ATA:32
	MOS	24 (+1m/-1m)	06-Jul-22						16.5
	HRS		600.55						54.85
	AFL		494						50
PROC. REF: AMM 32-35-00									PKG:81
32-35-00-002 ^S	GENERAL VISUAL INSPECTION OF EMERGENCY EXTENSION SYSTEM LINKAGES							Service	ATA:32
	MOS	60 (+1m/-1m)	10-Jul-23						4.4
	HRS		645.82						9.58
	AFL		536						8
PROC. REF: AMM 32-35-00									PKG:84
32-400	NOSE LANDING GEAR ASSEMBLY							Component	ATA:32
PN:PN	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:UNKNOWN	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: GENERIC NO REF									
32-401	LEFT SIDE NLG SIDE PINTLE PIN							Component	ATA:32
PN:2310-1137-003	MOS		22-Jun-18	TSN 0				14-Nov-2105	65
SN:1648007/003	HRS		0	TSN 0					655.4
	AFL	35000	0	TSN 0	35000		34456		544
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 32 - LANDING GEAR									
32-401	RIGHT SIDE NLG SIDE PINTLE PIN							Component	ATA:32
PN:2310-1137-003	MOS		22-Jun-18	TSN 0				14-Nov-2105	65
SN:1648007/006	HRS		0	TSN 0					655.4
	AFL	35000	0	TSN 0	35000		34456		544
PROC. REF: GENERIC NO REF									
32-402	NOSE LANDING GEAR MAIN FITTING							Component	ATA:32
PN:2310-5201-501	MOS		22-Jun-18	TSN 0				09-Sep-2089	65
SN:1697489/001	HRS		0	TSN 0					655.4
	AFL	28200	0	TSN 0	28200		27656		544
PROC. REF: GENERIC NO REF									
32-404 (1)	NOSE LANDING GEAR TORQUE LINK							Component	ATA:32
PN:2310-1124-501	MOS		22-Jun-18	TSN 0				14-Nov-2105	65
SN:1707285/003	HRS		0	TSN 0					655.4
	AFL	35000	0	TSN 0	35000		34456		544
PROC. REF: AMM 32-21-07, AMM 32-21-07									
32-404 (2)	NOSE LANDING GEAR TORQUE LINK							Component	ATA:32
PN:2310-1124-501	MOS		22-Jun-18	TSN 0				14-Nov-2105	65
SN:1707285/001	HRS		0	TSN 0					655.4
	AFL	35000	0	TSN 0	35000		34456		544
PROC. REF: AMM 32-21-07, AMM 32-21-07									
32-406	NOSE LANDING GEAR SHOCK STRUT PIN							Component	ATA:32
PN:2310-1407-001	MOS		22-Jun-18	TSN 0				14-Nov-2105	65
SN:1646585/007	HRS		0	TSN 0					655.4
	AFL	35000	0	TSN 0	35000		34456		544
PROC. REF: AMM 32-21-01, AMM 32-21-01									
32-407	NOSE LANDING GEAR AXLE							Component	ATA:32
PN:2310-1165-001	MOS		22-Jun-18	TSN 0				14-Nov-2105	65
SN:1647818/014	HRS		0	TSN 0					655.4
	AFL	35000	0	TSN 0	35000		34456		544
PROC. REF: GENERIC NO REF									
32-408	NOSE LANDING GEAR STEERING BELLCRANK							Component	ATA:32
PN:2310-5101-001	MOS		22-Jun-18	TSN 0				15-Apr-2048	65
SN:1668668/004	HRS		0	TSN 0					655.4
	AFL	10800	0	TSN 0	10800		10256		544
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 32 - LANDING GEAR									
32-409	NOSE LANDING GEAR SHIMMY DAMPER							Component	ATA:32
PN:2310-1500-405	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:1696778/044	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 32-21-06, AMM 32-21-06									
32-41-01	DIGITAL BRAKE CONTROL UNIT							Component	ATA:32
PN:90005034-8	MOS/MSC	O/C	11-Aug-21					27.3	
SN:JUN11-1343	HRS		534.2					121.2	
	AFL		447					97	
PROC. REF: AMM 32-41-01, AMM 32-41-01									
32-41-02	LH BRAKE PEDAL TRANSDUCER							Component	ATA:32
PN:Q3008	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:251827	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 32-41-02, AMM 32-41-02									
32-41-02	RH BRAKE PEDAL TRANSDUCER							Component	ATA:32
PN:Q3008	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:255307	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 32-41-02, AMM 32-41-02									
32-41-02-001 ^S	OPERATIONAL CHECK LH BRAKE PEDAL TRANSDUCER							Service	ATA:32
PN:Q3008	MOS		22-Jun-18					65	
SN:251827	HRS	6400 (+30/-30)	0					655.4	
	AFL		0					544	
PROC. REF: AMM 32-41-02									
								PKG:60	
32-41-02-001 ^S	OPERATIONAL CHECK RH BRAKE PEDAL TRANSDUCER							Service	ATA:32
PN:Q3008	MOS		22-Jun-18					65	
SN:255307	HRS	6400 (+30/-30)	0					655.4	
	AFL		0					544	
PROC. REF: AMM 32-41-02									
								PKG:60	
32-41-02-002 ^S	FUNCTIONAL CHECK LH BRAKE PEDAL TRANSDUCER							Service	ATA:32
PN:Q3008	MOS		26-Jun-20					40.8	
SN:251827	HRS	1600 (+30/-30)	436.8					218.6	
	AFL		368					176	
PROC. REF: AMM 32-41-02									
								PKG:10	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 32 - LANDING GEAR									
32-41-02-002 ^S FUNCTIONAL CHECK RH BRAKE PEDAL TRANSDUCER								Service	ATA:32
PN:Q3008	MOS		26-Jun-20					40.8	
SN:255307	HRS	1600 (+30/-30)	436.8					218.6	
	AFL		368					176	
PROC. REF: AMM 32-41-02									PKG:10
32-41-03 MAIN BRAKE SHUT-OFF VALVE								Component	ATA:32
PN:90005027	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:SEP17-0476	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 32-41-03, AMM 32-41-03									
32-41-04 LH BRAKE CONTROL VALVE								Component	ATA:32
PN:90005035-2	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:14-07-1001	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 32-41-04, AMM 32-41-04									
32-41-04 RH BRAKE CONTROL VALVE								Component	ATA:32
PN:90005035-2	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:16-04-1072	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 32-41-04, AMM 32-41-04									
32-41-05 LH MAIN BRAKE SYSTEM PRESSURE TRANSDUCER								Component	ATA:32
PN:90005191-1	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:MAY17-0846	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 32-41-05, AMM 32-41-05									
32-41-05 RH MAIN BRAKE SYSTEM PRESSURE TRANSDUCER								Component	ATA:32
PN:90005191-1	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:OCT17-0851	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 32-41-05, AMM 32-41-05									
32-41-06 LEFT MAIN GEAR WHEEL SPEED TRANSDUCER								Component	ATA:32
PN:90005036	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:MAY17-1392	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 32-41-06, AMM 32-41-06									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 32 - LANDING GEAR									
32-41-06	RIGHT MAIN GEAR WHEEL SPEED TRANSDUCER							Component	ATA:32
PN:90005036	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:MAY17-1393	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 32-41-06, AMM 32-41-06									
32-41-11-001 ^S	FUNCTIONAL CHECK OF BRAKE HYDRAULIC ACCUMULATOR							Service	ATA:32
	MOS		22-Jun-18					65	
	HRS	5600 (+30/-30)	0					655.4	
	AFL		0					544	
PROC. REF: AMM 32-41-11									
PKG:50									
32-410	NOSE LANDING GEAR WHEEL AXLE							Component	ATA:32
PN:PN	MOS		22-Jun-18	TSN 0			14-Nov-2105	65	
SN:UNKNOWN	HRS		0	TSN 0				655.4	
	AFL	35000	0	TSN 0	35000		34456	544	
PROC. REF: GENERIC NO REF									
32-411	NOSE LANDING GEAR LOCK PIN							Component	ATA:32
PN:57675-1	MOS		22-Jun-18	TSN 0			14-Nov-2105	65	
SN:01107	HRS		0	TSN 0				655.4	
	AFL	35000	0	TSN 0	35000		34456	544	
PROC. REF: GENERIC NO REF									
32-412	NOSE LANDING GEAR AXLE BOLT							Component	ATA:32
PN:2310-1144-005	MOS		22-Jun-18	TSN 0			14-Nov-2105	65	
SN:00824	HRS		0	TSN 0				655.4	
	AFL	35000	0	TSN 0	35000		34456	544	
PROC. REF: GENERIC NO REF									
32-413	NOSE LANDING GEAR BOLT							Component	ATA:32
PN:2310-1172-003	MOS		22-Jun-18	TSN 0			14-Nov-2105	65	
SN:1629929/001	HRS		0	TSN 0				655.4	
	AFL	35000	0	TSN 0	35000		34456	544	
PROC. REF: GENERIC NO REF									
32-414	NOSE LANDING GEAR PIN							Component	ATA:32
PN:2310-1173-001	MOS		22-Jun-18	TSN 0			14-Nov-2105	65	
SN:1686824/016	HRS		0	TSN 0				655.4	
	AFL	35000	0	TSN 0	35000		34456	544	
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 32 - LANDING GEAR									
32-415	NOSE LANDING GEAR BOLT							Component	ATA:32
PN:2310-1183-001	MOS		22-Jun-18	TSN 0				14-Nov-2105	65
SN:00762	HRS		0	TSN 0					655.4
	AFL	35000	0	TSN 0	35000		34456		544
PROC. REF: GENERIC NO REF									
32-43-00-001 ^S	FUNCTIONAL CHECK OF EMERGENCY/PARKING BRAKE SYSTEM							Service	ATA:32
	MOS		26-Jun-20						40.8
	HRS	800 (+30/-30)	436.8						218.6
	AFL		368						176
PROC. REF: AMM 32-43-00									PKG:1
32-43-01-001 ^S	GENERAL VISUAL INSPECTION OF EMERGENCY/PARKING BRAKE SYSTEM							Service	ATA:32
	MOS		26-Jun-20						40.8
	HRS	800 (+30/-30)	436.8						218.6
	AFL		368						176
PROC. REF: AMM 32-43-00									PKG:1
32-43-02	EMERGENCY/PARKING BRAKE VALVE							Component	ATA:32
PN:11056-7	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:0811	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: AMM 32-43-02, AMM 32-43-02									
32-43-04	EMERGENCY/PARKING BRAKE ACCUMULATOR							Component	ATA:32
PN:0860231003	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:60231-2833	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: AMM 32-43-04, AMM 32-43-04									
32-43-05	EMERGENCY/PARKING BRAKE PRESSURE SWITCH							Component	ATA:32
PN:15H0126PH	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:0624	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: AMM 32-43-05, AMM 32-43-05									
32-43-06	EMERGENCY/PARKING BRAKE PRESSURE- TRANSDUCER							Component	ATA:32
PN:APT-218A-1000-3000A	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:8405-10-324	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: AMM 32-43-06, AMM 32-43-06									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 32 - LANDING GEAR									
32-43-08	NO. 1 CENTER FUSELAGE THERMAL RELIEF VALVE								Component ATA:32
PN:PRTX0509900B	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:589	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: AMM 32-41-10, AMM 32-41-10									
32-43-08	NO. 2 CENTER FUSELAGE THERMAL RELIEF VALVE								Component ATA:32
PN:PSLX0503000B	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:0106	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: AMM 32-41-10, AMM 32-41-10									
32-43-11	EMERGENCY/PARKING BRAKE SHUT OFF VALVE								Component ATA:32
PN:2216-0001-401	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:00868	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: AMM 32-43-11, AMM 32-43-11									
32-43-11-001	OPERATIONAL CHECK OF EMERGENCY/PARKING BRAKE HYDRAULIC LINE SHUT-OFF VALVE								Service ATA:32
PN:2216-0001-401	MOS/MSC	N/A	06-Jul-22	Adj -10d					16.5
SN:00868	HRS		600.55						54.85
	AFL		494						50
PROC. REF: AMM 32-43-11									
32-43-11-002	OPERATIONAL CHECK OF EMERGENCY/PARKING BRAKE HYDRAULIC LINE SHUT-OFF VALVE								Service ATA:32
PN:2216-0001-401	MOS	12 (+30d/-30d)	10-Jul-23	Adj -4d	06-Jul-24	05-Aug-24	228 d (+30)	06-Jul-2024	4.4
SN:00868	HRS	1600 (+30/-30)	645.82		2245.82	2275.82	1590.4 (+30)		9.58
	AFL		536						8
PROC. REF: AMM 32-43-11									
32-43-15	CENTER FUSELAGE SOLID PRESSURE SWITCH								Component ATA:32
PN:APS-68-1000-3900SG	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:8432-12-259	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 32 - LANDING GEAR									
32-43-16	CENTER LOWER SHUT OFF VALVE							Component	ATA:32
PN:5835-7	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:1479	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
32-45-01	LH MLG 21X6.5-10 12PR TIRE							Component	ATA:32
PN:215K26-2	MOS/MSC	O/C	13-Nov-19	TSN 0				48.3	
SN:91182225	HRS		292.6	TSN 0				362.8	
	AFL			TSN 0					
PROC. REF: AMM 32-45-02, AMM 32-45-02									
32-45-01	RH MLG 21X6.5-10 12PR TIRE							Component	ATA:32
PN:215K26-2	MOS/MSC	O/C	13-Nov-19	TSN 0				48.3	
SN:81302408	HRS		292.6	TSN 0				362.8	
	AFL			TSN 0					
PROC. REF: AMM 32-45-02, AMM 32-45-02									
32-45-01-001	RESTORATION (OVERHAUL) OF LH MLG WHEEL ASSEMBLY							Service	ATA:32
PN:500-19026-605	MOS/MSC	T/C	13-Nov-19					19-Aug-2026	48.3
SN:MAY12-1002	HRS		292.6						362.8
	AFL	1500 (+30/-30)	197		1697	1727	1153 (+30)		347
PROC. REF: SMR 500-32-0012, AMM 32-45-00									
32-45-01-001	RESTORATION (OVERHAUL) OF RH MLG WHEEL ASSEMBLY							Service	ATA:32
PN:500-19026-605	MOS		13-Nov-19					02-Mar-2026	48.3
SN:AUG10-0648	HRS		292.6						362.8
	AFL	T:1500 (+30/-30)	197	TAC 195	1502	1532	958 (+30)		347
PROC. REF: SMR 500-32-0012, AMM 32-45-00									
32-45-01-002	SPECIAL DETAILED INSPECTION (EDDY CURRENT) OF LH MLG WHEEL ASSEMBLY							Service	ATA:32
PN:500-19026-605	MOS/MSC	O/C	13-Nov-19						48.3
SN:MAY12-1002	HRS		292.6						362.8
	AFL								
PROC. REF: AMM 32-45-00									
32-45-01-002	SPECIAL DETAILED INSPECTION (EDDY CURRENT) OF RH MLG WHEEL ASSEMBLY							Service	ATA:32
PN:500-19026-605	MOS/MSC	O/C	13-Nov-19						48.3
SN:AUG10-0648	HRS		292.6						362.8
	AFL								
PROC. REF: AMM 32-45-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 32 - LANDING GEAR									
32-45-02	LH MLG 21X6.5-10, AL WHEEL							Component	ATA:32
PN:90005024	MOS/MSC	O/C	13-Nov-19	TSO 3				48.3	
SN:MAY12-1002	HRS		292.6	TSO 0				362.8	
	AFL			TSO 0					
PROC. REF: AMM 32-45-02, AMM 32-45-02									
32-45-02	RH MLG 21X6.5-10, AL WHEEL							Component	ATA:32
PN:90005024	MOS/MSC	O/C	13-Nov-19	TSR 4				48.3	
SN:AUG10-0648	HRS		292.6	TSR 0				362.8	
	AFL			TSO 195, TSR 0					
PROC. REF: AMM 32-45-02, AMM 32-45-02									
32-45-03	LH MLG WHEEL ASSEMBLY							Component	ATA:32
PN:500-19026-605	MOS/MSC	O/C	13-Nov-19	TSO 3				48.3	
SN:MAY12-1002	HRS		292.6	TSO 0				362.8	
	AFL			TSO 0					
PROC. REF: AMM 32-45-01, AMM 32-45-01									
32-45-03	RH MLG WHEEL ASSEMBLY							Component	ATA:32
PN:500-19026-605	MOS/MSC	O/C	13-Nov-19	TSR 4				48.3	
SN:AUG10-0648	HRS		292.6	TSR 0				362.8	
	AFL			TSO 195, TSR 0					
PROC. REF: AMM 32-45-01, AMM 32-45-01									
32-45-10	NLG 15X6.0-6 10PR TIRE							Component	ATA:32
PN:156E06B1	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:73492214	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 32-45-11, AMM 32-45-11									
32-45-11	NLG WHEEL ASSEMBLY							Component	ATA:32
PN:PN	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:UNKNOWN	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 32-45-11, AMM 32-45-11									
32-45-11-001	RESTORATION (OVERHAUL) OF NLG WHEEL ASSEMBLY							Service	ATA:32
PN:PN	MOS		22-Jun-18					28-Feb-2026	65
SN:UNKNOWN	HRS		0						655.4
	AFL	T:1500 (+30/-30)	0		1500	1530	956 (+30)		544
PROC. REF: SMR 500-32-0012, AMM 32-45-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 32 - LANDING GEAR									
32-45-11-002	SPECIAL DETAILED INSPECTION (EDDY CURRENT) OF NLG WHEEL ASSEMBLY								Service ATA:32
PN:PN	MOS/MSC	O/C	22-Jun-18						65
SN:UNKNOWN	HRS		0						655.4
	AFL		0						544
PROC. REF: AMM 32-45-00									
32-45-12	NLG 15X6.0-6, AL WHEEL								Component ATA:32
PN:90005023-1	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:JAN18-0692	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: AMM 32-45-11, AMM 32-45-11									
32-45-21	LH MLG STEEL BRAKE ASSEMBLY								Component ATA:32
PN:90005025-3	MOS/MSC	O/C	06-Jul-22	TSO 0					16.5
SN:MAR09-0149	HRS		600.55	TSN 530, TSO 0					54.85
	AFL		494	TSN 589, TSO 0					50
PROC. REF: AMM 32-45-21, AMM 32-45-21									
32-45-21	RH MLG STEEL BRAKE ASSEMBLY								Component ATA:32
PN:90005025-3	MOS/MSC	O/C	27-Oct-22						12.8
SN:APR10-0490	HRS		633.03						22.37
	AFL		524						20
PROC. REF: AMM 32-45-21, AMM 32-45-21									
32-500	NOSE LANDING GEAR (ALUM STRUT) SHOCK ABSORBER								Component ATA:32
PN:2310-7000-401	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:00448	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: GENERIC NO REF									
32-501	NOSE LANDING GEAR SHOCK ABSORBER PISTON TUBE								Component ATA:32
PN:PN	MOS		22-Jun-18	TSN 0				14-Nov-2105	65
SN:UNKNOWN	HRS		0	TSN 0					655.4
	AFL	35000	0	TSN 0	35000		34456		544
PROC. REF: GENERIC NO REF									
32-502	NOSE LANDING GEAR SHOCK ABSORBER BEARING								Component ATA:32
PN:2310-1221-009	MOS		22-Jun-18	TSN 0				14-Nov-2105	65
SN:1687433/002	HRS		0	TSN 0					655.4
	AFL	35000	0	TSN 0	35000		34456		544
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 32 - LANDING GEAR									
32-504	NOSE LANDING GEAR SHOCK ABSORBER TURNING CYLINDER							Component	ATA:32
PN:2310-7101-501	MOS		22-Jun-18	TSN 0				29-Dec-2063	65
SN:1700829/001	HRS		0	TSN 0					655.4
	AFL	17400	0	TSN 0	17400		16856		544
PROC. REF: GENERIC NO REF									
32-506	NOSE LANDING GEAR SHOCK ABSORBER FORK							Component	ATA:32
PN:2310-1311-501	MOS		22-Jun-18	TSN 0				14-Nov-2105	65
SN:1680213/003	HRS		0	TSN 0					655.4
	AFL	35000	0	TSN 0	35000		34456		544
PROC. REF: GENERIC NO REF									
32-600	NLG DRAG BRACE ASSEMBLY							Component	ATA:32
PN:2310-1400-403	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:00412	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: AMM 32-21-09, AMM 32-21-09									
32-601	NOSE LANDING GEAR UPPER DRAG BRACE							Component	ATA:32
PN:2310-1424-501	MOS		22-Jun-18	TSN 0				14-Nov-2105	65
SN:1701326/001	HRS		0	TSN 0					655.4
	AFL	35000	0	TSN 0	35000		34456		544
PROC. REF: AMM 32-21-09, AMM 32-21-09									
32-603	NOSE LANDING GEAR LOWER DRAG BRACE							Component	ATA:32
PN:2310-1451-005	MOS		22-Jun-18	TSN 0				14-Nov-2105	65
SN:1642977/005	HRS		0	TSN 0					655.4
	AFL	35000	0	TSN 0	35000		34456		544
PROC. REF: AMM 32-21-09, AMM 32-21-09									
32-605	LEFT SIDE NLG DRAG BRACE PINTLE PIN							Component	ATA:32
PN:2310-1415-003	MOS		22-Jun-18	TSN 0				14-Nov-2105	65
SN:1613562/004	HRS		0	TSN 0					655.4
	AFL	35000	0	TSN 0	35000		34456		544
PROC. REF: AMM 32-21-09, AMM 32-21-09									
32-605	RIGHT SIDE NLG DRAG BRACE PINTLE PIN							Component	ATA:32
PN:2310-1415-003	MOS		22-Jun-18	TSN 0				14-Nov-2105	65
SN:1613562/005	HRS		0	TSN 0					655.4
	AFL	35000	0	TSN 0	35000		34456		544
PROC. REF: AMM 32-21-09, AMM 32-21-09									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 32 - LANDING GEAR									
32-606	NOSE LANDING GEAR DRAG BRACE PIN							Component	ATA:32
PN:2310-1407-001	MOS		22-Jun-18	TSN 0				14-Nov-2105	65
SN:1663875/015	HRS		0	TSN 0					655.4
	AFL	35000	0	TSN 0	35000		34456		544
PROC. REF: AMM 32-21-09, AMM 32-21-09									
32-61-01	LH MLG PROXIMITY SWITCH							Component	ATA:32
PN:80-057-01	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:49264	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: GENERIC NO REF									
32-61-01	NO. 1 NLG PROXIMITY SWITCH							Component	ATA:32
PN:80-057-01	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:49361	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: GENERIC NO REF									
32-61-01	RH MLG PROXIMITY SWITCH							Component	ATA:32
PN:80-057-01	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:49277	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: GENERIC NO REF									
32-61-02	LH MLG PROXIMITY SWITCH							Component	ATA:32
PN:80-057-01	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:49260	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: GENERIC NO REF									
32-61-02	RH MLG PROXIMITY SWITCH							Component	ATA:32
PN:80-057-01	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:49270	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: GENERIC NO REF									
32-700	NLG LOCKING STAY ASSEMBLY							Component	ATA:32
PN:2310-1700-403	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:00411	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: AMM 32-21-04, AMM 32-21-04									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 32 - LANDING GEAR									
32-701	LOWER NLG LOCKING STAY							Component	ATA:32
PN:2310-1712-501	MOS		22-Jun-18	TSN 0				14-Nov-2105	65
SN:1680291/005	HRS		0	TSN 0					655.4
	AFL	35000	0	TSN 0	35000		34456		544
PROC. REF: AMM 32-21-04, AMM 32-21-04									
32-703	UPPER NLG LOCKING STAY							Component	ATA:32
PN:2310-1722-501	MOS		22-Jun-18	TSN 0				14-Nov-2105	65
SN:1580866/001	HRS		0	TSN 0					655.4
	AFL	35000	0	TSN 0	35000		34456		544
PROC. REF: AMM 32-21-04, AMM 32-21-04									
32-706	LOWER NLG LOCKING STAY BOLT							Component	ATA:32
PN:2310-1734-001	MOS		22-Jun-18	TSN 0				14-Nov-2105	65
SN:1688751/001	HRS		0	TSN 0					655.4
	AFL	35000	0	TSN 0	35000		34456		544
PROC. REF: AMM 32-21-04, AMM 32-21-04									
32-706	UPPER NLG LOCKING STAY BOLT							Component	ATA:32
PN:2310-1734-001	MOS		22-Jun-18	TSN 0				14-Nov-2105	65
SN:1688751/006	HRS		0	TSN 0					655.4
	AFL	35000	0	TSN 0	35000		34456		544
PROC. REF: AMM 32-21-04, AMM 32-21-04									
32-801	BRAKE SYSTEM ACCUMULATOR							Component	ATA:32
PN:61627-A10	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:0106	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: AMM 32-41-11, AMM 32-41-11									
SB 500-32-0001 REV 02	LANDING GEAR - REPLACEMENT OF BRAKE CONTROL UNIT (BCU-1/2 TO BCU-3) (SUPERSEDED BY SB 500-32-0008 REV 04), SERVICE BULLETIN							Bulletin	ATA:32
	MOS/MSC	-	22-Jun-18						65
	HRS		0						655.4
	AFL		0						544
SB 500-32-0002 REV 02	LANDING GEAR - CONVERSION OF BRAKE ASSEMBLY 90005025 TO 90005025-2, SERVICE BULLETIN							Bulletin	ATA:32
	MOS/MSC	-	22-Jun-18						65
	HRS		0						655.4
	AFL		0						544

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 32 - LANDING GEAR									
SB 500-32-0003	LANDING GEAR - MLG LOCKING ACTUATOR REWORK, SERVICE BULLETIN							Bulletin	ATA:32
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-32-0003 REV 01	LANDING GEAR - MLG LOCKING ACTUATOR REWORK, SERVICE BULLETIN							Bulletin	ATA:32
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-32-0004 REV 01	LANDING GEAR - BRAKE CONTROL VALVE REPLACEMENT, SERVICE BULLETIN							Bulletin	ATA:32
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-32-0005	LANDING GEAR - REPLACEMENT OF EPBV (EMERGENCY/PARKING BRAKE VALVE), SERVICE BULLETIN							Bulletin	ATA:32
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-32-0006 REV 03	LANDING GEAR - MLG SHOCK ABSORBER UPDATE (SUPERSEDED BY SB 500-32-0012 REV 01), SERVICE BULLETIN							Bulletin	ATA:32
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-32-0006 REV 04	LANDING GEAR - MLG SHOCK ABSORBER UPDATE (SUPERSEDED BY SB 500-32-0012 REV 02), SERVICE BULLETIN							Bulletin	ATA:32
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-32-0007 REV 01	LANDING GEAR - LANDING GEAR MANIFOLD REPLACEMENT, SERVICE BULLETIN							Bulletin	ATA:32
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-32-0008 REV 04	LANDING GEAR - BRAKE CONTROL UNIT (BCU) REPLACEMENT (SUPERSEDED BY SB 500-32-0011 REV 02), SERVICE BULLETIN							Bulletin	ATA:32
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 32 - LANDING GEAR									
SB 500-32-0010 REV 01		LANDING GEAR - NLG SHOCK STRUT BEARING REPLACEMENT, SERVICE BULLETIN						Bulletin	ATA:32
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-32-0011 REV 03		LANDING GEAR - BRAKE CONTROL UNIT (BCU) REPLACEMENT (SUPERSEDED BY SB 500-32-0016 REV 01), SERVICE BULLETIN						Bulletin	ATA:32
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-32-0012 REV 01		LANDING GEAR - REWORK OF THE MLG SHOCK STRUT, SERVICE BULLETIN						Bulletin	ATA:32
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-32-0012 REV 01 PART I		ACCOMPLISH LANDING GEAR - REWORK OF THE MLG SHOCK STRUT, SERVICE BULLETIN L/H						Bulletin	ATA:32
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-32-0012 REV 01 PART II		ACCOMPLISH LANDING GEAR - REWORK OF THE MLG SHOCK STRUT, SERVICE BULLETIN R/H						Bulletin	ATA:32
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-32-0012 REV 02		LANDING GEAR - REWORK OF THE MLG SHOCK STRUT, SERVICE BULLETIN						Bulletin	ATA:32
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-32-0012 REV 02 PART I		ACCOMPLISH LANDING GEAR - REWORK OF THE MLG SHOCK STRUT, SERVICE BULLETIN LANDING GEAR - REWORK OF THE MLG SHOCK STRUT - L/H						Bulletin	ATA:32
	MOS/MSC	-							
	HRS								
	AFL								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 32 - LANDING GEAR									
SB 500-32-0012 REV 02 PART II	ACCOMPLISH LANDING GEAR - REWORK OF THE MLG SHOCK STRUT, SERVICE BULLETIN LANDING GEAR - REWORK OF THE MLG SHOCK STRUT - R/H							Bulletin	ATA:32
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-32-0013	LANDING GEAR - CORRECTION OF THE WHEEL AXLE TORQUE OF MLG AND NLG, SERVICE BULLETIN							Bulletin	ATA:32
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-32-0014	LANDING GEAR - EMERGENCY AND NORMAL BRAKE HYDRAULIC HOSES - REPLACEMENT, SERVICE BULLETIN							Bulletin	ATA:32
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-32-0015	LANDING GEAR - INSPECTION/REPLACEMENT OF THE MAIN WHEEL ASSEMBLY, SERVICE BULLETIN							Bulletin	ATA:32
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-32-0015 PART I	ACCOMPLISH LANDING GEAR - INSPECTION/REPLACEMENT OF THE MAIN WHEEL ASSEMBLY, SERVICE BULLETIN TIRE INSPECTION							Bulletin	ATA:32
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-32-0015 PART II	ACCOMPLISH LANDING GEAR - INSPECTION/REPLACEMENT OF THE MAIN WHEEL ASSEMBLY, SERVICE BULLETIN MAIN WHEEL ASSEMBLY REPLACEMENT							Bulletin	ATA:32
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-32-0016	LANDING GEAR - BRAKE CONTROL UNIT (BCU-7) REPLACEMENT (SUPERSEDED BY 500-32-0016 REV 01), SERVICE BULLETIN							Bulletin	ATA:32
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-32-0016 REV 01	LANDING GEAR - BRAKE CONTROL UNIT (BCU-7) REPLACEMENT (SUPERSEDED BY SB 500-32-0019), SERVICE BULLETIN							Bulletin	ATA:32
	MOS/MSC	-	06-Jun-19					53.5	
	HRS		151.8					503.6	
	AFL		121					423	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 32 - LANDING GEAR									
SB 500-32-0016 REV 02	LANDING GEAR - BRAKE CONTROL UNIT (BCU-7) REPLACEMENT (THIS SERVICE BULLETIN IS BEING SUPERSEDED BY SB 500-32-0019), SERVICE BULLETIN							Bulletin	ATA:32
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-32-0017	LANDING GEAR - REPLACEMENT OF EMERGENCY/PARKING BRAKE VALVE AND CABLES, SERVICE BULLETIN							Bulletin	ATA:32
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-32-0018	LANDING GEAR - REPLACEMENT OF BEARING FROM THE SHIMMY DAMPER ASSY, SERVICE BULLETIN							Bulletin	ATA:32
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-32-0019	LANDING GEAR - BRAKE CONTROL UNIT (BCU PN 90005034-8) - REPLACEMENT FOR AIRCRAFT EQUIPPED WITH BCU-7 (BCU PN 90005034-7), SERVICE BULLETIN							Bulletin	ATA:32
	MOS/MSC	-	11-Aug-21					27.3	
	HRS		534.2					121.2	
	AFL		447					97	
SB 500-32-0020	LANDING GEAR - BRAKE CONTROL UNIT (BCU PN 90005034-8) - REPLACEMENT FOR AIRCRAFT EQUIPPED WITH BCU-6 (BCU PN 90005034-6) OR PREVIOUS VERSIONS, SERVICE BULLETIN							Bulletin	ATA:32
	MOS/MSC	-							
	HRS								
	AFL								
Z700-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF THE MAIN LANDING GEAR BAY							Service	ATA:32
	MOS	60 (+1m/-1m)	10-Jul-23					4.4	
	HRS		645.82					9.58	
	AFL		536					8	
PROC. REF: AMM 05-47-00									PKG:84
ATA 33 - LIGHTS									
33-12-01	FORWARD FUSELAGE BOTTOM DIMMER							Component	ATA:33
PN:81-01760-002	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:0946	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 33-12-01, AMM 33-12-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 33 - LIGHTS									
33-41-01	LEFT LANDING/TAXI LIGHT							Component	ATA:33
PN:81012-3	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:000492	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 33-41-01, AMM 33-41-01									
33-41-01	RIGHT LANDING/TAXI LIGHT							Component	ATA:33
PN:81012-4	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:000480	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 33-41-01, AMM 33-41-01									
33-43-01	LH WING NAVIGATION/STROBE LIGHTS							Component	ATA:33
PN:84056-7	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:000152	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 33-43-01, AMM 33-43-01									
33-43-01	RH WING NAVIGATION/STROBE LIGHTS							Component	ATA:33
PN:84056-8	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:000142	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 33-43-01, AMM 33-43-01									
33-43-01-001	DISCARD LH WING NAVIGATION/STROBE LIGHTS							Service	ATA:33
PN:84056-7	MOS		22-Jun-18					13-Feb-2036	65
SN:000152	HRS	8000 (+30/-30)	0		8000	8030	7344.6 (+30)		655.4
	AFL		0						544
PROC. REF: AMM 33-43-01									
33-43-01-001	DISCARD RH WING NAVIGATION/STROBE LIGHTS							Service	ATA:33
PN:84056-8	MOS		22-Jun-18					13-Feb-2036	65
SN:000142	HRS	8000 (+30/-30)	0		8000	8030	7344.6 (+30)		655.4
	AFL		0						544
PROC. REF: AMM 33-43-01									
33-43-01-002 ^S	GENERAL VISUAL INSPECTION OF LH WING NAVIGATION/STROBE LIGHTS							Service	ATA:33
PN:84056-7	MOS		22-Jun-18						65
SN:000152	HRS	2400 (+30/-30)	0						655.4
	AFL		0						544
PROC. REF: AMM 33-43-01									
									PKG:20

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 33 - LIGHTS									
33-43-01-002 ^S		GENERAL VISUAL INSPECTION OF RH WING NAVIGATION/STROBE LIGHTS							Service ATA:33
PN:84056-8	MOS		22-Jun-18						65
SN:000142	HRS	2400 (+30/-30)	0						655.4
	AFL		0						544
PROC. REF: AMM 33-43-01									PKG:20
SB 500-33-0001 REV 01		LIGHTS - REPLACEMENT OF THE LIGHTS CONTROL PANEL, SERVICE BULLETIN							Bulletin ATA:33
	MOS/MSC	-	22-Jun-18						65
	HRS		0						655.4
	AFL		0						544
SB 500-33-0002 REV 01		LIGHTS - ASSISTANCE TO REPLACE NAV/STROBE LIGHTS PN 84056-3/ 84056-4 WITH PN 84056-7/84056-8, SERVICE BULLETIN							Bulletin ATA:33
	MOS/MSC	-	22-Jun-18						65
	HRS		0						655.4
	AFL		0						544
SB 500-33-0002 REV 02		LIGHTS - ASSISTANCE TO REPLACE NAV/STROBE LIGHTS PN 84056-3/ 84056-4 WITH PN 84056-7/84056-8, SERVICE BULLETIN							Bulletin ATA:33
	MOS/MSC	-							
	HRS								
	AFL								
ATA 34 - NAVIGATION									
34-11-00-001		FUNCTIONAL CHECK INTEGRATED ELECTRONIC STANDBY INSTRUMENT UNIT							Service ATA:34
PN:C16786DA01	MOS	24 (+1m/-1m)	06-Jul-22	Adj -10d	26-Jun-24	26-Jul-24	218 d (+30)	26-Jun-2024	16.5
SN:C16786023195	HRS		600.55						54.85
	AFL		494						50
PROC. REF: AMM 34-11-00									
34-11-01		INTEGRATED ELECTRONIC STANDBY INSTRUMENT UNIT							Component ATA:34
PN:C16786DA01	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:C16786023195	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: AMM 34-11-01, AMM 34-11-01									
34-11-02		PITOT-STATIC PROBE							Component ATA:34
PN:101469-4-004	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:ER1133	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: AMM 34-11-02, AMM 34-11-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 34 - NAVIGATION									
34-11-02-001	RESTORATION PITOT-STATIC PROBE (CLEANING)								Service ATA:34
PN:101469-4-004	MOS	24 (+1m/-1m)	06-Jul-22	Adj -10d	26-Jun-24	26-Jul-24	218 d (+30)	26-Jun-2024	16.5
SN:ER1133	HRS		600.55						54.85
	AFL		494						50
PROC. REF: AMM 34-11-02									
34-15-00-001	FUNCTIONAL CHECK (CALIBRATION) OF AIR DATA SYSTEM								Service ATA:34
	MOS	24 (+1m/-1m)	06-Jul-22	Adj -10d	26-Jun-24	26-Jul-24	218 d (+30)	26-Jun-2024	16.5
	HRS		600.55						54.85
	AFL		494						50
PROC. REF: AMM 34-15-00									
34-15-00-002 ^S	SPECIAL DETAILED INSPECTION OF RVSM CRITICAL REGION (SKIN) FOR WAVINESS								Service ATA:34
	MOS	60 (+1m/-1m)	10-Jul-23						4.4
	HRS		645.82						9.58
	AFL		536						8
PROC. REF: AMM 34-15-00									
									PKG:84
34-15-00-003 ^S	SPECIAL DETAILED INSPECTION OF STATIC PORT SURROUNDING PLATE FOR FLUSHNESS								Service ATA:34
	MOS	24 (+1m/-1m)	06-Jul-22						16.5
	HRS		600.55						54.85
	AFL		494						50
PROC. REF: AMM 34-15-00									
									PKG:81
34-15-01	NO. 1 GDC 74B AIR DATA COMPUTER UNIT								Component ATA:34
PN:011-01110-01	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:1SW007253	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: AMM 34-15-01, AMM 34-15-01									
34-15-01	NO. 2 GDC 74B AIR DATA COMPUTER UNIT								Component ATA:34
PN:011-01110-01	MOS/MSC	O/C	11-Aug-21	TSR 0					27.3
SN:1SW005625	HRS		534.2	TSR 0					121.2
	AFL		447	TSR 0					97
PROC. REF: AMM 34-15-01, AMM 34-15-01									
34-15-03	LH FWD PITOT TUBE								Component ATA:34
PN:0851LW	MOS/MSC	O/C	06-Jul-22	TSN 0					16.5
SN:426752	HRS		600.55	TSN 0					54.85
	AFL		494	TSN 0					50
PROC. REF: AMM 34-15-03, AMM 34-15-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 34 - NAVIGATION									
34-15-03	RH FWD PITOT TUBE							Component	ATA:34
PN:0851LW	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:310382	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 34-15-03, AMM 34-15-03									
34-15-03-001 ^S	RESTORATION OF PITOT PROBE (CLEANING)							Service	ATA:34
	MOS	24 (+1m/-1m)	06-Jul-22					16.5	
	HRS		600.55					54.85	
	AFL		494					50	
PROC. REF: AMM 34-15-03									
									PKG:81
34-15-05	LH FWD DUAL STATIC PORT							Component	ATA:34
PN:100442-106	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:DSL1047	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 34-15-05, AMM 34-15-05									
34-15-05	RH FWD DUAL STATIC PORT							Component	ATA:34
PN:100442-107	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:DSR1028	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 34-15-05, AMM 34-15-05									
34-21-00-001 ^S	FUNCTIONAL CHECK MAGNETIC INTERFERENCE CHECK ON THE LH WING MAGNETOMETER							Service	ATA:34
PN:011-00870-10	MOS	36 (+1m/-1m)							
SN:1CM022768	HRS								
	AFL								
PROC. REF: AMM 34-21-02									
									PKG:82
34-21-00-001 ^S	FUNCTIONAL CHECK MAGNETIC INTERFERENCE CHECK ON THE RH WING MAGNETOMETER							Service	ATA:34
PN:011-00870-10	MOS	36 (+1m/-1m)							
SN:1CM022583	HRS								
	AFL								
PROC. REF: AMM 34-21-02									
									PKG:82
34-21-01	LH ATTITUDE AND HEADING REFERENCE UNIT							Component	ATA:34
PN:011-00868-10	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:42036616	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 34-21-01, AMM 34-21-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 34 - NAVIGATION									
34-21-01	RH ATTITUDE AND HEADING REFERENCE UNIT							Component	ATA:34
PN:011-00868-10	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:42036628	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 34-21-01, AMM 34-21-01									
34-21-02	LH WING MAGNETOMETER							Component	ATA:34
PN:011-00870-10	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:1CM022768	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 34-21-02, AMM 34-21-02									
34-21-02	RH WING MAGNETOMETER							Component	ATA:34
PN:011-00870-10	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:1CM022583	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 34-21-02, AMM 34-21-02									
34-23-00-001 ^S	FUNCTIONAL CHECK OF STANDBY COMPASS							Service	ATA:34
PN:KCA0120W	MOS	36 (+1m/-1m)	02-Jun-20	Adj -32d				41.6	
SN:BS5481217	HRS		412.7					242.7	
	AFL		351					193	
PROC. REF: AMM 34-23-00									
								PKG:82	
34-23-01	MAGNETIC COMPASS							Component	ATA:34
PN:KCA0120W	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:BS5481217	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 34-23-01, AMM 34-23-01									
34-32-01	TAIL PHASING COUPLER							Component	ATA:34
PN:SSPD-113-10	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:9423	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 34-32-01, AMM 34-32-01									
34-32-03	LEFT VOR/LOC 2&3 ANTENNA BLADE							Component	ATA:34
PN:S65-247170	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:173-5833	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 34-32-03, AMM 34-32-03									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 34 - NAVIGATION									
34-32-03	RIGHT VOR/LOC 2&3 ANTENNA BLADE							Component	ATA:34
PN:S65-247170	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:173-5848	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 34-32-03, AMM 34-32-03									
34-32-04	LW FWR MARKER BEACON ANTENNA							Component	ATA:34
PN:S35-1000-2	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:102-12672	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 34-32-04, AMM 34-32-04									
34-42-01	WEATHER RADAR ANTENNA							Component	ATA:34
PN:117-00254-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:2431	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 34-42-01, AMM 34-42-01									
34-43-00	BAGGAGE COMPARTMENT GTS 850 TRAFFIC PROCESSOR UNIT							Component	ATA:34
PN:011-01553-00	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:1EB005404	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
34-43-05	LOWER DIRECTIONAL ANTENNA							Component	ATA:34
PN:011-01346-00	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:124014258	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 34-43-05, AMM 34-43-05									
34-43-05	UPPER DIRECTIONAL ANTENNA							Component	ATA:34
PN:011-01346-00	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:124014348	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 34-43-05, AMM 34-43-05									
34-43-08	LOW NOISE (TCAS) POWER AMPLIFIER							Component	ATA:34
PN:011-01347-00	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:140051337	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 34-43-08, AMM 34-43-08									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 34 - NAVIGATION									
34-51-01	NO.2 CENTER DISTANCE MEASURING EQUIP UNIT							Component	ATA:34
PN:066-01070-0001	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:42008	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 34-51-01, AMM 34-51-01									
34-51-02	NO. 1 DME L BAND ANTENNA							Component	ATA:34
PN:S65-5366-7L	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:261-128672	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 34-51-02, AMM 34-51-02									
34-51-02	NO. 2 DME L BAND ANTENNA							Component	ATA:34
PN:S65-5366-7L	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:261-127670	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 34-51-02, AMM 34-51-02									
34-52-00-001	FUNCTIONAL CHECK LH TRANSPONDER MODULE TRANSPONDER SYSTEM							Service	ATA:34
PN:011-00779-30	MOS	24	06-Jul-22	Adj -10d	26-Jun-24		218 d	26-Jun-2024	16.5
SN:89136192	HRS		600.55						54.85
	AFL		494						50
PROC. REF: AMM 34-52-00									
34-52-00-001	FUNCTIONAL CHECK RH TRANSPONDER MODULE TRANSPONDER SYSTEM							Service	ATA:34
PN:011-00779-21	MOS	24	06-Jul-22	Adj -10d	26-Jun-24		218 d	26-Jun-2024	16.5
SN:84813318	HRS		600.55						54.85
	AFL		494						50
PROC. REF: AMM 34-52-00									
34-52-01	LH TRANSPONDER MODULE							Component	ATA:34
PN:011-00779-30	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:89136192	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 34-52-01, AMM 34-52-01									
34-52-01	RH TRANSPONDER MODULE							Component	ATA:34
PN:011-00779-21	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:84813318	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 34-52-01, AMM 34-52-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 34 - NAVIGATION									
34-52-02	BOTTOM TRANSPONDOR 1 L BAND ANTENNA							Component	ATA:34
PN:S65-5366-7L	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:261-128725	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 34-52-02, AMM 34-52-02									
34-52-04	COAXIAL SWITCH							Component	ATA:34
PN:D2-729B005	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:591756	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 34-52-04, AMM 34-52-04									
34-56-02	LH TOP CENTER GPS WAAS - GA 36 ANTENNA							Component	ATA:34
PN:013-00245-00	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:16248	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 34-56-02, AMM 34-56-02									
34-56-02	RH TOP CENTER WAAS & SATELLITE WEATHER AND RADAR ANTENNA							Component	ATA:34
PN:013-00245-00	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:16249	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 34-56-02, AMM 34-56-02									
34-57-01	SATELLITE WEATHER AND RADIO RECIEVER							Component	ATA:34
PN:011-03177-10	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:3NV002526	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 34-57-01, AMM 34-57-01									
FAA 2005-01-19	APPLIANCE AD - TO PREVENT INTERROGATING A/C FROM POSSIBLY RECEIVING INACCURATE REPLIES FROM A/C EQUIPPED WITH GARMIN GTX33/33D/330/330D MODE S TRANSPONDERS							AD	ATA:34
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
Category: APPLIANCE									
FAA 2012-02-08	APPLIANCE AD - PREVENT TCAS UNITS FROM DROPPING TRACKS							AD	ATA:34
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
Category: APPLIANCE									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 34 - NAVIGATION									
FAA 2021-08-15	APPLIANCE AD - NAVIGATION - GARMIN INTERNATIONAL GMN-00962 GTS PROCESSOR UNITS, PART NUMBER 011-02571-0() - SOFTWARE UPATE								AD ATA:34
	MOS/MSC	-	18-May-22						18.1
	HRS		582.1						73.3
	AFL		481						63
Category: APPLIANCE									
SB 500-34-0001	NAVIGATION - INSPECTION/CORRECTION OF THE INSTALLATION POSITION OF THE DUAL STATIC PORTS, SERVICE BULLETIN								Bulletin ATA:34
	MOS/MSC	-	22-Jun-18						65
	HRS		0						655.4
	AFL		0						544
SB 500-34-0002 REV 16	NAVIGATION - ACTIVATION OF THE CHARTVIEW (SUPERSEDED BY 500-34-0002 REV 17), SERVICE BULLETIN								Bulletin ATA:34
	MOS/MSC	-	22-Jun-18						65
	HRS		0						655.4
	AFL		0						544
SB 500-34-0002 REV 17	NAVIGATION - ACTIVATION OF THE CHARTVIEW (SUPERSEDED BY 500-34-0002 REV 18), SERVICE BULLETIN								Bulletin ATA:34
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-34-0002 REV 18	NAVIGATION - ACTIVATION OF THE CHARTVIEW, SERVICE BULLETIN								Bulletin ATA:34
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-34-0002 REV 19	NAVIGATION - ACTIVATION OF THE CHARTVIEW, SERVICE BULLETIN								Bulletin ATA:34
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-34-0002 REV 20	NAVIGATION - ACTIVATION OF THE CHARTVIEW, SERVICE BULLETIN								Bulletin ATA:34
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-34-0003 REV 01	NAVIGATION - ACTIVATION OF THE FLITECHART, SERVICE BULLETIN								Bulletin ATA:34
	MOS/MSC	-	22-Jun-18						65
	HRS		0						655.4
	AFL		0						544

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 34 - NAVIGATION									
SB 500-34-0004 REV 09	NAVIGATION - INSTALLATION OF THE TRAFFIC ALERT AND COLLISION AVOIDANCE SYSTEM (TCAS) I (SUPERSEDED BY 500-34-0004 REV 10), SERVICE BULLETIN							Bulletin	ATA:34
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-34-0004 REV 09 PART I	REWORK NAVIGATION - INSTALLATION OF THE TRAFFIC ALERT AND COLLISION AVOIDANCE SYSTEM (TCAS) I (SUPERSEDED BY 500-34-0004 REV 10), SERVICE BULLETIN ON THE WFF, STRUCTURE AND PALMER, ELECTRICAL AND TCAS EQUIPMENT INSTALLATION.							Bulletin	ATA:34
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-34-0004 REV 09 PART II	REWORK NAVIGATION - INSTALLATION OF THE TRAFFIC ALERT AND COLLISION AVOIDANCE SYSTEM (TCAS) I (SUPERSEDED BY 500-34-0004 REV 10), SERVICE BULLETIN ON THE WFF AND STRUCTURE; ELECTRICAL AND TCAS EQUIPMENT INSTALLATION							Bulletin	ATA:34
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-34-0004 REV 09 PART III	REMOVAL NAVIGATION - INSTALLATION OF THE TRAFFIC ALERT AND COLLISION AVOIDANCE SYSTEM (TCAS) I (SUPERSEDED BY 500-34-0004 REV 10), SERVICE BULLETIN OF THE ANTENNA COVERS AND TCAS EQUIPMENT INSTALLATION							Bulletin	ATA:34
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-34-0004 REV 09 PART IV	REMOVAL NAVIGATION - INSTALLATION OF THE TRAFFIC ALERT AND COLLISION AVOIDANCE SYSTEM (TCAS) I (SUPERSEDED BY 500-34-0004 REV 10), SERVICE BULLETIN OF THE BOTTOM ANTENNA AND TCAS II TOP ANTENNA COVERS AND TCAS EQUIPMENT INSTALLATION							Bulletin	ATA:34
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-34-0004 REV 10	NAVIGATION - INSTALLATION OF THE TRAFFIC ALERT AND COLLISION AVOIDANCE SYSTEM (TCAS) I (SUPERSEDED BY 500-34-0004 REV 11), SERVICE BULLETIN							Bulletin	ATA:34
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-34-0004 REV 10 PART I	ACCOMPLISH NAVIGATION - INSTALLATION OF THE TRAFFIC ALERT AND COLLISION AVOIDANCE SYSTEM (TCAS) I (SUPERSEDED BY 500-34-0004 REV 11), SERVICE BULLETIN REWORK ON THE WFF, STRUCTURE AND PALMER, ELECTRICAL AND TCAS EQUIPMENT INSTALLATION							Bulletin	ATA:34
	MOS/MSC	-							
	HRS								
	AFL								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 34 - NAVIGATION									
SB 500-34-0004 REV 10 PART II	ACCOMPLISH NAVIGATION - INSTALLATION OF THE TRAFFIC ALERT AND COLLISION AVOIDANCE SYSTEM (TCAS) I (SUPERSEDED BY 500-34-0004 REV 11), SERVICE BULLETIN REWORK ON THE WFF AND STRUCTURE; ELECTRICAL AND TCAS EQUIPMENT INSTALLATION							Bulletin	ATA:34
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-34-0004 REV 10 PART III	ACCOMPLISH NAVIGATION - INSTALLATION OF THE TRAFFIC ALERT AND COLLISION AVOIDANCE SYSTEM (TCAS) I (SUPERSEDED BY 500-34-0004 REV 11), SERVICE BULLETIN REMOVAL OF THE ANTENNA COVERS AND TCAS EQUIPMENT INSTALLATION							Bulletin	ATA:34
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-34-0004 REV 10 PART IV	ACCOMPLISH NAVIGATION - INSTALLATION OF THE TRAFFIC ALERT AND COLLISION AVOIDANCE SYSTEM (TCAS) I (SUPERSEDED BY 500-34-0004 REV 11), SERVICE BULLETIN REMOVAL OF THE BOTTOM ANTENNA AND TCAS II TOP ANTENNA COVERS AND TCAS EQUIPMENT INSTALLATION							Bulletin	ATA:34
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-34-0004 REV 11	NAVIGATION - INSTALLATION OF THE TRAFFIC ALERT AND COLLISION AVOIDANCE SYSTEM (TCAS) I, SERVICE BULLETIN							Bulletin	ATA:34
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-34-0004 REV 11 PART I	ACCOMPLISH NAVIGATION - INSTALLATION OF THE TRAFFIC ALERT AND COLLISION AVOIDANCE SYSTEM (TCAS) I, SERVICE BULLETIN REWORK ON THE WFF, STRUCTURE AND PALMER, ELECTRICAL AND TCAS EQUIPMENT INSTALLATION							Bulletin	ATA:34
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-34-0004 REV 11 PART II	ACCOMPLISH NAVIGATION - INSTALLATION OF THE TRAFFIC ALERT AND COLLISION AVOIDANCE SYSTEM (TCAS) I, SERVICE BULLETIN REWORK ON THE WFF AND STRUCTURE; ELECTRICAL AND TCAS EQUIPMENT INSTALLATION							Bulletin	ATA:34
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-34-0004 REV 11 PART III	ACCOMPLISH NAVIGATION - INSTALLATION OF THE TRAFFIC ALERT AND COLLISION AVOIDANCE SYSTEM (TCAS) I, SERVICE BULLETIN REMOVAL OF THE ANTENNA COVERS AND TCAS EQUIPMENT INSTALLATION							Bulletin	ATA:34
	MOS/MSC	-							
	HRS								
	AFL								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 34 - NAVIGATION									
SB 500-34-0004 REV 11 PART IV	ACCOMPLISH NAVIGATION - INSTALLATION OF THE TRAFFIC ALERT AND COLLISION AVOIDANCE SYSTEM (TCAS) I, SERVICE BULLETIN REMOVAL OF THE BOTTOM ANTENNA AND TCAS II TOP ANTENNA COVERS AND TCAS EQUIPMENT INSTALLATION							Bulletin	ATA:34
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-34-0004 REV 11 PART V	ACCOMPLISH NAVIGATION - INSTALLATION OF THE TRAFFIC ALERT AND COLLISION AVOIDANCE SYSTEM (TCAS) I, SERVICE BULLETIN REWORK ON THE WFF, REMOVAL OF THE ANTENNA COVERS AND TCAS EQUIPMENT INSTALLATION							Bulletin	ATA:34
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-34-0004 REV 11 PART VI	ACCOMPLISH NAVIGATION - INSTALLATION OF THE TRAFFIC ALERT AND COLLISION AVOIDANCE SYSTEM (TCAS) I, SERVICE BULLETIN ADDITIONAL ACTION-UPDATE WEIGHT AND BALANCE DATA							Bulletin	ATA:34
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-34-0006 REV 02	NAVIGATION - REPLACEMENT OF THE DUAL STATIC PORTS, SERVICE BULLETIN							Bulletin	ATA:34
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-34-0007 REV 01	NAVIGATION - REPLACEMENT OF THE PITOT-STATIC PROBE, SERVICE BULLETIN							Bulletin	ATA:34
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-34-0010 REV 08	NAVIGATION - REPLACEMENT OF THE TRANSPONDERS 1/2 WITH ADS-B OUT FUNCTIONALITY (SUPERSEDED BY 500-34-0010 REV 09), SERVICE BULLETIN							Bulletin	ATA:34
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-34-0010 REV 08 PART I	ACCOMPLISH NAVIGATION - REPLACEMENT OF THE TRANSPONDERS 1/2 WITH ADS-B OUT FUNCTIONALITY (SUPERSEDED BY 500-34- 0010 REV 09), SERVICE BULLETIN AIRCRAFT EQUIPPED WITH XPDR 1							Bulletin	ATA:34
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 34 - NAVIGATION									
SB 500-34-0010 REV 08 PART II		ACCOMPLISH NAVIGATION - REPLACEMENT OF THE TRANSPONDERS 1/2 WITH ADS-B OUT FUNCTIONALITY (SUPERSEDED BY 500-34-0010 REV 09), SERVICE BULLETIN AIRCRAFT EQUIPPED WITH XPDR 1/2						Bulletin	ATA:34
	MOS/MSC	-		22-Jun-18					65
	HRS			0					655.4
	AFL			0					544
SB 500-34-0010 REV 09		NAVIGATION - REPLACEMENT OF THE TRANSPONDERS 1/2 WITH ADS-B OUT FUNCTIONALITY (SUPERSEDED BY 500-34-0010 REV 10), SERVICE BULLETIN						Bulletin	ATA:34
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-34-0010 REV 09 PART I		ACCOMPLISH NAVIGATION - REPLACEMENT OF THE TRANSPONDERS 1/2 WITH ADS-B OUT FUNCTIONALITY (SUPERSEDED BY 500-34-0010 REV 10), SERVICE BULLETIN AIRCRAFT EQUIPPED WITH XPDR 1						Bulletin	ATA:34
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-34-0010 REV 09 PART II		ACCOMPLISH NAVIGATION - REPLACEMENT OF THE TRANSPONDERS 1/2 WITH ADS-B OUT FUNCTIONALITY (SUPERSEDED BY 500-34-0010 REV 10), SERVICE BULLETIN AIRCRAFT EQUIPPED WITH XPDR 1 AND 2						Bulletin	ATA:34
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-34-0010 REV 10		NAVIGATION - REPLACEMENT OF THE TRANSPONDERS 1/2 WITH ADS-B OUT FUNCTIONALITY (SUPERSEDED BY 500-34-0010 REV 11), SERVICE BULLETIN						Bulletin	ATA:34
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-34-0010 REV 10 PART I		ACCOMPLISH NAVIGATION - REPLACEMENT OF THE TRANSPONDERS 1/2 WITH ADS-B OUT FUNCTIONALITY (SUPERSEDED BY 500-34-0010 REV 11), SERVICE BULLETIN AIRCRAFT EQUIPPED WITH XPDR 1						Bulletin	ATA:34
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-34-0010 REV 10 PART II		ACCOMPLISH NAVIGATION - REPLACEMENT OF THE TRANSPONDERS 1/2 WITH ADS-B OUT FUNCTIONALITY (SUPERSEDED BY 500-34-0010 REV 11), SERVICE BULLETIN AIRCRAFT EQUIPPED WITH XPDR 1/2						Bulletin	ATA:34
	MOS/MSC	-							
	HRS								
	AFL								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 34 - NAVIGATION									
SB 500-34-0010 REV 11	NAVIGATION - REPLACEMENT OF THE TRANSPONDERS 1/2 WITH ADS-B OUT FUNCTIONALITY (SUPERSEDED BY 500-34-0010 REV 12), SERVICE BULLETIN							Bulletin	ATA:34
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-34-0010 REV 11 PART I	ACCOMPLISH NAVIGATION - REPLACEMENT OF THE TRANSPONDERS 1/2 WITH ADS-B OUT FUNCTIONALITY (SUPERSEDED BY 500-34-0010 REV 12), SERVICE BULLETIN AIRCRAFT EQUIPPED WITH XPDR 1							Bulletin	ATA:34
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-34-0010 REV 11 PART II	ACCOMPLISH NAVIGATION - REPLACEMENT OF THE TRANSPONDERS 1/2 WITH ADS-B OUT FUNCTIONALITY (SUPERSEDED BY 500-34-0010 REV 12), SERVICE BULLETIN AIRCRAFT EQUIPPED WITH XPDR 1/2							Bulletin	ATA:34
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-34-0010 REV 12	NAVIGATION - REPLACEMENT OF THE TRANSPONDERS 1/2 WITH ADS-B OUT FUNCTIONALITY (SUPERSEDED BY 500-34-0010 REV 13), SERVICE BULLETIN							Bulletin	ATA:34
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-34-0010 REV 12 PART I	ACCOMPLISH NAVIGATION - REPLACEMENT OF THE TRANSPONDERS 1/2 WITH ADS-B OUT FUNCTIONALITY (SUPERSEDED BY 500-34-0010 REV 13), SERVICE BULLETIN AIRCRAFT EQUIPPED WITH XPDR 1							Bulletin	ATA:34
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-34-0010 REV 12 PART II	ACCOMPLISH NAVIGATION - REPLACEMENT OF THE TRANSPONDERS 1/2 WITH ADS-B OUT FUNCTIONALITY (SUPERSEDED BY 500-34-0010 REV 13), SERVICE BULLETIN AIRCRAFT EQUIPPED WITH XPDR 1/2							Bulletin	ATA:34
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-34-0010 REV 13	NAVIGATION - REPLACEMENT OF THE TRANSPONDERS 1/2 WITH ADS-B OUT FUNCTIONALITY (SUPERSEDED BY 500-4-0010 REV 14), SERVICE BULLETIN							Bulletin	ATA:34
	MOS/MSC	-							
	HRS								
	AFL								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 34 - NAVIGATION									
SB 500-34-0010 REV 13 PART I	ACCOMPLISH NAVIGATION - REPLACEMENT OF THE TRANSPONDERS 1/2 WITH ADS-B OUT FUNCTIONALITY (SUPERSEDED BY 500-4-0010 REV 14), SERVICE BULLETIN AIRCRAFT EQUIPPED WITH XPDR 1							Bulletin	ATA:34
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-34-0010 REV 13 PART II	ACCOMPLISH NAVIGATION - REPLACEMENT OF THE TRANSPONDERS 1/2 WITH ADS-B OUT FUNCTIONALITY (SUPERSEDED BY 500-4-0010 REV 14), SERVICE BULLETIN AIRCRAFT EQUIPPED WITH XPDR 1/2							Bulletin	ATA:34
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-34-0010 REV 14	NAVIGATION - REPLACEMENT OF THE TRANSPONDERS 1/2 WITH ADS-B OUT FUNCTIONALITY, SERVICE BULLETIN							Bulletin	ATA:34
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-34-0010 REV 14 PART I	ACCOMPLISH, SERVICE BULLETIN AIRCRAFT EQUIPPED WITH XPDR 1							Bulletin	ATA:34
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-34-0010 REV 14 PART II	ACCOMPLISH, SERVICE BULLETIN AIRCRAFT EQUIPPED WITH XPDR 1/2							Bulletin	ATA:34
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-34-0010 REV 15	NAVIGATION - REPLACEMENT OF THE TRANSPONDERS 1/2 WITH ADS-B OUT FUNCTIONALITY (SUPERSEDED BY 500-34-0010 REV 16), SERVICE BULLETIN							Bulletin	ATA:34
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-34-0010 REV 15 PART I	ACCOMPLISH NAVIGATION - REPLACEMENT OF THE TRANSPONDERS 1/2 WITH ADS-B OUT FUNCTIONALITY (SUPERSEDED BY 500-34-0010 REV 16), SERVICE BULLETIN AIRCRAFT EQUIPPED WITH XPDR 1							Bulletin	ATA:34
	MOS/MSC	-							
	HRS								
	AFL								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 34 - NAVIGATION									
SB 500-34-0010 REV 15 PART II	ACCOMPLISH NAVIGATION - REPLACEMENT OF THE TRANSPONDERS 1/2 WITH ADS-B OUT FUNCTIONALITY (SUPERSEDED BY 500-34-0010 REV 16), SERVICE BULLETIN AIRCRAFT EQUIPPED WITH XPDR 1/2							Bulletin	ATA:34
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-34-0010 REV 16	NAVIGATION - REPLACEMENT OF THE TRANSPONDERS 1/2 WITH ADS-B OUT FUNCTIONALITY, SERVICE BULLETIN							Bulletin	ATA:34
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-34-0010 REV 16 PART I	ACCOMPLISH NAVIGATION - REPLACEMENT OF THE TRANSPONDERS 1/2 WITH ADS-B OUT FUNCTIONALITY, SERVICE BULLETIN AIRCRAFT EQUIPPED WITH XPDR 1							Bulletin	ATA:34
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-34-0010 REV 16 PART II	ACCOMPLISH NAVIGATION - REPLACEMENT OF THE TRANSPONDERS 1/2 WITH ADS-B OUT FUNCTIONALITY, SERVICE BULLETIN AIRCRAFT EQUIPPED WITH XPDR 1/2							Bulletin	ATA:34
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-34-0010 REV 17	NAVIGATION - REPLACEMENT OF THE TRANSPONDERS 1/2 WITH ADS-B OUT FUNCTIONALITY, SERVICE BULLETIN							Bulletin	ATA:34
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-34-0010 REV 17 PART I	ACCOMPLISH NAVIGATION - REPLACEMENT OF THE TRANSPONDERS 1/2 WITH ADS-B OUT FUNCTIONALITY, SERVICE BULLETIN AIRCRAFT EQUIPPED WITH XPDR 1							Bulletin	ATA:34
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-34-0010 REV 17 PART II	ACCOMPLISH NAVIGATION - REPLACEMENT OF THE TRANSPONDERS 1/2 WITH ADS-B OUT FUNCTIONALITY, SERVICE BULLETIN AIRCRAFT EQUIPPED WITH XPDR 1/2							Bulletin	ATA:34
	MOS/MSC	-							
	HRS								
	AFL								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 34 - NAVIGATION									
SB 500-34-0010 REV 18	NAVIGATION - REPLACEMENT OF THE TRANSPONDERS 1/2 WITH ADS-B OUT FUNCTIONALITY, SERVICE BULLETIN								Bulletin ATA:34
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-34-0010 REV 18 PART I	ACCOMPLISH NAVIGATION - REPLACEMENT OF THE TRANSPONDERS 1/2 WITH ADS-B OUT FUNCTIONALITY, SERVICE BULLETIN AIRCRAFT EQUIPPED WITH XPDR 1								Bulletin ATA:34
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-34-0010 REV 18 PART II	ACCOMPLISH NAVIGATION - REPLACEMENT OF THE TRANSPONDERS 1/2 WITH ADS-B OUT FUNCTIONALITY, SERVICE BULLETIN AIRCRAFT EQUIPPED WITH XPDR 1/2								Bulletin ATA:34
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-34-0010 REV 19	NAVIGATION - REPLACEMENT OF THE TRANSPONDERS 1/2 WITH ADS-B OUT FUNCTIONALITY, SERVICE BULLETIN								Bulletin ATA:34
	MOS/MSC	-	05-May-23					6.5	
	HRS		639.9					15.5	
	AFL		529					15	
SB 500-34-0010 REV 19 PART I	ACCOMPLISH NAVIGATION - REPLACEMENT OF THE TRANSPONDERS 1/2 WITH ADS-B OUT FUNCTIONALITY, SERVICE BULLETIN AIRCRAFT EQUIPPED WITH XPDR 1								Bulletin ATA:34
	MOS/MSC	-	05-May-23					6.5	
	HRS		639.9					15.5	
	AFL		529					15	
SB 500-34-0010 REV 19 PART II	ACCOMPLISH NAVIGATION - REPLACEMENT OF THE TRANSPONDERS 1/2 WITH ADS-B OUT FUNCTIONALITY, SERVICE BULLETIN AIRCRAFT EQUIPPED WITH XPDR 1/2								Bulletin ATA:34
	MOS/MSC	-	05-May-23					6.5	
	HRS		639.9					15.5	
	AFL		529					15	
SB 500-34-0011 REV 01	NAVIGATION - DME (DISTANCE MEASURING EQUIPMENT) 1 INSTALLATION, SERVICE BULLETIN								Bulletin ATA:34
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 34 - NAVIGATION									
SB 500-34-0012	NAVIGATION - ADS-B OUT (AUTOMATIC DEPENDENCE SURVEILLANCE -BROADCAST) INSTALLATION (SUPERSEDED BY 500-34-0012 REV 01), SERVICE BULLETIN							Bulletin	ATA:34
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-34-0012 REV 01	NAVIGATION - ADS-B OUT (AUTOMATIC DEPENDENCE SURVEILLANCE -BROADCAST) INSTALLATION (SUPERSEDED BY 500-34-0012 REV 02), SERVICE BULLETIN							Bulletin	ATA:34
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-34-0012 REV 02	NAVIGATION - ADS-B OUT (AUTOMATIC DEPENDENCE SURVEILLANCE -BROADCAST) INSTALLATION (SUPERSEDED BY 500-34-0012 REV 03), SERVICE BULLETIN							Bulletin	ATA:34
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-34-0012 REV 03	NAVIGATION - ADS-B OUT (AUTOMATIC DEPENDENCE SURVEILLANCE - BROADCAST) INSTALLATION (SUPERSEDED BY 500-34-0012 REV 04), SERVICE BULLETIN							Bulletin	ATA:34
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-34-0012 REV 04	NAVIGATION - ADS-B OUT (AUTOMATIC DEPENDENCE SURVEILLANCE - BROADCAST) INSTALLATION, SERVICE BULLETIN							Bulletin	ATA:34
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-34-0012 REV 05	NAVIGATION - ADS-B OUT (AUTOMATIC DEPENDENCE SURVEILLANCE - BROADCAST) INSTALLATION, SERVICE BULLETIN							Bulletin	ATA:34
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-34-0012 REV 06	NAVIGATION - ADS-B OUT (AUTOMATIC DEPENDENCE SURVEILLANCE - BROADCAST) INSTALLATION, SERVICE BULLETIN							Bulletin	ATA:34
	MOS/MSC	-		06-Apr-23				7.5	
	HRS								
	AFL								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 34 - NAVIGATION									
SB 500-34-0013 REV 01		NAVIGATION - DME (DISTANCE MEASURING EQUIPMENT) 1 INSTALLATION, SERVICE BULLETIN						Bulletin	ATA:34
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-34-0014 REV 01		NAVIGATION - ACTIVATION OF THE G-METER FUNCTION, SERVICE BULLETIN						Bulletin	ATA:34
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-34-0015		NAVIGATION - REPLACEMENT OF THE WEATHER RADAR, SERVICE BULLETIN						Bulletin	ATA:34
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-34-0015 REV 01		NAVIGATION - REPLACEMENT OF THE WEATHER RADAR, SERVICE BULLETIN						Bulletin	ATA:34
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-34-0016		NAVIGATION - G1000 - REPLACEMENT OF SATELLITE WEATHER AND RADIO RECEIVER, SERVICE BULLETIN						Bulletin	ATA:34
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-34-0017		NAVIGATION - NXT-600 NACV PARAMETER ADJUSTMENT, SERVICE BULLETIN						Bulletin	ATA:34
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-34-0018		NAVIGATION - G1000 - GROUND CLUTTER SUPPRESSION/TURBULENCE DETECTION SYSTEM ACTIVATION, SERVICE BULLETIN						Bulletin	ATA:34
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-34-0019		NAVIGATION - REPLACEMENT OF THE WEATHER RADAR, SERVICE BULLETIN						Bulletin	ATA:34
	MOS/MSC	-							
	HRS								
	AFL								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 34 - NAVIGATION									
SB 500-34-0020	NAVIGATION - RADIO ALTIMETER SYSTEM - BAND-PASS FILTER INSTALLATION - G1000 SYSTEM, SERVICE BULLETIN								Bulletin ATA:34
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-34-0021	NAVIGATION - RADIO ALTIMETER SYSTEM - BAND-PASS FILTER INSTALLATION - G3000 SYSTEM, SERVICE BULLETIN								Bulletin ATA:34
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-34-0022	NAVIGATION - SECOND TRANSPONDER (XPDR2) - INSTALLATION, SERVICE BULLETIN								Bulletin ATA:34
	MOS/MSC	-	23-Dec-22						10.9
	HRS		639.6						15.8
	AFL		528						16
ATA 35 - OXYGEN									
35-00-00-001	FUNCTIONAL CHECK OF OXYGEN SYSTEM PRESSURE LINES FOR LEAKAGE								Service ATA:35
	MOS	36 (+30d/-30d)	11-Aug-21	Adj -50d	22-Jun-24	22-Jul-24	214 d (+30)	22-Jun-2024	27.3
	HRS	1800 (+30/-30)	534.2		2334.2	2364.2	1678.8 (+30)		121.2
	AFL		447						97
PROC. REF: AMM 35-00-00									
35-01-00-001 ^S	FUNCTIONAL CHECK OF CREW OXYGEN PRESSURE INDICATION								Service ATA:35
	MOS	60 (+1m/-1m)	10-Jul-23						4.4
	HRS		645.82						9.58
	AFL		536						8
PROC. REF: AMM 35-01-02									
PKG:84									
35-01-02	OXYGEN CYLINDER PRESSURE AND TEMPERATURE TRANSDUCER								Component ATA:35
PN:4441125-000	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:8192-2-665	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: AMM 35-01-02, AMM 35-01-02									
35-01-05	OXYGEN SYSTEM LOW PRESSURE SWITCH								Component ATA:35
PN:P24151	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:0606	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: AMM 35-01-05, AMM 35-01-05									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 35 - OXYGEN									
35-01-06	LH CSL OXYGEN SYSTEM CONTROL PANEL							Component	ATA:35
PN:441-40945-002	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:0896	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 35-01-06, AMM 35-01-06									
35-01-09	CENTER FUSELAGE ALTITUDE COMPENSATING REGULATOR							Component	ATA:35
PN:4421135-001	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:00824	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 35-01-09, AMM 35-01-09									
35-01-10	OXYGEN LOW PRESSURE 3 POSITION VALVE							Component	ATA:35
PN:4421132-109	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:00967	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 35-01-10, AMM 35-01-10									
35-01-11	LH WING SENSOR							Component	ATA:35
PN:P24099	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:1019	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
35-02-01	50 CU.FT OXYGEN CYLINDER							Component	ATA:35
PN:4441122-050	MOS/MSC	O/C	06-Jul-22	TSN 49, TSO 0				16.5	
SN:940264301	HRS		600.55	TSN 600.55, TSO 0				54.85	
	AFL		494	TSN 494, TSO 0				50	
PROC. REF: AMM 35-02-01, AMM 35-02-01									
35-02-01-001	FUNCTIONAL CHECK OF OXYGEN CYLINDER REGULATOR							Service	ATA:35
PN:4441122-050	MOS	60	29-Jun-22		29-Jun-27		1316 d	29-Jun-2027	16.7
SN:940264301	HRS								
	AFL								
PROC. REF: AMM 35-02-01									
35-02-01-003	DISCARD 50 CU.FT OXYGEN CYLINDER							Service	ATA:35
PN:4441122-050	MOS	180	01-Nov-17		01-Nov-32		3268 d	01-Nov-2032	72.6
SN:940264301	HRS								
	AFL								
Manufacture Date:: 01-Nov-17 PROC. REF: AMM 35-02-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 35 - OXYGEN									
35-11-00-002 ^S		OPERATION CHECK OF RH CREW OXYGEN MASK AND STOWAGE BOX							Service ATA:35
	MOS	12 (+1m/-1m)	10-Jul-23						4.4
	HRS		645.82						9.58
	AFL		536						8
PROC. REF: AMM 35-11-02									PKG:80
35-11-00-002 ^S		OPERATIONAL CHECK OF LH CREW OXYGEN MASK AND STOWAGE BOX							Service ATA:35
	MOS	12 (+1m/-1m)	10-Jul-23						4.4
	HRS		645.82						9.58
	AFL		536						8
PROC. REF: AMM 35-11-02									PKG:80
35-11-01		LH CREW OXYGEN-MASK STOWAGE BOX							Component ATA:35
PN:MXP603	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:SE95257	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: AMM 35-11-01, AMM 35-11-01									
35-11-01		RH CREW OXYGEN-MASK STOWAGE BOX							Component ATA:35
PN:MXP603	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:SE95902	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: AMM 35-11-01, AMM 35-11-01									
35-11-02		LH CREW OXYGEN MASK							Component ATA:35
PN:MC40-011	MOS/MSC	O/C	10-Jul-23						4.4
SN:B163317	HRS		645.82						9.58
	AFL		536						8
PROC. REF: AMM 35-11-02, AMM 35-11-02									
35-11-02		RH CREW OXYGEN MASK							Component ATA:35
PN:MC40-011	MOS/MSC	O/C	10-Jul-23	TSO 0					4.4
SN:B146025	HRS		645.82	TSO 0					9.58
	AFL		536	TSO 0					8
PROC. REF: AMM 35-11-02, AMM 35-11-02									
35-11-02-002		RESTORATION (OVERHAUL) OF LH CREW OXYGEN MASK							Service ATA:35
PN:MC40-011	MOS	72 (+1m/-1m)	10-Jul-23		01-Aug-26 (M)	01-Sep-26	984 d (+31)	01-Aug-2026	4.4
SN:B163317	HRS	3600 (+30/-30)	645.82		4245.82	4275.82	3590.4 (+30)		9.58
	AFL		536						8
PROC. REF: AMM 35-11-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 35 - OXYGEN									
35-11-02-002	RESTORATION (OVERHAUL) OF RH CREW OXYGEN MASK								Service ATA:35
PN:MC40-011	MOS	72 (+1m/-1m)	10-Jul-23		01-May-29 (M)	01-Jun-29	1988 d (+31)	01-May-2029	4.4
SN:B146025	HRS	3600 (+30/-30)	645.82		4245.82	4275.82	3590.4 (+30)		9.58
	AFL		536						8
PROC. REF: AMM 35-11-02									
35-11-02-003 ^S	DETAILED VISUAL INSPECTION OF LH CREW OXYGEN MASK								Service ATA:35
PN:MC40-011	MOS	12 (+1m/-1m)	10-Jul-23						4.4
SN:B163317	HRS		645.82						9.58
	AFL		536						8
PROC. REF: AMM 35-11-02									
35-11-02-003 ^S	DETAILED VISUAL INSPECTION OF RH CREW OXYGEN MASK								Service ATA:35
PN:MC40-011	MOS	12 (+1m/-1m)	10-Jul-23						4.4
SN:B146025	HRS		645.82						9.58
	AFL		536						8
PROC. REF: AMM 35-11-02									
35-11-04-001 ^S	DETAILED VISUAL INSPECTION OF CREW GOGGLES								Service ATA:35
	MOS	36 (+1m/-1m)	11-Aug-21						27.3
	HRS		534.2						121.2
	AFL		447						97
PROC. REF: AMM 35-11-04									
35-21-00-001	FUNCTIONAL CHECK OF PASSENGER OXYGEN SYSTEM IN AUTO MODE								Service ATA:35
	MOS	36 (+30d/-30d)	11-Aug-21	Adj -50d	22-Jun-24	22-Jul-24	214 d (+30)	22-Jun-2024	27.3
	HRS	1800 (+30/-30)	534.2		2334.2	2364.2	1678.8 (+30)		121.2
	AFL		447						97
PROC. REF: AMM 35-21-00									
35-21-00-002	OPERATIONAL CHECK OF PASSENGER OXYGEN SYSTEM IN MANUAL MODE								Service ATA:35
	MOS	36 (+30d/-30d)	11-Aug-21	Adj -50d	22-Jun-24	22-Jul-24	214 d (+30)	22-Jun-2024	27.3
	HRS	1800 (+30/-30)	534.2		2334.2	2364.2	1678.8 (+30)		121.2
	AFL		447						97
PROC. REF: AMM 35-21-00									
35-21-01-001 ^S	DETAILED INSPECTION OF PASSENGER OXYGEN-MASKS ASSEMBLY								Service ATA:35
	MOS	36 (+1m/-1m)	11-Aug-21						27.3
	HRS		534.2						121.2
	AFL		447						97
PROC. REF: AMM 35-21-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 35 - OXYGEN									
35-21-02	CABIN OXYGEN THREE MASK DEPLOYMENT CONTAINER								Component ATA:35
PN:4411073-111	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:4411073-111-00019HRS			0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: AMM 35-21-02, AMM 35-21-02									
35-21-02	LH OXYGEN TWO MASK DEPLOYMENT CONTAINER								Component ATA:35
PN:4411072-111	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:4411072-111-00176HRS			0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: AMM 35-21-02, AMM 35-21-02									
35-21-02	OXYGEN ONE MASK DEPLOYMENT CONTAINER								Component ATA:35
PN:4411071-112	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:4411071-112-00230HRS			0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: AMM 35-21-02, AMM 35-21-02									
35-21-02	RH OXYGEN TWO MASK DEPLOYMENT CONTAINER								Component ATA:35
PN:4411072-111	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:4411072-111-00177HRS			0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: AMM 35-21-02, AMM 35-21-02									
35-31-01	PROTECTIVE BREATHING EQUIPMENT (PBE)								Component ATA:35
PN:MR-10022NEMB	MOS/MSC	H/T	22-Jun-18	TSN 0					65
SN:E1706368	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: AMM 35-31-01, AMM 35-31-01									
35-31-01-001	DISCARD PROTECTIVE BREATHING EQUIPMENT (PBE)								Service ATA:35
PN:MR-10022NEMB	MOS	126 (+1m/-1m)	01-Nov-17		01-May-28 (M)	01-Jun-28	1623 d (+31)	01-May-2028	72.6
SN:E1706368	HRS								
	AFL								
PROC. REF: AMM 35-31-01									
SB 500-35-0001 REV 04	OXYGEN - REPLACEMENT OF THE ALTITUDE COMPENSATING REGULATOR (ACR), SERVICE BULLETIN								Bulletin ATA:35
	MOS/MSC	-	22-Jun-18						65
	HRS		0						655.4
	AFL		0						544

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 35 - OXYGEN									
SB 500-35-0002 REV 01		OXYGEN - INSTALLATION OF BLEED VENT VALVE TO THE OXYGEN LINE, SERVICE BULLETIN						Bulletin	ATA:35
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-35-0003		OXYGEN - PROTECTIVE BREATHING EQUIPMENT (PBE) INSTALLATION (SUPERSEDED BY 500-35-0003 REV 01), SERVICE BULLETIN						Bulletin	ATA:35
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-35-0003 REV 01		OXYGEN - PROTECTIVE BREATHING EQUIPMENT (PBE) INSTALLATION, SERVICE BULLETIN						Bulletin	ATA:35
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-35-0003 REV 01 PART I		ACCOMPLISH OXYGEN - PROTECTIVE BREATHING EQUIPMENT (PBE) INSTALLATION, SERVICE BULLETIN REMOVE AND REPLACE THE MANUAL COMPARTMENT WITH THE PBE COMPARTMENT						Bulletin	ATA:35
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-35-0003 REV 01 PART II		ACCOMPLISH OXYGEN - PROTECTIVE BREATHING EQUIPMENT (PBE) INSTALLATION, SERVICE BULLETIN REWORK THE MANUAL COMPARTMENT TO BE REUSED AS THE PBE COMPARTMENT						Bulletin	ATA:35
	MOS/MSC	-							
	HRS								
	AFL								
ATA 36 - PNEUMATIC									
36-11-00-001 ^S		OPERATIONAL CHECK LH BLEED SHUT-OFF FUNCTION						Service	ATA:36
PN:1330310-5	MOS		06-Jun-19					53.5	
SN:1002	HRS	800 (+30/-30)	151.8					503.6	
	AFL		121					423	
PROC. REF: AMM 36-11-00									PKG:1
36-11-00-001 ^S		OPERATIONAL CHECK RH BLEED SHUT-OFF FUNCTION						Service	ATA:36
PN:1330310-5	MOS		22-Jun-18					65	
SN:1088	HRS	800 (+30/-30)	0					655.4	
	AFL		0					544	
PROC. REF: AMM 36-11-00									PKG:1

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 36 - PNEUMATIC									
36-11-01	LH PYLON PRESSURE REGULATING SHUTOFF VALVE							Component	ATA:36
PN:1330310-5	MOS/MSC	O/C	06-Jun-19	TSO 13				53.5	
SN:1002	HRS		151.8	TSO 0				503.6	
	AFL		121	TSO 0				423	
PROC. REF: AMM 36-11-01, AMM 36-11-01									
36-11-01	RH PYLON PRESSURE REGULATING SHUTOFF VALVE							Component	ATA:36
PN:1330310-5	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:1088	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 36-11-01, AMM 36-11-01									
36-11-02-001 ^S	DETAILED INSPECT OF BLEED LINE WATER DRAINS							Service	ATA:36
	MOS	24 (+1m/-1m)	06-Jul-22					16.5	
	HRS		600.55					54.85	
	AFL		494					50	
PROC. REF: AMM 36-11-02									PKG:81
36-21-01-001	OPERATIONAL CHECK OF BLEED LEAKAGE SENSORS							Service	ATA:36
	MOS		22-Jun-18				15-Jun-2033	65	
	HRS	6400 (+30/-30)	0		6400	6430	5744.6 (+30)	655.4	
	AFL		0					544	
PROC. REF: AMM 36-21-01									
SB 500-36-0001 REV 04	PNEUMATIC - PRESSURE REGULATING SHUTOFF VALVE (PRSOV) REPLACEMENT (SUPERSEDED BY SB 500-36-0002), SERVICE BULLETIN							Bulletin	ATA:36
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-36-0002	PNEUMATIC - PRESSURE REGULATING SHUTOFF VALVE (PRSOV) REPLACEMENT, SERVICE BULLETIN							Bulletin	ATA:36
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 44 - CABIN SYSTEMS									
24-21-03	DC CONVERTER							Component	ATA:44
PN:35-192-00	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:376	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 44-21-03, AMM 44-21-03									
44-21-09	IFE, ASSY INSC ILLUM PANEL							Component	ATA:44
PN:441-42725-001	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:0315	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 44-21-09, AMM 44-21-09									
ATA 45 - CENTRAL MAINT SYSTEM									
SB 500-45-0001	CENTRAL MAINTENANCE SYSTEM - G3000 - INSTALLATION OF CENTRAL MAINTENANCE COMPUTER (CMC) LOAD V5.31 SOFTWARE UPLOAD (SUPERSEDED BY 500-45-0001 REV 01), SERVICE BULLETIN							Bulletin	ATA:45
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-45-0001 REV 01	CENTRAL MAINTENANCE SYSTEM - G3000 - INSTALLATION OF CENTRAL MAINTENANCE COMPUTER (CMC) LOAD V5.31 SOFTWARE UPLOAD, SERVICE BULLETIN							Bulletin	ATA:45
	MOS/MSC	-							
	HRS								
	AFL								
ATA 52 - DOORS									
52-10-01-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF MAIN PAX DOOR ASSEMBLY STRUCTURE							Service	ATA:52
PN:500-09910-461	MOS	60 (+1m/-1m)	10-Jul-23					4.4	
SN:0000977441	HRS		645.82					9.58	
	AFL		536					8	
PROC. REF: NDT 52-10-00									
								PKG:84	
52-10-01-002 ^S	INTERNAL GENERAL VISUAL INSPECTION MAIN PAX DOOR ASSEMBLY STRUCTURE							Service	ATA:52
PN:500-09910-461	MOS	T:120 (+1m/-1m)	22-Jun-18					65	
SN:0000977441	HRS		0					655.4	
	AFL		0					544	
PROC. REF: NDT 52-10-00									
								PKG:90	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 52 - DOORS									
52-10-01-01-901	INTERNAL DETAILED VISUAL INSPECTION MAIN DOOR STRUCTURE UPPER EXTERNAL FRAME, UPPER HORIZONTAL STRINGER, EXTERNAL VERTICAL FRAME, AND LOWER HORIZONTAL FRAME.							Service	ATA:52
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 52-10-00									
52-10-01-01-902	EXTERNAL DETAILED VISUAL INSPECTION MAIN DOOR STRUCTURE DOOR SKIN, VENT FLAP SKIN AND SKIN/VENT FLAP SKIN FASTENER.							Service	ATA:52
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 52-10-00									
52-10-02-01-901	INTERNAL DETAILED VISUAL INSPECTION MAIN DOOR LATCH MECHANISM LATCH PINS.							Service	ATA:52
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 52-10-00									
52-10-20-001 ^S	GENERAL VISUAL INSPECTION MAIN PAX DOOR ASSEMBLY RUBBER SEAL							Service	ATA:52
PN:500-09910-461	MOS	12 (+1m/-1m)	10-Jul-23					4.4	
SN:0000977441	HRS		645.82					9.58	
	AFL		536					8	
PROC. REF: AMM 52-10-20									PKG:80
52-11-00	MAIN PAX DOOR ASSEMBLY							Component	ATA:52
PN:500-09910-461	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:0000977441	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 52-10-00, AMM 52-10-00									
52-11-00-001 ^S	GENERAL VISUAL INSPECTION MAIN PAX DOOR ASSEMBLY LOCKING AND ACTUATING MECHANISM							Service	ATA:52
PN:500-09910-461	MOS	48 (+1m/-1m)	06-Jul-22					16.5	
SN:0000977441	HRS		600.55					54.85	
	AFL		494					50	
PROC. REF: AMM 52-11-00									PKG:83

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 52 - DOORS									
52-11-00-002 ^S		LUBRICATION OF MAIN DOOR LATCH PINS						Service	ATA:52
	MOS	12 (+1m/-1m)	10-Jul-23					4.4	
	HRS		645.82					9.58	
	AFL		536					8	
PROC. REF: AMM 52-11-21								PKG:80	
52-11-01		DOOR KEY LOCK KIT						Component	ATA:52
PN:500-09735-901	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:8MA004857DX	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
52-13-00		MAIN DOOR BALANCE ASSEMBLY						Component	ATA:52
PN:PN	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:UNKNOWN	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 52-13-00, AMM 52-13-00									
52-13-01		MAIN DOOR BALANCE ASSY GEAR SECTOR						Component	ATA:52
PN:PN	MOS/MSC	H/T	22-Jun-18	TSN 0				65	
SN:UNKNOWN	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 52-13-21, AMM 52-13-21									
52-13-02		MAIN DOOR BALANCE ASSY PINION SHAFT						Component	ATA:52
PN:PN	MOS/MSC	H/T	22-Jun-18	TSN 0				65	
SN:UNKNOWN	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 52-13-23, AMM 52-13-23									
52-13-21-001 ^S		DISCARD GEAR GEAR SECTOR						Service	ATA:52
PN:PN	MOS		22-Jun-18					65	
SN:UNKNOWN	HRS	6400 (+30/-30)	0					655.4	
	AFL		0					544	
PROC. REF: AMM 52-13-21								PKG:60	
52-13-22-002 ^S		DISCARD MAIN DOOR BALANCE ASSEMBLY MECHANISM CABLE						Service	ATA:52
PN:PN	MOS		22-Jun-18					65	
SN:UNKNOWN	HRS	800 (+30/-30)	0					655.4	
	AFL		0					544	
PROC. REF: AMM 52-13-22								PKG:1	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 52 - DOORS									
52-13-22-004	DETAILED VISUAL INSPECTION OF MAIN DOOR BALANCING MECHANISM CABLES								Service ATA:52
PN:PN	MOS/MSC	N/A	22-Jun-18						65
SN:UNKNOWN	HRS		0						655.4
	AFL		0						544
PROC. REF: AMM 52-13-22									
52-13-23-001 ^S	DISCARD SHAFT PINION SHAFT								Service ATA:52
PN:PN	MOS		22-Jun-18						65
SN:UNKNOWN	HRS	6400 (+30/-30)	0						655.4
	AFL		0						544
PROC. REF: AMM 52-13-23									
PKG:60									
52-20-01-01-901	INTERNAL DETAILED VISUAL INSPECTION EMERGENCY DOOR STRUCTURE SPAR AND FRAMES.								Service ATA:52
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 52-20-00									
52-20-01-01-902	EXTERNAL - DETAILED INSPECTION EMERGENCY DOOR STRUCTURE DOOR SKIN, VENT FLAP SKIN AND SKIN/VENT FLAP SKIN FASTENER.								Service ATA:52
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 52-20-00									
52-20-20-001 ^S	GENERAL VISUAL INSPECTION CENTER FUSELAGE EMERGENCY DOOR ASSEMBLY LOCKING AND ACTUATING MECHANISM								Service ATA:52
PN:PN	MOS	48 (+1m/-1m)	06-Jul-22						16.5
SN:UNKNOWN	HRS		600.55						54.85
	AFL		494						50
PROC. REF: AMM 52-20-20									
PKG:83									
52-20-21	CENTER FUSELAGE EMERGENCY DOOR ASSEMBLY								Component ATA:52
PN:PN	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:UNKNOWN	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 52 - DOORS									
52-20-21-001 ^S		GENERAL VISUAL INSPECTION CENTER FUSELAGE EMERGENCY DOOR ASSEMBLY RUBBER SEAL						Service	ATA:52
PN:PN	MOS	24 (+1m/-1m)	06-Jul-22					16.5	
SN:UNKNOWN	HRS		600.55					54.85	
	AFL		494					50	
PROC. REF: AMM 52-20-21									PKG:81
52-31-20-001 ^S		GENERAL VISUAL INSPECTION OF FORWARD BAGGAGE DOOR LOCKING AND ACTUATING MECHANISM						Service	ATA:52
	MOS	48 (+1m/-1m)	06-Jul-22					16.5	
	HRS		600.55					54.85	
	AFL		494					50	
PROC. REF: AMM 52-31-20									PKG:83
52-32-20-001 ^S		GENERAL VISUAL INSPECTION OF AFT BAGGAGE DOOR LOCKING ACTUATING MECHANISM						Service	ATA:52
	MOS	48 (+1m/-1m)	06-Jul-22					16.5	
	HRS		600.55					54.85	
	AFL		494					50	
PROC. REF: AMM 52-32-20									PKG:83
SB 500-52-0001 REV 08		DOORS - MODIFICATION FROM STANDARD MAIN DOOR TO PREMIUM MAIN DOOR, SERVICE BULLETIN						Bulletin	ATA:52
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-52-0001 REV 08 PART I		ACCOMPLISH DOORS - MODIFICATION FROM STANDARD MAIN DOOR TO PREMIUM MAIN DOOR, SERVICE BULLETIN PREMIUM MAIN DOOR MODIFICATION						Bulletin	ATA:52
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-52-0001 REV 08 PART II		ACCOMPLISH DOORS - MODIFICATION FROM STANDARD MAIN DOOR TO PREMIUM MAIN DOOR, SERVICE BULLETIN ADDITIONAL ACTION						Bulletin	ATA:52
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-52-0001 REV 08 PART III		ACCOMPLISH DOORS - MODIFICATION FROM STANDARD MAIN DOOR TO PREMIUM MAIN DOOR, SERVICE BULLETIN ADDITIONAL ACTION						Bulletin	ATA:52
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 52 - DOORS									
SB 500-52-0002	DOORS - IMPROVEMENT ON THE BATTERY LOCK CAM DOOR, SERVICE BULLETIN							Bulletin	ATA:52
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-52-0003	DOORS - MAIN DOOR - METALLIC SILL INSTALLATION, SERVICE BULLETIN							Bulletin	ATA:52
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-52-0004	DOORS - MAIN-DOOR BALANCING-MECHANISM MODIFICATION, SERVICE BULLETIN							Bulletin	ATA:52
	MOS/MSC	-							
	HRS								
	AFL								
ATA 53 - FUSELAGE									
53-00-00-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF FUSELAGE POLYURETHANE FILMS							Service	ATA:53
	MOS		22-Jun-18					65	
	HRS	800 (+30/-30)	0					655.4	
	AFL		0					544	
PROC. REF: AMM 53-00-20									PKG:1
53-05-00-001 ^S	DETAILED VISUAL INSPECTION OF FUSELAGE DRAINS							Service	ATA:53
	MOS	60 (+1m/-1m)	10-Jul-23					4.4	
	HRS		645.82					9.58	
	AFL		536					8	
PROC. REF: AMM 53-05-00									PKG:84
53-10-00-001 ^S	INTERNAL DETAILED VISUAL INSPECTION OF FORWARD FUSELAGE LOWER SKIN PANEL AND COCKPIT FLOOR STRUCTURES							Service	ATA:53
	MOS	T:120 (+1m/-1m)	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
PROC. REF: NDT 53-10-00									PKG:90
53-10-00-002 ^S	INTERNAL DETAILED VISUAL INSPECTION OF FORWARD FUSELAGE SKIN PANELS, SKIN SPLICES AND WINDSHIELD CUTOUT STRUCTURE							Service	ATA:53
	MOS	T:120 (+1m/-1m)	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
PROC. REF: NDT 53-10-00									PKG:90

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 53 - FUSELAGE									
53-10-01	REAR PRESSURE BULKHEAD ASSY								Component ATA:53
PN:500-04000-413	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:0000966507	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: GENERIC NO REF									
53-10-01-01-901	INTERNAL DETAILED INSPECTION FORWARD FUSELAGE UPPER SKIN PANEL AND WINDSHIELD CUTOUT STRUCTURE MACHINE FR07, BEAMS, POSTS, GUSSET (SPLICES)								Service ATA:53
	MOS							01-Aug-2037	
	HRS								
	AFL	T:6300			6300		5756		
PROC. REF: NDT 53-10-00									
53-10-01-01-902	INTERNAL DETAILED INSPECTION FORWARD FUSELAGE UPPER SKIN PANEL AND WINDSHIELD CUTOUT STRUCTURE MACHINE FR07, BEAMS, POSTS, GUSSET (SPLICES)								Service ATA:53
	MOS							26-Nov-2055	
	HRS								
	AFL	T:14000			14000		13456		
PROC. REF: NDT 53-10-00									
53-10-01-01-903	EXTERNAL - DETAILED INSPECTION FORWARD FUSELAGE UPPER SKIN PANEL AND WINDSHIELD CUTOUT STRUCTURE SKIN PANEL AND FASTENERS.								Service ATA:53
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 53-10-00									
53-10-02-01-901	INTERNAL GENERAL VISUAL INSPECTION FORWARD FUSELAGE LEFT AND RIGHT SIDE SKIN PANELS FRAMES AND SPLICES.								Service ATA:53
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 53-10-00									
53-10-02-01-902	EXTERNAL - DETAILED INSPECTION FORWARD FUSELAGE LEFT AND RIGHT SIDE SKIN PANELS SKIN-TO-FRAMES AREA.								Service ATA:53
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 53-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 53 - FUSELAGE									
53-10-02-02-901	INTERNAL GENERAL VISUAL INSPECTION FORWARD FUSELAGE LEFT AND RIGHT SIDE SKIN PANELS STRINGERS.								Service ATA:53
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 53-10-00									
53-10-02-02-902	EXTERNAL - DETAILED INSPECTION FORWARD FUSELAGE LEFT AND RIGHT SIDE SKIN PANELS SKIN-TO-STRINGERS AREA.								Service ATA:53
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 53-10-00									
53-10-03-01-901	INTERNAL GENERAL VISUAL INSPECTION FORWARD FUSELAGE LOWER SKIN PANEL FRAMES AND STRINGERS.								Service ATA:53
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 53-10-00									
53-10-03-01-902	EXTERNAL - DETAILED INSPECTION FORWARD FUSELAGE LOWER SKIN PANEL SKIN-TO-FRAME/STRINGERS AREA.								Service ATA:53
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 53-10-00									
53-10-04-01-901	INTERNAL DETAILED INSPECTION FORWARD FUSELAGE LONGITUDINAL AND CIRCUMFERENTIAL SKIN SPLICES LONGITUDINAL SPLICE								Service ATA:53
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 53-10-00									
53-10-04-01-902	EXTERNAL - DETAILED INSPECTION FORWARD FUSELAGE LONGITUDINAL AND CIRCUNFERENTIAL SKIN SPLICES - SKIN-TO-LONGITUDINAL SPLICE AREA.								Service ATA:53
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 53-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 53 - FUSELAGE									
53-10-04-02-901	INTERNAL DETAILED INSPECTION FORWARD FUSELAGE LONGITUDINAL AND CIRCUNFERENTIAL SKIN SPLICES CIRCUMFERENTIAL SPLICE.							Service	ATA:53
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 53-10-00									
53-10-04-02-902	EXTERNAL - DETAILED INSPECTION FORWARD FUSELAGE LONGITUDINAL AND CIRCUNFERENTIAL SKIN SPLICES SKIN-TO-CIRCUMFERENTIAL-SPLICE AREA.							Service	ATA:53
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 53-10-00									
53-10-05-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF FORWARD FUSELAGE PRESSURE BULKHEAD							Service	ATA:53
	MOS	T:120 (+1m/-1m)	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
PROC. REF: NDT 53-10-00									
									PKG:90
53-10-05-002 ^S	INTERNAL DETAILED VISUAL INSPECTION OF FORWARD FUSELAGE PRESSURE BULKHEAD							Service	ATA:53
	MOS	T:120 (+1m/-1m)	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
PROC. REF: NDT 53-10-00									
									PKG:90
53-10-05-01-901	INTERNAL GENERAL VISUAL INSPECTION FORWARD FUSELAGE PRESSURE BULKHEAD.							Service	ATA:53
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 53-10-00									
53-10-06-002 ^S	INTERNAL DETAILED VISUAL INSPECTION OF FORWARD FUSELAGE FORWARD SKIN PANELS							Service	ATA:53
	MOS	T:120 (+1m/-1m)	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
PROC. REF: NDT 53-10-00									
									PKG:90

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 53 - FUSELAGE									
53-10-07-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF NOSE LANDING GEAR WHEELWELL METALLIC STRUCTURE								Service ATA:53
	MOS	24 (+1m/-1m)	06-Jul-22						16.5
	HRS		600.55						54.85
	AFL		494						50
PROC. REF: NDT 53-10-00									PKG:81
53-10-07-01-901	EXTERNAL SPECIAL DETAILED INSPECTION NOSE LANDING GEAR WHEEL WEEL METALLIC STRUCTURE (EDDY CURRENT) TRUNION.								Service ATA:53
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 53-10-00									
53-10-07-02-901	EXTERNAL - DETAILED INSPECTION NOSE LANDING GEAR WHEEL WEEL METALLIC STRUCTURE.								Service ATA:53
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 53-10-00									
53-10-07-02-902	EXTERNAL SPECIAL DETAILED INSPECTION NOSE LANDING GEAR WHEEL WEEL METALLIC STRUCTURE (EDDY CURRENT) DRAG LOCKING STRUTS.								Service ATA:53
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 53-10-00									
53-10-08-002	INTERNAL GENERAL VISUAL INSPECTION OF NOSE LANDING GEAR WHEELWELL COMPOSITE STRUCTURE								Service ATA:53
	MOS/MSC	O/C	22-Jun-18						65
	HRS		0						655.4
	AFL		0						544
PROC. REF: NDT 53-10-00									
53-10-08-01-901	EXTERNAL - DETAILED INSPECTION NOSE LANDING GEAR WEEL COMPOSITESTRUCTURE UPPER PANEL AND SIDE SKIN.								Service ATA:53
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 53-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 53 - FUSELAGE									
53-14-00	NOSE RADOME							Component	ATA:53
PN:5190-102-1	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:885	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 53-14-00, AMM 53-14-00									
53-20-00-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF CENTER FUSELAGE SKIN PANELS AND SKIN SPLICES							Service	ATA:53
	MOS	T:120 (+1m/-1m)	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
PROC. REF: NDT 53-20-00									
								PKG:90	
53-20-00-002 ^S	INTERNAL DETAILED VISUAL INSPECTION OF CENTER FUSELAGE SKIN PANELS, SKIN SPLICES, AND FLOOR STRUCTURE							Service	ATA:53
	MOS	T:120 (+1m/-1m)	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
PROC. REF: NDT 53-20-00									
								PKG:90	
53-20-00-003 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF CENTER FUSELAGE-TO-WING LATERAL AND CENTER LINKS							Service	ATA:53
	MOS	T:120 (+1m/-1m)	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
PROC. REF: NDT 53-20-00									
								PKG:90	
53-20-01-01-901	INTERNAL GENERAL VISUAL INSPECTION CENTER FUSELAGE UPPER SKIN PANEL (FROM FRAME 8 TO 19 AND FROM STRINGER 1R TO 6L) FRAMES.							Service	ATA:53
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 53-20-00									
53-20-01-01-902	EXTERNAL - DETAILED INSPECTION CENTER FUSELAGE UPPER SKIN PANEL (FROM FRAME 8 TO 19 AND FROM STRINGER 1R TO 6L) SKIN TO FRAMES AREA.							Service	ATA:53
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 53-20-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 53 - FUSELAGE									
53-20-01-02-901	INTERNAL GENERAL VISUAL INSPECTION CENTER FUSELAGE UPPER SKIN PANEL (FROM STRINGER 1R TO 6L AND FROM FRAME 8 TO 19) STRINGERS.							Service	ATA:53
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 53-20-00									
53-20-01-02-902	EXTERNAL - DETAILED INSPECTION CENTER FUSELAGE UPPER SKIN PANEL (FROM STRINGER 1R TO 6L AND FROM FRAME 8 TO 19) SKIN TO STRINGERS AREA.							Service	ATA:53
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 53-20-00									
53-20-02-01-901	INTERNAL GENERAL VISUAL INSPECTION CENTER FUSELAGE SIDE SKIN PANEL (FROM FRAME 8 TO 19 AND FROM STRINGER 2R TO 11R) FRAMES.							Service	ATA:53
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 53-20-00									
53-20-02-01-902	EXTERNAL - DETAILED INSPECTION CENTER FUSELAGE SIDE SKIN PANEL (FROM FRAME 8 TO 19 AND FROM STRINGER 2R TO 11R) SKIN TO FRAMES AREA.							Service	ATA:53
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 53-20-00									
53-20-02-02-901	INTERNAL GENERAL VISUAL INSPECTION CENTER FUSELAGE SIDE SKIN PANEL (FROM STRINGER 2R TO 11R AND FROM FRAME 8 TO 19) STRINGERS.							Service	ATA:53
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 53-20-00									
53-20-02-02-902	EXTERNAL - DETAILED INSPECTION CENTER FUSELAGE SIDE SKIN PANEL (FROM STRINGER 2R TO 11R AND FROM FRAME 8 TO 19) SKIN TO STRINGERS AREA.							Service	ATA:53
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 53-20-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 53 - FUSELAGE									
53-20-03-01-901	INTERNAL GENERAL VISUAL INSPECTION CENTER FUSELAGE LOWER SKIN PANEL (FROM STRINGER 7L TO 12R AND FROM FRAME 8 TO 19) CUT-OUT REINFORCEMENT (SKIN DOUBLER).							Service	ATA:53
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 53-20-00									
53-20-03-01-902	EXTERNAL - DETAILED INSPECTION CENTER FUSELAGE LOWER SKIN PANEL (FROM STRINGER 7L TO 12R AND FROM FRAME 8 TO 19) SKIN TO CUT-OUT AREA.							Service	ATA:53
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 53-20-00									
53-20-03-02-901	INTERNAL GENERAL VISUAL INSPECTION CENTER FUSELAGE LOWER SKIN PANEL (FROM STRINGER 7L TO 12R AND FROM FRAME 8 TO 19) FRAMES AND STRINGERS.							Service	ATA:53
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 53-20-00									
53-20-03-02-902	EXTERNAL - DETAILED INSPECTION CENTER FUSELAGE LOWER SKIN PANEL (FROM STRINGER 7L TO 12R AND FROM FRAME 8 TO 19) SKIN TO FRAMES AND STRINGERS AREA.							Service	ATA:53
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 53-20-00									
53-20-04-01-901	INTERNAL DETAILED INSPECTION CENTER FUSELAGE LONGITUDINAL LAPJOINT SKIN SPLICE AND CIRCUMFERENTIALSKIN SPLICE LONGITUDINAL LAP JOINT SKIN SPLICE.							Service	ATA:53
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 53-20-00									
53-20-04-01-902	EXTERNAL - DETAILED INSPECTION CENTER FUSELAGE LONGITUDINAL LAPJOINT SKIN SPLICE AND CIRCUMFERENTIALSKIN SPLICE LONGITUDINAL LAP JOINT SKIN SPLICE.							Service	ATA:53
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 53-20-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 53 - FUSELAGE									
53-20-04-02-901	INTERNAL DETAILED INSPECTION CENTER FUSELAGE LONGITUDINAL LAPJOINT SKIN SPLICE AND CIRCUMFERENTIALSKIN SPLICE CIRCUNFERENTIAL SKIN SPLICE.							Service	ATA:53
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 53-20-00									
53-20-04-02-902	EXTERNAL - DETAILED INSPECTION CENTER FUSELAGE LONGITUDINAL LAPJOINT SKIN SPLICE AND CIRCUMFERENTIALSKIN SPLICESKIN AT CIRCUMFERENTIAL SKIN SPLICE AREA.							Service	ATA:53
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 53-20-00									
53-20-05-002 ^S	INTERNAL DETAILED VISUAL INSPECTION OF CENTER FUSELAGE CIRCUMFERENTIAL SKIN SPLICES AND END FITTINGS							Service	ATA:53
	MOS	T:120 (+1m/-1m)	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
PROC. REF: NDT 53-20-00									PKG:90
53-20-05-01-901	INTERNAL DETAILED INSPECTION CENTER FUSELAGE TO AFT FUSELAGECIRCUMFERENTIAL SKIN SPLICES ANDEND FITTINGS SKIN (FROM STRINGER 12L TO 12R).							Service	ATA:53
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 53-20-00									
53-20-05-01-902	EXTERNAL SPECIAL DETAILED INSPECTION CENTER FUSELAGE TO AFT FUSELAGECIRCUMFERENTIAL SKIN SPLICES ANDEND FITTINGS (EDDY CURRENT) SPLICE (1ST AND 3RD ROWS) (FROM STRINGER 01R TO 01L, FROM STINGER 04R TO 07R AND FROM STRINGER 04L TO 07L).							Service	ATA:53
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 53-20-00									
53-20-05-01-903	EXTERNAL - DETAILED INSPECTION CENTER FUSELAGE TO AFT FUSELAGECIRCUMFERENTIAL SKIN SPLICES ANDEND FITTINGS SKIN (FROM STRINGER 01R TO 01L, FROM STRINGER 04R TO 07R AND FROM STRINGER 04L TO 07L).							Service	ATA:53
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 53-20-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 53 - FUSELAGE									
53-20-05-01-904	INTERNAL DETAILED INSPECTION CENTER FUSELAGE TO AFT FUSELAGE CIRCUMFERENTIAL SKIN SPLICES END FITTINGS							Service	ATA:53
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 53-20-00									
53-20-06-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF MAIN DOOR CUTOUT STRUCTURE							Service	ATA:53
	MOS	60 (+1m/-1m)	10-Jul-23					4.4	
	HRS		645.82					9.58	
	AFL		536					8	
PROC. REF: NDT 53-20-00									
									PKG:84
53-20-06-002 ^S	INTERNAL DETAILED VISUAL INSPECTION OF MAIN DOOR CUTOUT STRUCTURE							Service	ATA:53
	MOS	T:120 (+1m/-1m)	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
PROC. REF: NDT 53-20-00									
									PKG:90
53-20-06-01-901	EXTERNAL SPECIAL DETAILED INSPECTION (EDDY CURRENT) THE DOUBLER 1 AT CORNERS OF MAIN DOOR CUTOUT STRUCTURE.							Service	ATA:53
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 53-20-00									
53-20-06-01-902	EXTERNAL SPECIAL DETAILED INSPECTION (EDDY CURRENT) THE SKIN AT CORNERS OF THE MAIN DOOR CUTOUT STRUCTURE.							Service	ATA:53
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 53-20-00									
53-20-06-01-903	EXTERNAL - DETAILED INSPECTION THE MAIN DOOR CUTOUT STRUCTURE SKIN TO DOOR CUTOUT STRUCTURE.							Service	ATA:53
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 53-20-00									
53-20-06-01-904	INTERNAL GENERAL VISUAL INSPECTION THE MAIN DOOR CUT-OUT STRUCTURE.							Service	ATA:53
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 53-20-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 53 - FUSELAGE									
53-20-06-01-905	INTERNAL DETAILED INSPECTION MAIN DOOR CUTOUT STRUCTURE MACHINED FRAME AT LATCH PIN BOX AREA .								Service ATA:53
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 53-20-00									
53-20-07-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF EMERGENCY DOOR CUTOUT STRUCTURE								Service ATA:53
	MOS	60 (+1m/-1m)	10-Jul-23						4.4
	HRS		645.82						9.58
	AFL		536						8
PROC. REF: NDT 53-20-00									
									PKG:84
53-20-07-002 ^S	INTERNAL GENERAL VISUAL INSPECTION OF EMERGENCY DOOR CUTOUT STRUCTURE								Service ATA:53
	MOS	60 (+1m/-1m)	22-Jun-18						65
	HRS		0						655.4
	AFL		0						544
PROC. REF: NDT 53-20-00									
									PKG:90
53-20-07-01-901	INTERNAL GENERAL VISUAL INSPECTION EMERGENCY DOOR CUTOUT STRUCTURE (FROM STRINGER 3R TO 7R AND FROM FRAME 14 TO 16)								Service ATA:53
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 53-20-00									
53-20-07-01-902	EXTERNAL - DETAILED INSPECTION THE SKIN TO EMERGENCY DOOR CUTOUT STRUCTURE (FROM STRINGER 3R TO 7R AND FROM FRAME 14 TO 16)								Service ATA:53
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 53-20-00									
53-20-08-002 ^S	INTERNAL GENERAL VISUAL INSPECTION OF PASSENGER WINDOW CUT-OUT STRUCTURE								Service ATA:53
	MOS	60 (+1m/-1m)	22-Jun-18						65
	HRS		0						655.4
	AFL		0						544
PROC. REF: NDT 53-20-00									
									PKG:90

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 53 - FUSELAGE									
53-20-08-01-901	INTERNAL GENERAL VISUAL INSPECTION PASSENGER WINDOW CUTOUT STRUCTURE PASSENGER WINDOW FRAME (FROM STRINGER 4L TO 6L AND STRINGER 4R TO 6R AND FROM FRAME 10 TO 18)							Service	ATA:53
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 53-20-00									
53-20-08-01-902	EXTERNAL - DETAILED INSPECTION PASSENGER WINDOW CUTOUT STRUCTURE PASSENGER (FROM STRINGER 4L TO 6L AND STRINGER 4R TO 6R AND FROM FRAME 10 TO 18) SKIN AT WINDOW AREA.							Service	ATA:53
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 53-20-00									
53-20-10-01-901	INTERNAL DETAILED INSPECTION CENTER FUSELAGE-TO-WING LATERAL LINKS.							Service	ATA:53
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 53-20-00									
53-20-10-01-902	INTERNAL DETAILED INSPECTION CENTER FUSELAGE-TO-WING LATERAL LINKSMACHINED FRAME (FRAME 14 AND FRAME 18) AND FASTENERS							Service	ATA:53
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 53-20-00									
53-20-11-01-901	INTERNAL SPECIAL DETAILED INSPECTION CENTER FUSELAGE-TO-WING CONNECTION LINK(EDDY CURRENT) CONNECTION LINK FITTING (LUG AND INNER CAP).							Service	ATA:53
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 53-20-00									
53-20-11-01-902	INTERNAL DETAILED INSPECTION CENTER FUSELAGE-TO-WING CONNECTION LINK FITTING.							Service	ATA:53
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 53-20-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 53 - FUSELAGE									
53-20-12-01-901	INTERNAL DETAILED INSPECTION AFT PRESSURE BULKHEAD.								Service ATA:53
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 53-20-00									
53-30-00-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF AFT FUSELAGE SKINS AND ATTACHMENTS								Service ATA:53
	MOS	T:120 (+1m/-1m)	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
PROC. REF: NDT 53-30-00									
									PKG:90
53-30-00-002 ^S	INTERNAL DETAILED VISUAL INSPECTION OF AFT FUSELAGE UPPER SKIN, JUNCTIONS AND ATTACHMENTS								Service ATA:53
	MOS	T:120 (+1m/-1m)	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
PROC. REF: NDT 53-30-00									
									PKG:90
53-30-00-003 ^S	INTERNAL DETAILED VISUAL INSPECTION OF AFT FUSELAGE SIDE SKIN, CUTOUTS AND ATTACHMENTS								Service ATA:53
	MOS	T:120 (+1m/-1m)	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
PROC. REF: NDT 53-30-00									
									PKG:90
53-30-01-01-901	INTERNAL DETAILED INSPECTION AFT FUSELAGE UPPER SKIN PANELBEDPLATE AND ITS ATTACHMENTS, BEDPLATES TO STRINGER ATTACHMENTS AND SKIN TO BEDPLATE AREA.								Service ATA:53
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 53-30-00									
53-30-01-01-902	EXTERNAL - DETAILED INSPECTION AFT FUSELAGE UPPER SKIN PANEL SKIN TO BEDPLATE AREA.								Service ATA:53
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 53-30-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 53 - FUSELAGE									
53-30-02-01-901	INTERNAL GENERAL VISUAL INSPECTION AFT FUSELAGE SIDE SKIN PANEL FORWARD MACHINED FRAME (FRAME 22 AND FRAME 23)							Service	ATA:53
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 53-30-00									
53-30-02-01-902	EXTERNAL - DETAILED INSPECTION AFT FUSELAGE SIDE SKIN PANEL SKIN TO FRAME AREA							Service	ATA:53
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 53-30-00									
53-30-02-02-901	INTERNAL GENERAL VISUAL INSPECTION AFT FUSELAGE SIDE SKIN PANEL AFT MACHINED FRAME (FRAME 25 AND FR25A)							Service	ATA:53
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 53-30-00									
53-30-02-02-902	EXTERNAL - DETAILED INSPECTION AFT FUSELAGE SIDE SKIN PANEL - SKIN TO FRAME AREA							Service	ATA:53
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 53-30-00									
53-30-04-01-901	EXTERNAL - DETAILED INSPECTION AFT FUSELAGE LONGITUDINAL AND CIRCUMFERENTIALSKIN SPLICES AFT FUSELAGE SKIN TO LONGITUDINAL SPLICE.							Service	ATA:53
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 53-30-00									
53-30-04-01-902	INTERNAL DETAILED INSPECTION AFT FUSELAGE LONGITUDINAL AND CIRCUMFERENTIALSKIN SPLICES LONGITUDINAL SPLICE							Service	ATA:53
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 53-30-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 53 - FUSELAGE									
53-30-04-02-901	EXTERNAL - DETAILED INSPECTION AFT FUSELAGE LONGITUDINAL AND CIRCUMFERENTIALSKIN SPLICES TO CIRCUMFERENTIAL SPLICE.							Service	ATA:53
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 53-30-00									
53-30-04-02-902	INTERNAL DETAILED INSPECTION AFT FUSELAGE LONGITUDINAL AND CIRCUMFERENTIALSKIN SPLICES TO CIRCUMFERENTIAL SPLICE.							Service	ATA:53
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 53-30-00									
53-30-05-001 ^S	INTERNAL DETAILED VISUAL INSPECTION OF AFT FUSELAGE BAGGABE DOOR CUTOUT STRUCTURE							Service	ATA:53
	MOS	60 (+1m/-1m)	10-Jul-23					4.4	
	HRS		645.82					9.58	
	AFL		536					8	
PROC. REF: NDT 53-30-00									PKG:84
53-30-05-01-901	INTERNAL GENERAL VISUAL INSPECTION AFT FUSELAGE BAGGAGE DOOR CUTOUT STRUCTURE.							Service	ATA:53
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 53-30-00									
53-30-05-01-902	EXTERNAL - DETAILED INSPECTION AFT FUSELAGE BAGGAGE DOOR CUTOUTSTRUCTUREAFT FUSELAGE THE SKIN TO BAGGAGE DOOR CUTOUT STRUCTURE.							Service	ATA:53
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 53-30-00									
53-30-06-01-901	INTERNAL GENERAL VISUAL INSPECTION AFT FUSELAGE CUTOUT STRUCTURES -INTERNALFRAMES, STRINGER, REINFORCEMENT, AND DOUBLER OF AFT FUSELAGE CUTOUT STRUCTURES.							Service	ATA:53
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 53-30-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 53 - FUSELAGE									
53-30-07-001 ^S	INTERNAL DETAILED VISUAL INSPECTION OF AFT FUSELAGE UPPER FRAMES 29 TO 32							Service	ATA:53
	MOS	60 (+1m/-1m)	10-Jul-23					4.4	
	HRS		645.82					9.58	
	AFL		536					8	
PROC. REF: NDT 53-30-00									PKG:84
53-30-07-01-901	INTERNAL GENERAL VISUAL INSPECTION AFT FUSELAGE UPPER FRAMES (FROM FRAME 29 TO FRAME 32) MACHINED FRAMES.							Service	ATA:53
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 53-30-00									
53-30-07-01-902	EXTERNAL - DETAILED INSPECTION AFT FUSELAGE UPPER FRAMES (FROM FRAME 29 TO FRAME 32) SKIN TO FRAME AREA.							Service	ATA:53
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 53-30-00									
53-30-07-02-901	INTERNAL GENERAL VISUAL INSPECTION AFT FUSELAGE UPPER FRAMES (FROM FRAME 29 TO FRAME 32) BEDPLATES AND FASTENERS.							Service	ATA:53
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 53-30-00									
53-30-08-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF AFT FUSELAGE MACHINED FRAME 32							Service	ATA:53
	MOS	120 (+1m/-1m)	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
PROC. REF: NDT 53-30-00									PKG:87
SB 500-53-0001	FUSELAGE - PROTECTION TO PREVENT INTERFERENCE BETWEEN RUDDER CABLEAND AILERON QUADRANT, SERVICE BULLETIN							Bulletin	ATA:53
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-53-0002	FUSELAGE - REPLACEMENT OF THE LATERAL WINDSHIELD LOWER-BEAM, SERVICE BULLETIN							Bulletin	ATA:53
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 53 - FUSELAGE									
SB 500-53-0003	FUSELAGE - REPLACEMENT OF UPPER FITTINGS ATTACHMENT PINS OF FRAME 16A, FOR AIRCRAFT PROVISIONED TO INSTALL THE BELTED TOILET, SERVICE BULLETIN							Bulletin	ATA:53
	MOS/MSC	-	22-Jun-18						65
	HRS		0						655.4
	AFL		0						544
SB 500-53-0003 REV 01	FUSELAGE - REPLACEMENT OF UPPER FITTINGS ATTACHMENT PINS OF FRAME 16A, FOR AIRCRAFT PROVISIONED TO INSTALL THE BELTED TOILET, SERVICE BULLETIN							Bulletin	ATA:53
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-53-0004	FUSELAGE - POLYURETHANE FILM INSTALLATION, SERVICE BULLETIN							Bulletin	ATA:53
	MOS/MSC	-	22-Jun-18						65
	HRS		0						655.4
	AFL		0						544
Z210-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF THE FORWARD FUSELAGE NOSE SECTION							Service	ATA:53
	MOS	120 (+1m/-1m)	22-Jun-18						65
	HRS		0						655.4
	AFL		0						544
PROC. REF: AMM 05-41-00									PKG:87
Z210-002 ^S	INTERNAL GENERAL VISUAL INSPECTION OF THE FORWARD FUSELAGE NOSE SECTION							Service	ATA:53
	MOS	120 (+1m/-1m)	22-Jun-18						65
	HRS		0						655.4
	AFL		0						544
PROC. REF: AMM 05-41-00									PKG:87
Z220-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF THE FORWARD FUSELAGE COCKPIT SECTION							Service	ATA:53
	MOS	60 (+1m/-1m)	10-Jul-23						4.4
	HRS		645.82						9.58
	AFL		536						8
PROC. REF: AMM 05-41-00									PKG:84
Z220-002 ^S	INTERNAL GENERAL VISUAL INSPECTION OF THE FORWARD FUSELAGE COCKPIT SECTION							Service	ATA:53
	MOS	120 (+1m/-1m)	22-Jun-18						65
	HRS		0						655.4
	AFL		0						544
PROC. REF: AMM 05-41-00									PKG:87

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 53 - FUSELAGE									
Z230-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF THE CENTER FUSELAGE FRONT SECTION							Service	ATA:53
	MOS	120 (+1m/-1m)	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
	PROC. REF: AMM 05-42-00								PKG:87
Z230-002 ^S	INTERNAL GENERAL VISUAL INSPECTION OF THE CENTER FUSELAGE FRONT SECTION							Service	ATA:53
	MOS	120 (+1m/-1m)	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
	PROC. REF: AMM 05-42-00								PKG:87
Z240-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF THE CENTER FUSELAGE REAR SECTION							Service	ATA:53
	MOS	120 (+1m/-1m)	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
	PROC. REF: AMM 05-42-00								PKG:87
Z240-002 ^S	INTERNAL GENERAL VISUAL INSPECTION OF THE CENTER FUSELAGE REAR SECTION							Service	ATA:53
	MOS	60 (+1m/-1m)	10-Jul-23					4.4	
	HRS		645.82					9.58	
	AFL		536					8	
	PROC. REF: AMM 05-42-00								PKG:84
Z310-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF THE AFT FUSELAGE FRONT SECTION							Service	ATA:53
	MOS	120 (+1m/-1m)	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
	PROC. REF: AMM 05-43-00								PKG:87
Z310-002 ^S	INTERNAL GENERAL VISUAL INSPECTION OF THE AFT FUSELAGE FRONT SECTION							Service	ATA:53
	MOS	120 (+1m/-1m)	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
	PROC. REF: AMM 05-43-00								PKG:87
Z320-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF THE AFT FUSELAGE REAR SECTION							Service	ATA:53
	MOS	120 (+1m/-1m)	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
	PROC. REF: AMM 05-43-00								PKG:87

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 53 - FUSELAGE									
Z320-002 ^S	INTERNAL GENERAL VISUAL INSPECTION OF THE AFT FUSELAGE REAR SECTION							Service	ATA:53
	MOS	120 (+1m/-1m)	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
PROC. REF: AMM 05-43-00									PKG:87
ATA 54 - NACELLES/PYLONS									
54-00-00-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF PYLON POLYURETHANE FILMS							Service	ATA:54
	MOS		22-Jun-18					65	
	HRS	800 (+30/-30)	0					655.4	
	AFL		0					544	
PROC. REF: AMM 54-51-20									PKG:1
54-50-00-001 ^S	INTERNAL DETAILED VISUAL INSPECTION OF PYLON MAIN BOX							Service	ATA:54
	MOS	T:120 (+1m/-1m)	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
PROC. REF: NDT 54-50-00									PKG:90
54-50-00-002 ^S	INTERNAL DETAILED VISUAL INSPECTION OF FORWARD BEAM							Service	ATA:54
	MOS	T:120 (+1m/-1m)	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
PROC. REF: NDT 54-50-00									PKG:90
54-50-01-01-901	INTERNAL DETAILED INSPECTION PYLON FORWARD BEAM PYLON SPARS 1 AND 2, UPPER AND LOWER SKIN AND FASTENERS.							Service	ATA:54
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 54-50-00									
54-50-02-01-901	INTERNAL DETAILED INSPECTION PYLON AFT BEAMPYLON SPARS 3 AND 4 AND FASTENERS.							Service	ATA:54
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 54-50-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 54 - NACELLES/PYLONS									
54-50-03-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF PYLON MAIN BOX								Service ATA:54
	MOS	T:120 (+1m/-1m)	22-Jun-18						65
	HRS		0						655.4
	AFL		0						544
PROC. REF: NDT 54-50-00									PKG:90
54-50-03-01-901	EXTERNAL GENERAL VISUAL INSPECTION OF PYLON MAIN BOX MAIN BOX SKIN AND FASTENERS.								Service ATA:54
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 54-50-00									
54-50-04-01-901	INTERNAL DETAILED INSPECTION PYLON-TO-FUSELAGE CONNECTIONS OF BOLTS.								Service ATA:54
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 54-50-00									
54-50-05-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF PYLON YOKES								Service ATA:54
	MOS	60 (+1m/-1m)	10-Jul-23						4.4
	HRS		645.82						9.58
	AFL		536						8
PROC. REF: NDT 54-50-00									PKG:84
54-50-05-01-901	INTERNAL DETAILED INSPECTION PYLON YOKESLUG HOLES AT YOKES, YOKES, GUSSETS AND SHIELD.								Service ATA:54
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 54-50-00									
54-50-06-001 ^S	INTERNAL DETAILED VISUAL INSPECTION OF AFT MOUNT FITTINGS								Service ATA:54
	MOS	60 (+1m/-1m)	10-Jul-23						4.4
	HRS		645.82						9.58
	AFL		536						8
PROC. REF: NDT 54-50-00									PKG:84
54-50-06-01-901	INTERNAL DETAILED INSPECTION PYLON AFT FITTINGAFT MOUNT FITTING AND FASTENERS.								Service ATA:54
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 54-50-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 54 - NACELLES/PYLONS									
Z410-001 ^S		EXTERNAL GENERAL VISUAL INSPECTION OF OF THE PYLON						Service	ATA:54
	MOS	120 (+1m/-1m)	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
PROC. REF: AMM 05-46-00									PKG:87
Z410-002 ^S		INTERNAL GENERAL VISUAL INSPECTION OF THE PYLON						Service	ATA:54
	MOS	120 (+1m/-1m)	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
PROC. REF: AMM 05-46-00									PKG:87
Z430-001 ^S		EXTERNAL GENERAL VISUAL INSPECTION OF OF THE NACELLE						Service	ATA:54
	MOS	120 (+1m/-1m)	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
PROC. REF: AMM 05-46-00									PKG:87
Z430-002 ^S		INTERNAL GENERAL VISUAL INSPECTION OF THE NACELLE						Service	ATA:54
	MOS	120 (+1m/-1m)	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
PROC. REF: AMM 05-46-00									PKG:87
ATA 55 - STABILIZERS									
55-00-00-001 ^S		EXTERNAL GENERAL VISUAL INSPECTION OF OF STABILIZER POLYURETHANE FILMS						Service	ATA:55
	MOS		22-Jun-18					65	
	HRS	800 (+30/-30)	0					655.4	
	AFL		0					544	
PROC. REF: AMM 55-00-20									PKG:1
55-10-00		HORIZONTAL STABILIZER						Component	ATA:55
PN:500-10700-423	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:0000979164	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 55 - STABILIZERS									
55-10-00-001 ^S	EXTERNAL - DETAILED INSPECTION OF HORIZONTAL-STABILIZER SPARS								Service ATA:55
	MOS	120 (+1m/-1m)	22-Jun-18						65
	HRS		0						655.4
	AFL		0						544
				PROC. REF: NDT 55-10-00					PKG:87
55-10-00-002 ^S	SPECIAL DETAILED INSPECTION (BORESCOPE METHOD) OF HORIZONTAL-STABILIZER MAIN BOX								Service ATA:55
	MOS	60 (+1m/-1m)	10-Jul-23						4.4
	HRS		645.82						9.58
	AFL		536						8
				PROC. REF: NDT 55-10-00					PKG:84
55-10-01-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF VERTICAL-TO-HORIZONTAL STABILIZER ATTACHMENTS								Service ATA:55
	MOS	60 (+1m/-1m)	10-Jul-23						4.4
	HRS		645.82						9.58
	AFL		536						8
				PROC. REF: NDT 55-10-00					PKG:84
55-10-01-01-901	INTERNAL DETAILED INSPECTION FIN-TO-HORIZONTAL STABILIZER CONNECTIONS IN HORIZONTAL STABILIZER AND FASTENERS.								Service ATA:55
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
				PROC. REF: NDT 55-10-00					
55-10-02-01-901	INTERNAL SPECIAL DETAILED INSPECTION HORIZONTAL STABILIZER FRONT SPAR (BORESCOPIIC) FRONT SPAR AND FASTENERS.								Service ATA:55
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
				PROC. REF: NDT 55-10-00					
55-10-02-01-902	EXTERNAL - DETAILED INSPECTION HORIZONTAL STABILIZER FRONT SPAR FRONT SPAR AND FASTENERS.								Service ATA:55
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
				PROC. REF: NDT 55-10-00					
55-10-03-01-901	INTERNAL SPECIAL DETAILED INSPECTION HORIZONTAL STABILIZER REAR SPAR(BORESCOPIIC) REAR SPAR.								Service ATA:55
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
				PROC. REF: NDT 55-10-00					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 55 - STABILIZERS									
55-10-03-01-902	EXTERNAL - DETAILED INSPECTION HORIZONTAL STABILIZER REAR SPAR					REAR SPAR AND FASTENERS.			Service ATA:55
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
	PROC. REF: NDT 55-10-00								
55-10-04-01-901	INTERNAL SPECIAL DETAILED INSPECTION HORIZONTAL STABILIZER MAIN BOX UPPER SKIN					(BORESCOPIC) STRINGERS.			Service ATA:55
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
	PROC. REF: NDT 55-10-00								
55-10-04-01-902	EXTERNAL - DETAILED INSPECTION HORIZONTAL STABILIZER MAIN BOX UPPER SKIN FASTENERS.					UPPER SKIN AND			Service ATA:55
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
	PROC. REF: NDT 55-10-00								
55-10-05-01-901	EXTERNAL - DETAILED INSPECTION HORIZONTAL STABILIZER MAIN BOX LOWER SKIN - LOWER SKIN.								Service ATA:55
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
	PROC. REF: NDT 55-10-00								
55-10-05-01-902	INTERNAL DETAILED INSPECTION HORIZONTAL STABILIZER MAIN BOX LOWER SKIN HORIZONTAL STABILIZER LINK AREA AND STRINGERS, INCLUDING FASTENERS.					LOWER SKIN AT FIN TO			Service ATA:55
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
	PROC. REF: NDT 55-10-00								
55-10-06-01-901	INTERNAL SPECIAL DETAILED INSPECTION HORIZONTAL STABILIZER COMPOSITE RIBS AND FASTENERS.					(BORESCOPIC) COMPOSITE RIBS			Service ATA:55
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
	PROC. REF: NDT 55-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 55 - STABILIZERS									
55-10-07-001 ^S	SPECIAL DETAILED INSPECTION (BOREScope METHOD) ON HORIZONTAL-STABILIZER TIP RIBS								Service ATA:55
	MOS	T:120 (+1m/-1m)	22-Jun-18						65
	HRS		0						655.4
	AFL		0						544
PROC. REF: NDT 55-10-00									PKG:90
55-10-07-01-901	INTERNAL DETAILED INSPECTION HORIZONTAL STABILIZER METALLIC RIBS INCLUDING FASTENERS.						ROOT AND TIP METALLIC RIBS,	Service ATA:55	
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 55-10-00									
55-10-08-001 ^S	EXTERNAL - DETAILED INSPECTION ON HORIZONTAL STABILIZER ROOT RIBS								Service ATA:55
	MOS	T:120 (+1m/-1m)	22-Jun-18						65
	HRS		0						655.4
	AFL		0						544
PROC. REF: NDT 55-10-00									PKG:90
55-10-08-01-901	INTERNAL SPECIAL DETAILED INSPECTION HORIZONTAL STABILIZER LEADING EDGE HORIZONTAL STABILIZER LEADING EDGE SKIN AND SPAR.						(BORESCOPIC)	Service ATA:55	
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 55-10-00									
55-10-08-01-902	EXTERNAL - DETAILED INSPECTION HORIZONTAL STABILIZER LEADING EDGE EDGE SKIN AND FASTENERS.						HORIZONTAL STABILIZER LEADING	Service ATA:55	
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 55-10-00									
55-10-09-002 ^S	SPECIAL DETAILED INSPECTION (BOREScope METHOD) OF HORIZONTAL STABILIZER LEADING EDGE								Service ATA:55
	MOS	120 (+1m/-1m)	22-Jun-18						65
	HRS		0						655.4
	AFL		0						544
PROC. REF: NDT 55-10-00									PKG:87

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 55 - STABILIZERS									
55-10-09-01-901	EXTERNAL - DETAILED INSPECTION HORIZONTAL STABILIZER ELEVATOR FITTING						HINGE FITTINGS, AND FASTENERS.		Service ATA:55
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 55-10-00									
55-10-09-02-901	INTERNAL SPECIAL DETAILED INSPECTION HORIZONTAL STABILIZER ELEVATOR FITTING (EDDY CURRENT) LUGS.								Service ATA:55
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 55-10-00									
55-10-09-03-901	INTERNAL DETAILED INSPECTION HORIZONTAL STABILIZER ELEVATOR FITTING TORQUE BOX AND FASTENERS.								Service ATA:55
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 55-10-00									
55-10-10-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF HORIZONTAL-STABILIZER HINGE FITTINGS								Service ATA:55
	MOS	T:120 (+1m/-1m)	22-Jun-18						65
	HRS		0						655.4
	AFL		0						544
PROC. REF: NDT 55-10-00									PKG:90
55-10-10-01-901	INTERNAL DETAILED INSPECTION HORIZONTAL STABILIZER TRIM TAB ACTUATOR SUPPORT FITTINGS						TRIM		Service ATA:55
	TAB SUPPORTING FITTING AND FASTENERS.								
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 55-10-00									
55-10-10-02-901	EXTERNAL - DETAILED INSPECTION HORIZONTAL STABILIZER TRIM TAB ACTUATOR SUPPORT FITTINGS						TRIM		Service ATA:55
	TAB LINK SUPPORT FITTING AND FASTENERS.								
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 55-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 55 - STABILIZERS									
55-10-11-002 ^S	INTERNAL DETAILED VISUAL INSPECTION OF TRIM-TAB SUPPORT FITTINGS							Service	ATA:55
	MOS	60 (+1m/-1m)	10-Jul-23					4.4	
	HRS		645.82					9.58	
	AFL		536					8	
PROC. REF: NDT 55-10-00									PKG:84
55-20-00-001 ^S	EXTERNAL - DETAILED INSPECTION OF ELEVATOR FITTINGS AND TORQUE-TUBE ATTACHMENTS							Service	ATA:55
	MOS	60 (+1m/-1m)	10-Jul-23					4.4	
	HRS		645.82					9.58	
	AFL		536					8	
PROC. REF: NDT 55-20-00									PKG:84
55-20-01-002 ^S	SPECIAL DETAILED INSPECTION (BORESCOPE METHOD) OF ELEVATOR MAIN BOX							Service	ATA:55
	MOS	120 (+1m/-1m)	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
PROC. REF: NDT 55-20-00									PKG:87
55-20-01-01-901	INTERNAL SPECIAL DETAILED INSPECTION ELEVATOR MAIN BOX (SKIN, SPARS AND RIBS) SKIN, SPARS, RIBS AND FASTENERS.						(BORESCOPIC)	Service	ATA:55
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 55-20-00									
55-20-01-01-902	EXTERNAL - DETAILED INSPECTION ELEVATOR MAIN BOX (SKIN, SPARS AND RIBS) INCLUDING MAIN BOX, TRAILING EDGE, LEADING EDGE AND HORN.						SKIN AND FASTENERS,	Service	ATA:55
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 55-20-00									
55-20-02-01-901	INTERNAL SPECIAL DETAILED INSPECTION ELEVATOR HINGE FITTINGS				(DYE PENETRANT) ELEVATOR HINGE PINS.			Service	ATA:55
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 55-20-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 55 - STABILIZERS									
55-20-02-02-901	INTERNAL SPECIAL DETAILED INSPECTION ELEVATOR HINGE FITTINGS (EDDY CURRENT) ELEVATOR HINGE FITTINGS.							Service	ATA:55
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 55-20-00									
55-20-02-02-902	INTERNAL DETAILED INSPECTION ELEVATOR HINGE FITTINGS ELEVATOR HINGE FITTINGS.							Service	ATA:55
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 55-20-00									
55-20-03-01-901	INTERNAL SPECIAL DETAILED INSPECTION ELEVATOR TORQUE TUBE ASSY (EDDY CURRENT) ELEVATOR TORQUE TUBE FLANGE.							Service	ATA:55
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 55-20-00									
55-20-03-02-901	INTERNAL SPECIAL DETAILED INSPECTION ELEVATOR TORQUE TUBE ASSY (DYE PENETRANT) ELEVATOR TORQUE TUBE.							Service	ATA:55
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 55-20-00									
55-22-01-001	EXTERNAL GENERAL VISUAL INSPECTION OF OF ELEVATOR TAB PIANO HINGE							Service	ATA:55
	MOS/MSC	O/C	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
PROC. REF: NDT 55-22-00									
55-22-02-001 ^S	SPECIAL DETAILED INSPECTION (BORESCOPE METHOD) OF ELEVATOR TAB BOX							Service	ATA:55
	MOS	T:120 (+1m/-1m)	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
PROC. REF: NDT 55-22-00									
									PKG:90
55-30-01-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF VERTICAL STABILIZER TO AFT FUSELAGE CONNECTIONS AT VERTICAL STABILIZER							Service	ATA:55
	MOS	120 (+1m/-1m)	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
PROC. REF: NDT 55-30-00									
									PKG:87

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 55 - STABILIZERS									
55-30-01-002 ^S		SPECIAL DETAILED INSPECTION (BORESCOPE METHOD) OF FIN-TO-REAR FUSELAGE CONNECTIONS AT VERTICAL STABILIZER						Service	ATA:55
	MOS	60 (+1m/-1m)	10-Jul-23					4.4	
	HRS		645.82					9.58	
	AFL		536					8	
PROC. REF: NDT 55-30-00									PKG:84
55-30-01-01-901		INTERNAL SPECIAL DETAILED INSPECTION FIN-TO-FUSELAGE CONNECTIONS IN VERTICAL STABILIZER FITTING, PINS AND SPARS ATTACHMENTS (UPPER PART OF CONNECTIONS).					(BORESCOPIC)	Service	ATA:55
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 55-30-00									
55-30-01-01-902		INTERNAL DETAILED INSPECTION FIN-TO-FUSELAGE CONNECTIONS IN VERTICAL STABILIZER SPAR ATTACHMENTS (LOWER PART OF CONNECTIONS), NUT, SEAL AND FASTENERS.					FITTING, PINS AND	Service	ATA:55
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 55-30-00									
55-30-01-02-901		INTERNAL DETAILED INSPECTION FIN-TO-FUSELAGE CONNECTIONS IN VERTICAL STABILIZER L SHAPE, RIB AND FASTENERS.						Service	ATA:55
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 55-30-00									
55-30-02-002 ^S		SPECIAL DETAILED INSPECTION (BORESCOPE METHOD) OF FIN-TO-HORIZONTAL STABILIZER CONNECTIONS ON VERTICAL STABILIZER						Service	ATA:55
	MOS	60 (+1m/-1m)	10-Jul-23					4.4	
	HRS		645.82					9.58	
	AFL		536					8	
PROC. REF: NDT 55-30-00									PKG:84
55-30-02-01-901		INTERNAL SPECIAL DETAILED INSPECTION FIN-TO-HORIZONTAL STABILIZER CONNECTIONS ON VERTICAL STABILIZER (BORESCOPIC) DOUBLER AND TIP RIB.						Service	ATA:55
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 55-30-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 55 - STABILIZERS									
55-30-02-01-902	INTERNAL SPECIAL DETAILED INSPECTION FIN-TO-HORIZONTAL STABILIZER CONNECTIONS ON VERTICAL STABILIZER (EDDY CURRENT) DOUBLER AND TIP RIB AT FRONT AND REAR FITTING AREA.							Service	ATA:55
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 55-30-00									
55-30-02-02-901	INTERNAL DETAILED INSPECTION FIN-TO-HORIZONTAL STABILIZER CONNECTIONS ON VERTICAL STABILIZER L SHAPE AND FASTENERS.							Service	ATA:55
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 55-30-00									
55-30-02-02-902	INTERNAL SPECIAL DETAILED INSPECTION FIN-TO-HORIZONTAL STABILIZER CONNECTIONS ON VERTICAL STABILIZER (BORESCOPIC) L SHAPE AND FASTENERS.							Service	ATA:55
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 55-30-00									
55-30-02-03-901	INTERNAL DETAILED INSPECTION FIN-TO-HORIZONTAL STABILIZER CONNECTIONS ON VERTICAL STABILIZER FITTINGS AND FASTENERS.							Service	ATA:55
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 55-30-00									
55-30-02-04-901	INTERNAL DETAILED INSPECTION FIN-TO-HORIZONTAL STABILIZER CONNECTIONS ON VERTICAL STABILIZER COMPOSITE PLATES AND FASTENERS.							Service	ATA:55
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 55-30-00									
55-30-03-001 ^S	SPECIAL DETAILED INSPECTION (BORESCOPE METHOD) OF VERTICAL STABILIZER MAIN BOX							Service	ATA:55
	MOS	120 (+1m/-1m)	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
PROC. REF: NDT 55-30-00									
									PKG:87

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 55 - STABILIZERS									
55-30-03-01-901	EXTERNAL - DETAILED INSPECTION VERTICAL STABILIZER MAIN BOX (SKIN AND SPARS) SKIN AND SPAR.								Service ATA:55
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 55-30-00									
55-30-03-01-902	INTERNAL SPECIAL DETAILED INSPECTION VERTICAL STABILIZER MAIN BOX (SKIN AND SPARS) (BORESCOPIC) SPAR.								Service ATA:55
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 55-30-00									
55-30-05-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF VERTICAL STABILIZER-TO-RUDDER FITTING								Service ATA:55
	MOS	60 (+1m/-1m)	10-Jul-23					4.4	
	HRS		645.82					9.58	
	AFL		536					8	
PROC. REF: NDT 55-30-00									PKG:84
55-30-05-01-901	EXTERNAL - DETAILED INSPECTION RUDDER HINGE FITTINGS HINGE FITTING 1 AND FASTENERS.								Service ATA:55
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 55-30-00									
55-30-05-02-901	INTERNAL SPECIAL DETAILED INSPECTION RUDDER HINGE FITTINGS (EDDY CURRENT) HINGE FITTING 2 FLANGES.								Service ATA:55
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 55-30-00									
55-30-05-03-901	INTERNAL SPECIAL DETAILED INSPECTION RUDDER HINGE FITTINGS (EDDY CURRENT) RUDDER LUG HINGE FITTINGS 1 AND 2.								Service ATA:55
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 55-30-00									
55-30-06-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF RUDDER TAB ACTUATOR FITTING AND SUPPORT FITTINGS								Service ATA:55
	MOS	T:120 (+1m/-1m)	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
PROC. REF: NDT 55-30-00									PKG:90

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 55 - STABILIZERS									
55-30-06-01-901	EXTERNAL - DETAILED INSPECTION VERTICAL STABILIZER TAB ACTUATOR AND SUPPORT FITTINGS FITTINGS, LUGS AND FASTENERS.							Service	ATA:55
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 55-30-00									
55-33-00	VERTICAL STABILIZER							Component	ATA:55
PN:500-10100-433	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:0000985032	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
55-40-01-001	EXTERNAL GENERAL VISUAL INSPECTION OF OF RUDDER ASSEMBLY							Service	ATA:55
	MOS/MSC	O/C	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
PROC. REF: NDT 55-40-00									
55-40-01-002 ^S	SPECIAL DETAILED INSPECTION (BORESCOPE METHOD) OF RUDDER ASSEMBLY							Service	ATA:55
	MOS	120 (+1m/-1m)	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
PROC. REF: NDT 55-40-00									
PKG:87									
55-40-01-01-901	INTERNAL SPECIAL DETAILED INSPECTION RUDDER MAIN BOX (BORESCOPIK) SKIN, SPARS, RIBS AND FASTENERS.							Service	ATA:55
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 55-40-00									
55-40-01-01-902	EXTERNAL - DETAILED INSPECTION RUDDER MAIN BOX MAIN BOX, TRAILING EDGE AND LEADING EDGE SKINS, INCLUDING FASTENERS.							Service	ATA:55
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 55-40-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 55 - STABILIZERS									
55-40-02-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF RUDDER HINGE FITTINGS								Service ATA:55
	MOS	120 (+1m/-1m)	22-Jun-18						65
	HRS		0						655.4
	AFL		0						544
PROC. REF: NDT 55-40-00									PKG:87
55-40-02-01-901	INTERNAL SPECIAL DETAILED INSPECTION RUDDER HINGE FITTINGS				(DYE PENETRANT) RUDDER HINGE FITTINGS PINS.			Service ATA:55	
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 55-40-00									
55-40-02-02-901	INTERNAL SPECIAL DETAILED INSPECTION RUDDER HINGE FITTINGS				(EDDY CURRENT) RUDDER HINGE FITTINGS.			Service ATA:55	
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 55-40-00									
55-40-02-02-902	INTERNAL DETAILED INSPECTION RUDDER HINGE FITTINGS				RUDDER HINGE FITTINGS.			Service ATA:55	
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 55-40-00									
55-40-03-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF RUDDER TORQUE-TUBE ASSEMBLY								Service ATA:55
	MOS	120 (+1m/-1m)	22-Jun-18						65
	HRS		0						655.4
	AFL		0						544
PROC. REF: NDT 55-40-00									PKG:87
55-40-03-01-901	INTERNAL SPECIAL DETAILED INSPECTION RUDDER TORQUE TUBE ASSEMBLY				(EDDY CURRENT) RUDDER TORQUE			Service ATA:55	
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 55-40-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 55 - STABILIZERS									
55-40-03-02-901	INTERNAL SPECIAL DETAILED INSPECTION RUDDER TORQUE TUBE ASSEMBLY (DYE PENETRANT) RUDDER TORQUE							Service	ATA:55
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 55-40-00									
55-41-00	RUDDER ASSEMBLY							Component	ATA:55
PN:500-10401-419	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:0000979528	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
55-42-01-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF RUDDER TAB PIANO HINGE							Service	ATA:55
	MOS	T:120 (+1m/-1m)	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
PROC. REF: NDT 55-42-00									PKG:90
ANAC 2009-09-01	REPLACEMENT OF THE NUTS OF THE RIGHT AND LEFT ELEVATORS MASS BALANCE FASTENERS							AD	ATA:55
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
ANAC 2014-07-03-E	EMERGENCY AD - INSPECT AND REPLACE THE DISCREPANT BARREL NUTS IN THE HORIZONTAL STABILIZER-TO-VERTICAL STABILIZER ATTACHMENT JOINT							AD	ATA:55
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
Category: EMERGENCY									
ASB 500-55-A004 REV 02	STABILIZERS - INSPECTION AND REPLACEMENT OF THE BARREL SELF-LOCKING NUT, ALERT SERVICE BULLETIN							Bulletin	ATA:55
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
FAA 2014-15-51	STABILIZERS - INSPECT/REPLACE ALL OF THE BARREL SELF-LOCKING NUTS AT THE HORIZONTAL STABILIZER TO VERTICAL STABILIZER JOINT							AD	ATA:55
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 55 - STABILIZERS									
SB 500-55-0001		STABILIZERS - REPLACEMENT OF THE NUTS OF THE ELEVATOR MASS BALANCEFASTENERS, SERVICE BULLETIN						Bulletin	ATA:55
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-55-0002		STABILIZERS - ELIMINATION OF INTERFERENCE BETWEEN THE BOLTS THAT ATTACH VERTICAL STABILIZER AND AFT FUSELAGE, SERVICE BULLETIN						Bulletin	ATA:55
	MOS/MSC	-						65	
	HRS								
	AFL		EFF					544	
SB 500-55-0005		STABILIZERS - ELIMINATION OF INTERFERENCE BETWEEN THE BOLTS THAT ATTACH HORIZONTAL STABILIZER AND VERTICAL STABILIZER, WITH THEIR RECESS HOLES, SERVICE BULLETIN						Bulletin	ATA:55
	MOS/MSC	-						65	
	HRS								
	AFL		EFF					544	
Z330-001 ^S		EXTERNAL GENERAL VISUAL INSPECTION OF OF THE VERTICAL STABILIZER						Service	ATA:55
	MOS	60 (+1m/-1m)	10-Jul-23					4.4	
	HRS		645.82					9.58	
	AFL		536					8	
PROC. REF: AMM 05-44-00									PKG:84
Z330-002 ^S		INTERNAL GENERAL VISUAL INSPECTION OF THE VERTICAL STABILIZER						Service	ATA:55
	MOS	120 (+1m/-1m)	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
PROC. REF: AMM 05-44-00									PKG:87
Z340-001 ^S		EXTERNAL GENERAL VISUAL INSPECTION OF OF THE HORIZONTAL STABILIZER						Service	ATA:55
	MOS	60 (+1m/-1m)	10-Jul-23					4.4	
	HRS		645.82					9.58	
	AFL		536					8	
PROC. REF: AMM 05-44-00									PKG:84
Z340-002 ^S		INTERNAL GENERAL VISUAL INSPECTION OF THE HORIZONTAL STABILIZER						Service	ATA:55
	MOS	120 (+1m/-1m)	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
PROC. REF: AMM 05-44-00									PKG:87

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 56 - WINDOWS									
56-10-01-001 ^S		EXTERNAL GENERAL VISUAL INSPECTION OF COCKPIT SIDE-WINDOWS PANE (BOTH SIDES)						Service	ATA:56
	MOS	60 (+1m/-1m)	10-Jul-23					4.4	
	HRS		645.82					9.58	
	AFL		536					8	
PROC. REF: NDT 56-10-00									PKG:84
56-10-01-002		FUNCTIONAL CHECK (TORQUE) OF COPILOT SIDE WINDOW ATTACHING BOLTS						Service	ATA:56
PN:NP-195302-4	MOS		11-Aug-21					08-May-2026	27.3
SN:17284H8809	HRS	1600 (+30/-30)	534.2		2134.2	2164.2	1478.8 (+30)		121.2
	AFL		447						97
PROC. REF: AMM 56-10-00									
56-10-01-002		FUNCTIONAL CHECK (TORQUE) OF COPILOT WINDSHIELD ATTACHING BOLTS						Service	ATA:56
PN:NP-195301-6	MOS		11-Aug-21					08-May-2026	27.3
SN:17332H2698	HRS	1600 (+30/-30)	534.2		2134.2	2164.2	1478.8 (+30)		121.2
	AFL		447						97
PROC. REF: AMM 56-10-00									
56-10-01-002		FUNCTIONAL CHECK (TORQUE) OF PILOT SIDE WINDOW ATTACHING BOLTS						Service	ATA:56
PN:NP-195302-3	MOS		11-Aug-21					08-May-2026	27.3
SN:17291H9392	HRS	1600 (+30/-30)	534.2		2134.2	2164.2	1478.8 (+30)		121.2
	AFL		447						97
PROC. REF: AMM 56-10-00									
56-10-01-002		FUNCTIONAL CHECK (TORQUE) OF PILOT WINDSHIELD ATTACHING BOLTS						Service	ATA:56
PN:NP-195301-5	MOS		11-Aug-21					08-May-2026	27.3
SN:17283H8752	HRS	1600 (+30/-30)	534.2		2134.2	2164.2	1478.8 (+30)		121.2
	AFL		447						97
PROC. REF: AMM 56-10-00									
56-10-03-001 ^S		EXTERNAL DETAILED VISUAL INSPECTION OF WINDSHIELD AND COCKPIT SIDE WINDOW FRAMES AND FASTENERS						Service	ATA:56
	MOS	24 (+1m/-1m)	06-Jul-22						16.5
	HRS		600.55						54.85
	AFL		494						50
PROC. REF: NDT 56-10-00									PKG:81

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 56 - WINDOWS									
56-10-03-01-901	EXTERNAL SPECIAL DETAILED INSPECTION WINDSHIELD FRAME AND FASTENERS (EDDY CURRENT) FRAMES AND FASTENERS.							Service	ATA:56
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 56-10-00									
56-11-00	COPILOT HEATED GLASS WINDSHIELD ASSY							Component	ATA:56
PN:NP-195301-6	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:17332H2698	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 56-11-00, AMM 56-11-00									
56-11-00	PILOT HEATED GLASS WINDSHIELD ASSY							Component	ATA:56
PN:NP-195301-5	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:17283H8752	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 56-11-00, AMM 56-11-00									
56-12-00	COPILOT ACRYLIC SIDE WINDOW							Component	ATA:56
PN:NP-195302-4	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:17284H8809	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 56-12-00, AMM 56-12-00									
56-12-00	PILOT ACRYLIC SIDE WINDOW							Component	ATA:56
PN:NP-195302-3	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:17291H9392	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 56-12-00, AMM 56-12-00									
56-20-00	LEFT NO.1 WINDOW TRANSPARENCY							Component	ATA:56
PN:14024	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:197873	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 56-20-00, AMM 56-20-00									
56-20-00	LEFT NO.2 WINDOW TRANSPARENCY							Component	ATA:56
PN:14024	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:206248	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 56-20-00, AMM 56-20-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 56 - WINDOWS									
56-20-00	LEFT NO.3 WINDOW TRANSPARENCY							Component	ATA:56
PN:14024	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:206249	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 56-20-00, AMM 56-20-00									
56-20-00	LEFT NO.4 WINDOW TRANSPARENCY							Component	ATA:56
PN:14024	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:206526	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 56-20-00, AMM 56-20-00									
56-20-00	RIGHT NO. 1 WINDOW TRANSPARENCY							Component	ATA:56
PN:14024	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:206532	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 56-20-00, AMM 56-20-00									
56-20-00	RIGHT NO. 2 WINDOW TRANSPARENCY							Component	ATA:56
PN:14024	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:206533	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 56-20-00, AMM 56-20-00									
56-20-00	RIGHT NO. 3 WINDOW TRANSPARENCY							Component	ATA:56
PN:14024	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:219543	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 56-20-00, AMM 56-20-00									
56-20-00	RIGHT NO. 4 WINDOW TRANSPARENCY							Component	ATA:56
PN:14024	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:260513	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 56-20-00, AMM 56-20-00									
56-20-01-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF PASSENGER CABIN WINDOWS							Service	ATA:56
	MOS	60 (+1m/-1m)	10-Jul-23					4.4	
	HRS		645.82					9.58	
	AFL		536					8	
PROC. REF: NDT 56-20-00									
PKG:84									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 57 - WINGS									
57-00-00-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF WING POLYURETHANE FILMS								Service ATA:57
	MOS		22-Jun-18						65
	HRS	800 (+30/-30)	0						655.4
	AFL		0						544
PROC. REF: AMM 57-30-20									PKG:1
57-10-00-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF WING-TO-FUSELAGE LINKS								Service ATA:57
	MOS	T:120 (+1m/-1m)	22-Jun-18						65
	HRS		0						655.4
	AFL		0						544
PROC. REF: NDT 57-10-00									PKG:90
57-10-00-002 ^S	INTERNAL DETAILED VISUAL INSPECTION OF WING MAIN BOX								Service ATA:57
	MOS	T:120 (+1m/-1m)	22-Jun-18						65
	HRS		0						655.4
	AFL		0						544
PROC. REF: NDT 57-10-00									PKG:90
57-10-00-003 ^S	INTERNAL DETAILED VISUAL INSPECTION OF WING MIDDLE AND REAR SPARS								Service ATA:57
	MOS	60 (+1m/-1m)	10-Jul-23						4.4
	HRS		645.82						9.58
	AFL		536						8
PROC. REF: NDT 57-10-00									PKG:84
57-10-01-01-901	INTERNAL DETAILED INSPECTION WING LATERAL LINKS TO CENTER FUSELAGE SEAL.					FRONT FITTING, BOLT, NUT AND		Service ATA:57	
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 57-10-00									
57-10-01-02-901	INTERNAL DETAILED INSPECTION WING LATERAL LINKS TO CENTER FUSELAGE SEAL.					REAR FITTING, BOLT, NUT AND		Service ATA:57	
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 57-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 57 - WINGS									
57-10-02-01-901	INTERNAL SPECIAL DETAILED INSPECTION WING CENTER LINKS-TO-CENTER FUSELAGE CENTER FITTING AND LUG.						(EDDY CURRENT) WING	Service	ATA:57
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
					PROC. REF: NDT 57-10-00				
57-10-02-01-902	INTERNAL DETAILED INSPECTION WING CENTER LINKS-TO-CENTER FUSELAGE						WING CENTER FITTING.	Service	ATA:57
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
					PROC. REF: NDT 57-10-00				
57-10-02-02-901	INTERNAL SPECIAL DETAILED INSPECTION WING CENTER LINKS-TO-CENTER FUSELAGE CENTER LINK LUGS.						(EDDY CURRENT)	Service	ATA:57
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
					PROC. REF: NDT 57-10-00				
57-10-02-02-902	INTERNAL DETAILED INSPECTION WING CENTER LINKS-TO-CENTER FUSELAGE NUT AND SEAL.						CENTER LINK FITTING, BOLT,	Service	ATA:57
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
					PROC. REF: NDT 57-10-00				
57-10-02-03-901	INTERNAL SPECIAL DETAILED INSPECTION WING CENTER LINKS-TO-CENTER FUSELAGE HORIZONTAL LINK BOLTS.						(MAGNETIC PARTICLE)	Service	ATA:57
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
					PROC. REF: NDT 57-10-00				
57-10-03-01-901	INTERNAL DETAILED INSPECTION WING FRONT SPAR ACCESS FRAMES, INCLUDING FASTENERS.						FRONT SPAR LOWER CAP BETWEEN RIB 1 AND 3 AND WINDOW	Service	ATA:57
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
					PROC. REF: NDT 57-10-00				

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 57 - WINGS									
57-10-03-02-901	INTERNAL DETAILED INSPECTION WING FRONT SPAR ACCESS FRAMES, INCLUDING FASTENERS.			FRONT SPAR LOWER CAP BETWEEN RIB 3 AND 6 AND WINDOW				Service	ATA:57
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 57-10-00									
57-10-03-03-901	EXTERNAL - DETAILED INSPECTION WING FRONT SPAR			LOWER SKIN BETWEEN RIB 6 AND 7, INCLUDING FASTENER.				Service	ATA:57
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 57-10-00									
57-10-03-04-901	INTERNAL DETAILED INSPECTION WING FRONT SPAR ACCESS FRAMES, INCLUDING FASTENERS.			FRONT SPAR LOWER CAP BETWEEN RIB 7 AND 10 AND WINDOW				Service	ATA:57
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 57-10-00									
57-10-03-05-901	EXTERNAL - DETAILED INSPECTION WING FRONT SPAR			LOWER SKIN BETWEEN RIB 10 AND 16, INCLUDING FASTENERS.				Service	ATA:57
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 57-10-00									
57-10-04-01-901	INTERNAL DETAILED INSPECTION WING MIDDLE SPAR FASTENERS.			MIDDLE SPAR LOWER CAP BETWEEN RIB 1 AND 3, INCLUDING				Service	ATA:57
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 57-10-00									
57-10-04-02-901	INTERNAL DETAILED INSPECTION WING MIDDLE SPAR FASTENERS .			MIDDLE SPAR LOWER CAP BETWEEN RIB 3 AND 7, INCLUDING				Service	ATA:57
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 57-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 57 - WINGS									
57-10-04-03-901	INTERNAL DETAILED INSPECTION WING MIDDLE SPAR SPAR-STRINGER-SPLICE AND FASTENERS.				MIDDLE SPAR LOWER CAP BETWEEN RIB 7 AND 9, INCLUDING			Service	ATA:57
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
				PROC. REF: NDT 57-10-00					
57-10-04-04-901	INTERNAL SPECIAL DETAILED INSPECTION WING MIDDLE SPAR AND RADIUS).				(EDDY CURRENT) MLG FRONT TRUNNION (LUG, SURFACE			Service	ATA:57
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
				PROC. REF: NDT 57-10-00					
57-10-04-04-902	INTERNAL DETAILED INSPECTION WING MIDDLE SPAR				MLG FRONT TRUNNION AND FASTENERS.			Service	ATA:57
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
				PROC. REF: NDT 57-10-00					
57-10-04-05-901	INTERNAL SPECIAL DETAILED INSPECTION WING MIDDLE SPAR RADIUS).				(EDDY CURRENT) MLG ACTUATOR FITTING (SURFACE AND			Service	ATA:57
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
				PROC. REF: NDT 57-10-00					
57-10-04-05-902	INTERNAL DETAILED INSPECTION WING MIDDLE SPAR				MLG ACTUATOR FITTING AND FASTENERS.			Service	ATA:57
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
				PROC. REF: NDT 57-10-00					
57-10-05-01-901	INTERNAL DETAILED INSPECTION WING REAR SPAR FRAME.				REAR SPAR LOWER CAP BETWEEN RIB 1 AND 3 AND WINDOW ACCESS			Service	ATA:57
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
				PROC. REF: NDT 57-10-00					

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 57 - WINGS									
57-10-05-02-901	EXTERNAL - DETAILED INSPECTION WING REAR SPAR FASTENERS.				REAR SPAR LOWER CAP BETWEEN RIB 3 AND 7, INCLUDING			Service	ATA:57
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 57-10-00									
57-10-05-03-901	INTERNAL DETAILED INSPECTION WING REAR SPAR FASTENERS.				REAR SPAR LOWER CAP BETWEEN RIB 7 AND 10, INCLUDING			Service	ATA:57
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 57-10-00									
57-10-05-04-901	EXTERNAL - DETAILED INSPECTION WING REAR SPAR				LOWER SKIN BETWEEN RIB 10 AND 16, INCLUDING FASTENERS.			Service	ATA:57
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 57-10-00									
57-10-05-05-901	EXTERNAL SPECIAL DETAILED INSPECTION WING REAR SPAR AND MACHINED RADIUS).				(EDDY CURRENT) MLG REAR TRUNNION (LUG, SURFACE			Service	ATA:57
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 57-10-00									
57-10-05-05-902	EXTERNAL - DETAILED INSPECTION WING REAR SPAR				MLG REAR TRUNNION AND FASTENERS.			Service	ATA:57
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 57-10-00									
57-10-06-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF WING UPPER PANEL							Service	ATA:57
	MOS	120 (+1m/-1m)	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
PROC. REF: NDT 57-10-00									PKG:87

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 57 - WINGS									
57-10-07-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF WING LOWER PANEL								Service ATA:57
	MOS	60 (+1m/-1m)	10-Jul-23						4.4
	HRS		645.82						9.58
	AFL		536						8
	PROC. REF: NDT 57-10-00								PKG:84
57-10-07-002 ^S	INTERNAL DETAILED VISUAL INSPECTION OF WING LOWER PANEL								Service ATA:57
	MOS	T:120 (+1m/-1m)	22-Jun-18						65
	HRS		0						655.4
	AFL		0						544
	PROC. REF: NDT 57-10-00								PKG:90
57-10-07-01-901	INTERNAL DETAILED INSPECTION WING LOWER PANEL STRINGER 2 AND 3 BETWEEN RIB 1 AND 3 AND SHEAR CLIPS OF STRINGER 5 AND SHEAR CLIPS FASTENERS.								Service ATA:57
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
	PROC. REF: NDT 57-10-00								
57-10-07-02-901	INTERNAL DETAILED INSPECTION WING LOWER PANEL STRINGER 2 RUN-OUT, STRINGER SHEAR CLIPS AT RIB 8 AND WINDOW ACCESS PANEL 9 FRAMES.								Service ATA:57
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
	PROC. REF: NDT 57-10-00								
57-10-07-03-901	EXTERNAL - DETAILED INSPECTION WING LOWER PANEL LOWER PANEL AND FASTENERS BETWEEN RIB 2 AND RIB 10, INCLUDING DOU-BLER AND ITS FASTENERS.								Service ATA:57
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
	PROC. REF: NDT 57-10-00								
57-10-08-01-901	INTERNAL DETAILED INSPECTION WING LOWER PANEL MACHINED RIBS (RIB 1, RIB 3, RIB 3A, RIB 5R, RIB 6R, RIB 7R, RIB 8R).								Service ATA:57
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
	PROC. REF: NDT 57-10-00								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 57 - WINGS									
57-10-08-02-901	INTERNAL DETAILED INSPECTION WING LOWER PANEL 8F, RIB 9, RIB 10, RIB11, RIB 12, RIB 13, RIB 14, RIB 15 AND RIB 16).				WING FORMED RIBS (RIB 2, RIB 4F, RIB 5F, RIB 6F, RIB 7F, RIB			Service	ATA:57
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 57-10-00									
57-10-08-03-901	INTERNAL DETAILED INSPECTION WING LOWER PANEL				DRY BAY WALLS AND FASTENERS.			Service	ATA:57
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 57-10-00									
57-10-10-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF WING CENTER SPLICE							Service	ATA:57
	MOS	T:120 (+1m/-1m)	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
PROC. REF: NDT 57-10-00									PKG:90
57-10-10-002 ^S	INTERNAL GENERAL VISUAL INSPECTION OF WING CENTER SPLICE							Service	ATA:57
	MOS	T:120 (+1m/-1m)	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
PROC. REF: NDT 57-10-00									PKG:90
57-10-10-003 ^S	SPECIAL DETAILED INSPECTION (BOREScope METHOD) OF WING CENTRAL SPLICE							Service	ATA:57
	MOS	T:120 (+1m/-1m)	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
PROC. REF: NDT 57-10-00									PKG:90
57-10-10-01-901	EXTERNAL - DETAILED INSPECTION WING CENTRAL SPLICES INCLUDING FASTENERS.				FRONT SPAR SPLICE, LOWER SKIN SPLICES, REAR SPAR SPLICES,			Service	ATA:57
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 57-10-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 57 - WINGS									
57-10-10-01-902	INTERNAL DETAILED INSPECTION WING CENTRAL SPLICES WING LOWER SKIN ON SPLICE AREA, BETWEEN RIB1 AND RIB 2, FRONT , REAR AND MIDDLE SPAR ON SPLICE AREA AND MIDDLE SPAR SPLICE, INCLUDING FASTENERS.							Service	ATA:57
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 57-10-00									
57-10-11-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF AILERON TAB ACTUATOR SUPPORT FITTINGS AND TAB HINGE FITTINGS							Service	ATA:57
	MOS	120 (+1m/-1m)	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
PROC. REF: NDT 57-10-00									PKG:87
57-50-00-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF WING TRAILING-EDGE INBOARD AND OUTBOARD TORQUE BOXES							Service	ATA:57
	MOS	60 (+1m/-1m)	10-Jul-23					4.4	
	HRS		645.82					9.58	
	AFL		536					8	
PROC. REF: NDT 57-50-00									PKG:84
57-50-01-01-901	INTERNAL SPECIAL DETAILED INSPECTION WING TRAILING EDGE INBOARD TORQUEBOX AND FLAP TRACK # 1 SUPPORTS (EDDY CURRENT) WING ROOT TRACK.							Service	ATA:57
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 57-50-00									
57-50-01-01-902	INTERNAL DETAILED INSPECTION WING TRAILING EDGE INBOARD TORQUEBOX AND FLAP TRACK # 1 SUPPORTS WING ROOT TRACK.							Service	ATA:57
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 57-50-00									
57-50-01-02-901	INTERNAL SPECIAL DETAILED INSPECTION WING TRAILING EDGE INBOARD TORQUEBOX AND FLAP TRACK # 1 SUPPORTS (DYE PENETRANT) WING ROOT ROLLER.							Service	ATA:57
	MOS							17-Sep-2043	
	HRS								
	AFL	T:8875			8875		8331		
PROC. REF: NDT 57-50-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 57 - WINGS									
57-50-01-03-901	INTERNAL SPECIAL DETAILED INSPECTION WING TRAILING EDGE INBOARD TORQUEBOX AND FLAP TRACK # 1 SUPPORTS (EDDY CURRENT) RIB 1.							Service	ATA:57
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 57-50-00									
57-50-01-03-902	INTERNAL DETAILED INSPECTION WING TRAILING EDGE INBOARD TORQUEBOX AND FLAP TRACK # 1 SUPPORTS RIB 1 AND FASTENERS.							Service	ATA:57
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 57-50-00									
57-50-02-01-901	INTERNAL SPECIAL DETAILED INSPECTION WING TRAILING EDGE FLAP TRACK # 2SUPPORTS (EDDY CURRENT)						Service	ATA:57	
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 57-50-00									
57-50-02-01-902	INTERNAL DETAILED INSPECTION WING TRAILING EDGE FLAP TRACK # 2SUPPORTS WING CENTER TRACK.						Service	ATA:57	
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 57-50-00									
57-50-02-02-901	INTERNAL SPECIAL DETAILED INSPECTION WING TRAILING EDGE FLAP TRACK # 2SUPPORTS (EDDY CURRENT) WING CENTER TRACK SUPPORT.						Service	ATA:57	
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 57-50-00									
57-50-02-02-902	INTERNAL DETAILED INSPECTION WING TRAILING EDGE FLAP TRACK # 2SUPPORTS WING CENTER TRACK SUPPORT.						Service	ATA:57	
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 57-50-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 57 - WINGS									
57-50-02-03-901	INTERNAL DETAILED INSPECTION WING TRAILING EDGE FLAP TRACK # 2SUPPORTS ATTACHMENTS, PIN AND FASTENERS).							FITTINGS (LUG,	Service ATA:57
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 57-50-00									
57-50-03-01-901	INTERNAL SPECIAL DETAILED INSPECTION WING TRAILING EDGE OUTBOARD TORQUEBOX AND FLAP TRACK # 3 SUPPORTS (EDDY CURRENT) WING TIP TRACK.							Service ATA:57	
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 57-50-00									
57-50-03-01-902	INTERNAL DETAILED INSPECTION WING TRAILING EDGE OUTBOARD TORQUEBOX AND FLAP TRACK # 3 SUPPORTS WING TIP TRACK.							Service ATA:57	
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 57-50-00									
57-50-03-02-901	INTERNAL SPECIAL DETAILED INSPECTION WING TRAILING EDGE OUTBOARD TORQUEBOX AND FLAP TRACK # 3 SUPPORTS (DYE PENETRANT) WING TIP ROLLER.							Service ATA:57	
	MOS							17-Sep-2043	
	HRS								
	AFL	T:8875			8875		8331		
PROC. REF: NDT 57-50-00									
57-50-03-03-901	INTERNAL SPECIAL DETAILED INSPECTION WING TRAILING EDGE OUTBOARD TORQUEBOX AND FLAP TRACK # 3 SUPPORTS (EDDY CURRENT) RIBS 13 AND 13A WEB AND FLANGE.							Service ATA:57	
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 57-50-00									
57-50-03-03-902	INTERNAL DETAILED INSPECTION WING TRAILING EDGE OUTBOARD TORQUEBOX AND FLAP TRACK # 3 SUPPORTS RIBS 13 AND 13A.							Service ATA:57	
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 57-50-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 57 - WINGS									
57-50-03-04-901	EXTERNAL - DETAILED INSPECTION WING TRAILING EDGE OUTBOARD TORQUEBOX AND FLAP TRACK # 3 SUPPORTS TORQUE BOX SKIN AND FASTENERS.							Service	ATA:57
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 57-50-00									
57-50-04-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF WING TRAILING EDGE AILERON HINGE FITTING							Service	ATA:57
	MOS	60 (+1m/-1m)	10-Jul-23					4.4	
	HRS		645.82					9.58	
	AFL		536					8	
PROC. REF: NDT 57-50-00									PKG:84
57-50-04-01-901	INTERNAL SPECIAL DETAILED INSPECTION WING TRAILING EDGE AILERON SUPPORTFITTINGS (EDDY CURRENT) AILERON HINGE FITTING 01.							Service	ATA:57
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 57-50-00									
57-50-04-02-901	INTERNAL SPECIAL DETAILED INSPECTION WING TRAILING EDGE AILERON SUPPORTFITTINGS (EDDY CURRENT) AILERON HINGE FITTING 02 .							Service	ATA:57
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 57-50-00									
57-50-04-02-902	INTERNAL DETAILED INSPECTION WING TRAILING EDGE AILERON SUPPORTFITTINGS FITTING 02.						AILERON HINGE	Service	ATA:57
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 57-50-00									
57-50-04-03-901	INTERNAL SPECIAL DETAILED INSPECTION WING TRAILING EDGE AILERON SUPPORTFITTINGS (EDDY CURRENT) AILERON HINGE FITTING 03.							Service	ATA:57
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 57-50-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 57 - WINGS									
57-50-04-03-902	INTERNAL DETAILED INSPECTION WING TRAILING EDGE AILERON SUPPORTFITTINGS						AILERON HINGE	Service	ATA:57
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 57-50-00									
57-51-00-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF FLAP ASSEMBLY							Service	ATA:57
	MOS	T:120 (+1m/-1m)	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
PROC. REF: NDT 57-51-00									
PKG:90									
57-51-01-01-901	EXTERNAL - DETAILED INSPECTION FLAP UPPER SKIN PANELS				FLAP UPPER SKIN FROM RIB 7 TO RIB 9.			Service	ATA:57
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 57-51-00									
57-51-02-002 ^S	SPECIAL DETAILED INSPECTION (BORESCOPE METHOD) OF THE FLAP MAIN BOX							Service	ATA:57
	MOS	T:120 (+1m/-1m)	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
PROC. REF: NDT 57-51-00									
PKG:90									
57-51-02-01-901	INTERNAL SPECIAL DETAILED INSPECTION FLAP UPPER SKIN PANELS				(BORESCOPIC) FLAP FRONT SPAR BETWEEN RIB 5A AND RIB			Service	ATA:57
		5B.							
	MOS							14-May-2039	
	HRS								
	AFL	T:7049			7049		6505		
PROC. REF: NDT 57-51-00									
57-51-02-03-901	EXTERNAL - DETAILED INSPECTION FLAP UPPER SKIN PANELS				FLAP LOWER SKIN FROM RIB 1 TO RIB 5A AND FROM RIB 5B TO			Service	ATA:57
		RIB 10.							
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 57-51-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 57 - WINGS									
57-51-02-04-901	EXTERNAL SPECIAL DETAILED INSPECTION FLAP UPPER SKIN PANELS AND FROM RIB 5B TO RIB 6 AT FRONT SPAR AREA.				(EDDY CURRENT) FLAP LOWER SKIN FROM RIB 4 TO RIB 5A			Service	ATA:57
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 57-51-00									
57-51-02-05-901	INTERNAL SPECIAL DETAILED INSPECTION FLAP UPPER SKIN PANELS ROLLERS FITTING TO RIB 5A AND RIB 5B				(BORESCOPIC) AROUND FASTENERS THAT CONNECT CENTER			Service	ATA:57
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 57-51-00									
57-51-02-06-901	INTERNAL SPECIAL DETAILED INSPECTION FLAP UPPER SKIN PANELS				(EDDY CURRENT) FRONT SPAR FROM RIB 5A TO RIB 5B.			Service	ATA:57
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 57-51-00									
57-51-02-07-901	INTERNAL SPECIAL DETAILED INSPECTION FLAP UPPER SKIN PANELS				(EDDY CURRENT) RIB 1 AND RIB 10.			Service	ATA:57
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 57-51-00									
57-51-03-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF FLAP TRACK FITTINGS AND ACTUATOR FITTING							Service	ATA:57
	MOS	60 (+1m/-1m)	10-Jul-23					4.4	
	HRS		645.82					9.58	
	AFL		536					8	
PROC. REF: NDT 57-51-00									PKG:84
57-51-03-01-901	INTERNAL SPECIAL DETAILED INSPECTION FLAP TRACKS SUPPORT FITTINGS (EDDY CURRENT) FLAP ROOT TRACK.							Service	ATA:57
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 57-51-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 57 - WINGS									
57-51-03-01-902	INTERNAL DETAILED INSPECTION FLAP TRACKS SUPPORT FITTINGS FLAP ROOT TRACK.								Service ATA:57
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 57-51-00									
57-51-03-02-901	INTERNAL SPECIAL DETAILED INSPECTION FLAP TRACKS SUPPORT FITTINGS (EDDY CURRENT) FLAP TIP TRACK.								Service ATA:57
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 57-51-00									
57-51-03-02-902	INTERNAL DETAILED INSPECTION FLAP TRACKS SUPPORT FITTINGS FLAP TIP TRACK.								Service ATA:57
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 57-51-00									
57-51-03-03-901	INTERNAL SPECIAL DETAILED INSPECTION FLAP TRACKS SUPPORT FITTINGS (DYE PENETRANT) FLAP ROOT AND TIP ROLLERS.								Service ATA:57
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 57-51-00									
57-51-03-04-901	INTERNAL SPECIAL DETAILED INSPECTION FLAP TRACKS SUPPORT FITTINGS (DYE PENETRANT) CENTER ROLLERS EXTERNAL PINS.								Service ATA:57
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 57-51-00									
57-51-03-05-901	INTERNAL SPECIAL DETAILED INSPECTION FLAP TRACKS SUPPORT FITTINGS (EDDY CURRENT) CENTER ROLLERS FITTING AROUND FASTENERS.								Service ATA:57
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 57-51-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 57 - WINGS									
57-51-04-01-901	INTERNAL DETAILED INSPECTION FLAP ACTUATOR SUPPORT FITTING					FLAP ACTUATOR SUPPORT PIN.		Service	ATA:57
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 57-51-00									
57-51-04-02-901	INTERNAL DETAILED INSPECTION FLAP ACTUATOR SUPPORT FITTING AND FASTENERS.					FLAP ACTUATOR SUPPORT FITTING		Service	ATA:57
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 57-51-00									
57-60-00	LH AILERON ASSEMBLY							Component	ATA:57
PN:500-14610-433	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:0000979530	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
57-60-00	RH AILERON ASSEMBLY							Component	ATA:57
PN:500-14635-421	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:0000986349	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
57-60-00-001 ^S	EXTERNAL DETAILED VISUAL INSPECTION OF AILERON ASSEMBLY AND AILERON TAB BOX							Service	ATA:57
	MOS	120 (+1m/-1m)	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
PROC. REF: NDT 57-60-00									PKG:87
57-60-01-002 ^S	SPECIAL DETAILED INSPECTION (BORESCOPE METHOD) OF AILERON MAIN BOX							Service	ATA:57
	MOS	120 (+1m/-1m)	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
PROC. REF: NDT 57-60-00									PKG:87

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 57 - WINGS									
57-60-01-01-901	INTERNAL SPECIAL DETAILED INSPECTION AILERON MAIN BOX				(BORESCOPIC) SKIN, SPARS, RIBS AND FASTENERS.			Service	ATA:57
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 57-60-00									
57-60-01-01-902	EXTERNAL - DETAILED INSPECTION AILERON MAIN BOX				SKIN, SPARS, RIBS AND FASTENERS.			Service	ATA:57
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 57-60-00									
57-60-02-01-901	INTERNAL SPECIAL DETAILED INSPECTION AILERON HINGE FITTINGS				(DYE PENETRANT) AILERON HINGE FITTINGS PINS.			Service	ATA:57
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 57-60-00									
57-60-02-02-901	INTERNAL SPECIAL DETAILED INSPECTION AILERON HINGE FITTINGS				(EDDY CURRENT) AILERON HINGE FITTINGS (LUGS, STIFFENERS RADIUS).			Service	ATA:57
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 57-60-00									
57-60-02-02-902	INTERNAL DETAILED INSPECTION AILERON HINGE FITTINGS				AILERON HINGE FITTINGS.			Service	ATA:57
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 57-60-00									
57-60-03-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF AILERON ACTUATOR FITTING, HINGE FITTINGS AND PINS							Service	ATA:57
	MOS	60 (+1m/-1m)	10-Jul-23					4.4	
	HRS		645.82					9.58	
	AFL		536					8	
PROC. REF: NDT 57-60-00									
									PKG:84

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 57 - WINGS									
57-60-03-01-901	INTERNAL SPECIAL DETAILED INSPECTION AILERON CONTROL HINGE AND PIN AILERON ACTUATOR HINGE FITTINGS PINS.						(DYE PENETRANT)	Service	ATA:57
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 57-60-00									
57-60-03-02-901	INTERNAL SPECIAL DETAILED INSPECTION AILERON CONTROL HINGE AND PIN ACTUATOR HINGE FITTINGS (LUGS, STIFFEN-ERS RADIUS).						(EDDY CURRENT) AILERON	Service	ATA:57
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 57-60-00									
57-60-03-02-902	INTERNAL DETAILED INSPECTION AILERON CONTROL HINGE AND PIN AILERON ACTUATOR HINGE FITTINGS.							Service	ATA:57
	MOS							25-Mar-2064	
	HRS								
	AFL	T:17500			17500		16956		
PROC. REF: NDT 57-60-00									
57-63-00-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF AILERON TAB ASSEMBLY							Service	ATA:57
	MOS	T:120 (+1m/-1m)	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
PROC. REF: NDT 57-63-00									PKG:90
ANAC 2010-07-01	REWORK THE ELEVATORS, ELEVATORS TRIM TABS AND AILERONS SURFACES BY DRILLING ADDITIONAL DRAIN HOLES IN THEM							AD	ATA:57
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
FAA 2010-21-15	REWORK OF THE ELEVATORS, ELEVATORS TRIM TABS, AND AILERONS SURFACES BY DRILLING ADDITIONAL DRAIN HOLES IN THEM							AD	ATA:57
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-57-0001 REV 01	WINGS - DRAIN HOLES IN CONTROL SURFACES, SERVICE BULLETIN							Bulletin	ATA:57
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 57 - WINGS									
SB 500-57-0002	WINGS - REPLACEMENT OF THE FUEL PIPE SUPPORT, SERVICE BULLETIN							Bulletin	ATA:57
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-57-0003 REV 01	WINGS - ELIMINATION OF INTERFERENCE IN THE AILERON TAB FITTING BOLT, SERVICE BULLETIN							Bulletin	ATA:57
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-57-0003 REV 01 PART I	INSPECTION WINGS - ELIMINATION OF INTERFERENCE IN THE AILERON TAB FITTING BOLT, SERVICE BULLETIN OF AILERON TRIM-TAB FITTING ATTACHMENT BOLTS							Bulletin	ATA:57
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-57-0003 REV 01 PART II	REWORK WINGS - ELIMINATION OF INTERFERENCE IN THE AILERON TAB FITTING BOLT, SERVICE BULLETIN OF THE AILERON TRIM- TAB SURFACE							Bulletin	ATA:57
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-57-0003 REV 02	WINGS - ELIMINATION OF INTERFERENCE IN THE AILERON TAB FITTING BOLT, SERVICE BULLETIN							Bulletin	ATA:57
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-57-0003 REV 02 PART I	ACCOMPLISH WINGS - ELIMINATION OF INTERFERENCE IN THE AILERON TAB FITTING BOLT, SERVICE BULLETIN INSPECTION OF AILERON TRIM-TAB FITTING ATTACHMENT BOLTS							Bulletin	ATA:57
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-57-0003 REV 02 PART II	ACCOMPLISH WINGS - ELIMINATION OF INTERFERENCE IN THE AILERON TAB FITTING BOLT, SERVICE BULLETIN REWORK OF AILERON TRIM-TAB SURFACE							Bulletin	ATA:57
	MOS/MSC	-							
	HRS								
	AFL								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 57 - WINGS									
SB 500-57-0004	WINGS - MISSING BLUE VARNISH IN FUEL COMPONENTS INSTALLATION, SERVICE BULLETIN							Bulletin	ATA:57
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-57-0004 PART I	VISUAL INSPECTION WINGS - MISSING BLUE VARNISH IN FUEL COMPONENTS INSTALLATION, SERVICE BULLETIN FOR CORROSION ON THE STRUCTURE WHERE THE FUELCOMPONENTS ARE INSTALLED.							Bulletin	ATA:57
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-57-0004 PART II	REWORK WINGS - MISSING BLUE VARNISH IN FUEL COMPONENTS INSTALLATION, SERVICE BULLETIN THE STRUCTURE WHERE THE FUEL COMPONENTS WERE INSTALLED, IF NECESSARY.							Bulletin	ATA:57
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-57-0005 REV 02	WINGS - REINFORCEMENT OF LOWER SKIN IN MLG BAY, SERVICE BULLETIN							Bulletin	ATA:57
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-57-0006	WINGS - LH WING AILERON MECHANISM ATTACHMENT - CHECK FOR PROPER INSTALLATION OF SHIM AND BOLTS, SERVICE BULLETIN							Bulletin	ATA:57
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
Z500-001 ^S	EXTERNAL GENERAL VISUAL INSPECTION OF OF THE WINGS							Service	ATA:57
	MOS	60 (+1m/-1m)	10-Jul-23					4.4	
	HRS		645.82					9.58	
	AFL		536					8	
PROC. REF: AMM 05-45-00									PKG:84
Z500-002 ^S	INTERNAL GENERAL VISUAL INSPECTION OF THE WINGS							Service	ATA:57
	MOS	60 (+1m/-1m)	10-Jul-23					4.4	
	HRS		645.82					9.58	
	AFL		536					8	
PROC. REF: AMM 05-45-00									PKG:84
ATA 71 - POWER PLANT									
71-00-00-760-812	NO. 1 ENGINE - PERFORM PW617F-E ENGINE CALIBRATION (FIVE POINT CALIBRATION)							Service	ATA:71
	MOS/MSC	A/R	22-Jun-18					65	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 71 - POWER PLANT									
	HRS		0						655.4
	ENC		0						544
PROC. REF: MM 71-00-00									
71-00-00-760-812	NO. 2 ENGINE - PERFORM PW617F-E ENGINE CALIBRATION (FIVE POINT CALIBRATION)								Service ATA:71
	MOS/MSC	A/R	22-Jun-18						65
	HRS		0						655.4
	ENC		0						544
PROC. REF: MM 71-00-00									
71-00-00-760-812-A	NO. 1 ENGINE - PERFORM PW617F1-E ENGINE CALIBRATION (FIVE POINT CALIBRATION)								Service ATA:71
	MOS/MSC	A/R	22-Jun-18						65
	HRS		0						655.4
	ENC		0						544
PROC. REF: MM 71-00-00									
71-00-00-760-812-A	NO. 2 ENGINE - PERFORM PW617F1-E ENGINE CALIBRATION (FIVE POINT CALIBRATION)								Service ATA:71
	MOS/MSC	A/R	22-Jun-18						65
	HRS		0						655.4
	ENC		0						544
PROC. REF: MM 71-00-00									
71-00-00-760-813	NO. 1 ENGINE - PERFORM PW617F-E POWER ASSURANCE TEST								Service ATA:71
	MOS/MSC	A/R	22-Jun-18						65
	HRS		0						655.4
	ENC		0						544
PROC. REF: MM 71-00-00									
71-00-00-760-813	NO. 2 ENGINE - PERFORM PW617F-E POWER ASSURANCE TEST								Service ATA:71
	MOS/MSC	A/R	22-Jun-18						65
	HRS		0						655.4
	ENC		0						544
PROC. REF: MM 71-00-00									
71-00-00-760-813-A	NO. 1 ENGINE - PERFORM PW617F1-E POWER ASSURANCE TEST								Service ATA:71
	MOS/MSC	A/R	22-Jun-18						65
	HRS		0						655.4
	ENC		0						544
PROC. REF: MM 71-00-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 71 - POWER PLANT									
71-00-00-760-813-A		NO. 2 ENGINE - PERFORM PW617F1-E POWER ASSURANCE TEST							Service ATA:71
	MOS/MSC	A/R	22-Jun-18						65
	HRS		0						655.4
	ENC		0						544
PROC. REF: MM 71-00-00									
71-11-00-001 ^S		GENERAL VISUAL INSPECTION OF UPPER MID COWL							Service ATA:71
	MOS		22-Jun-18						65
	HRS	5600 (+30/-30)	0						655.4
	AFL		0						544
PROC. REF: AMM 71-11-00									
									PKG:50
71-20-00-001		DISCARD LEFT ENGINE AFT MOUNT ISOLATOR							Service ATA:71
PN:LM-474-SA2	MOS	240 (+1m/-1m)	22-Jun-18		22-Jun-38	22-Jul-38	5327 d (+30)	16-Oct-2030	65
SN:LK0973	HRS	4800 (+30/-30)	0		4800	4830	4144.6 (+30)		655.4
	AFL		0						544
PROC. REF: AMM 71-20-00									
71-20-00-001		DISCARD LEFT ENGINE LOWER FORWARD MOUNT ISOLATOR							Service ATA:71
PN:LM-474-SA28	MOS	240 (+1m/-1m)	22-Jun-18		22-Jun-38	22-Jul-38	5327 d (+30)	16-Oct-2030	65
SN:LK0639	HRS	4800 (+30/-30)	0		4800	4830	4144.6 (+30)		655.4
	AFL		0						544
PROC. REF: AMM 71-20-00									
71-20-00-001		DISCARD LEFT ENGINE UPPER FORWARD MOUNT ISOLATOR							Service ATA:71
PN:LM-474-SA28	MOS	240 (+1m/-1m)	22-Jun-18		22-Jun-38	22-Jul-38	5327 d (+30)	16-Oct-2030	65
SN:LK0641	HRS	4800 (+30/-30)	0		4800	4830	4144.6 (+30)		655.4
	AFL		0						544
PROC. REF: AMM 71-20-00									
71-20-00-001		DISCARD RIGHT ENGINE AFT MOUNT ISOLATOR							Service ATA:71
PN:LM-474-SA2	MOS	240 (+1m/-1m)	22-Jun-18		22-Jun-38	22-Jul-38	5327 d (+30)	16-Oct-2030	65
SN:LK0982	HRS	4800 (+30/-30)	0		4800	4830	4144.6 (+30)		655.4
	AFL		0						544
PROC. REF: AMM 71-20-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 71 - POWER PLANT									
71-20-00-001	DISCARD RIGHT ENGINE LOWER FORWARD MOUNT ISOLATOR								Service ATA:71
PN:LM-474-SA28	MOS	240 (+1m/-1m)	22-Jun-18		22-Jun-38	22-Jul-38	5327 d (+30)	16-Oct-2030	65
SN:LK0638	HRS	4800 (+30/-30)	0		4800	4830	4144.6 (+30)		655.4
	AFL		0						544
PROC. REF: AMM 71-20-00									
71-20-00-001	DISCARD RIGHT ENGINE UPPER FORWARD MOUNT ISOLATOR								Service ATA:71
PN:LM-474-SA28	MOS	240 (+1m/-1m)	22-Jun-18		22-Jun-38	22-Jul-38	5327 d (+30)	16-Oct-2030	65
SN:LK0640	HRS	4800 (+30/-30)	0		4800	4830	4144.6 (+30)		655.4
	AFL		0						544
PROC. REF: AMM 71-20-00									
71-21-01	LEFT ENGINE LOWER FORWARD MOUNT ISOLATOR								Component ATA:71
PN:LM-474-SA28	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:LK0639	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: AMM 71-21-00, AMM 71-21-00									
71-21-01	LEFT ENGINE UPPER FORWARD MOUNT ISOLATOR								Component ATA:71
PN:LM-474-SA28	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:LK0641	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: AMM 71-21-00, AMM 71-21-00									
71-21-01	RIGHT ENGINE LOWER FORWARD MOUNT ISOLATOR								Component ATA:71
PN:LM-474-SA28	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:LK0638	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: AMM 71-21-00, AMM 71-21-00									
71-21-01	RIGHT ENGINE UPPER FORWARD MOUNT ISOLATOR								Component ATA:71
PN:LM-474-SA28	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:LK0640	HRS		0	TSN 0					655.4
	AFL		0	TSN 0					544
PROC. REF: AMM 71-21-00, AMM 71-21-00									
71-21-01-01-901	INTERNAL SPECIAL DETAILED INSPECTION ENGINE FORWARD MOUNTING ASSEMBLY (DYE PENETRANT) HOUSING.								Service ATA:71
	MOS							28-Jun-2034	
	HRS								
	AFL	T:5000			5000		4456		
PROC. REF: NDT 71-21-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 71 - POWER PLANT									
71-21-01-01-902	INTERNAL DETAILED INSPECTION ENGINE FORWARD MOUNTING ASSEMBLY ENGINE BOLT AND SLEEVE BOLT.							Service	ATA:71
	MOS							28-Jun-2034	
	HRS								
	AFL	T:5000			5000		4456		
PROC. REF: NDT 71-21-00									
71-22-01	LEFT ENGINE AFT MOUNT ISOLATOR							Component	ATA:71
PN:LM-474-SA2	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:LK0973	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 71-22-00, AMM 71-22-00									
71-22-01	RIGHT ENGINE AFT MOUNT ISOLATOR							Component	ATA:71
PN:LM-474-SA2	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:LK0982	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 71-22-00, AMM 71-22-00									
71-22-01-01-901	INTERNAL SPECIAL DETAILED INSPECTION ENGINE AFT MOUNTING ASSEMBLY (DYE PENETRANT) HOUSING.							Service	ATA:71
	MOS							28-Jun-2034	
	HRS								
	AFL	T:5000			5000		4456		
PROC. REF: NDT 71-22-00									
71-22-01-01-902	INTERNAL DETAILED INSPECTION ENGINE AFT MOUNTING ASSEMBLYPYLON BOLTS, ENGINE BOLTS AND SLEEVE BOLTS.							Service	ATA:71
	MOS							28-Feb-2026	
	HRS								
	AFL	T:1500			1500		956		
PROC. REF: NDT 71-22-00									
71-31-00-001 ^S	DETAILED VISUAL INSPECTION OF PYLON FIREWALL SEAL							Service	ATA:71
	MOS		22-Jun-18					65	
	HRS	2400 (+30/-30)	0					655.4	
	AFL		0					544	
PROC. REF: AMM 71-31-00									PKG:20
71-60-01	LH ENG NACELLE AIR INLET ASSEMBLY							Component	ATA:71
PN:500-36000-409	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:00150	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 71-60-01, AMM 71-60-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 71 - POWER PLANT									
71-60-01	RH ENG NACELLE AIR INLET ASSEMBLY							Component	ATA:71
PN:500-36000-409	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:00071	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 71-60-01, AMM 71-60-01									
710010	NO. 1 ENGINE - COMPRESSOR WASH							Service	ATA:71
	MOS/MSC	A/R	26-Jun-20					40.8	
	HRS		436.8					218.6	
	ENC		368					176	
PROC. REF: LMM 71-00-00, LMM 71-00-00									
710010	NO. 2 ENGINE - COMPRESSOR WASH							Service	ATA:71
	MOS/MSC	A/R	26-Jun-20					40.8	
	HRS		436.8					218.6	
	ENC		368					176	
PROC. REF: LMM 71-00-00, LMM 71-00-00									
710011	NO. 1 ENGINE - PERFORMANCE RECOVERY WASH							Service	ATA:71
	MOS/MSC	A/R	22-Jun-18					65	
	HRS		0					655.4	
	ENC		0					544	
PROC. REF: LMM 71-00-00									
710011	NO. 2 ENGINE - PERFORMANCE RECOVERY WASH							Service	ATA:71
	MOS/MSC	A/R	22-Jun-18					65	
	HRS		0					655.4	
	ENC		0					544	
PROC. REF: LMM 71-00-00									
71EN1	NO. 1 ENGINE							Component	ATA:71
PN:35C6500-01	MOS/MSC	E/C							
SN:PCE-LD0041	HRS								
WC#: 71.EN1	AFL								
PROC. REF: AMM 71-00-00, AMM 71-00-00									
71EN2	NO. 2 ENGINE							Component	ATA:71
PN:35C6500-01	MOS/MSC	E/C							
SN:PCE-LD0042	HRS								
WC#: 71.EN2	AFL								
PROC. REF: AMM 71-00-00, AMM 71-00-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 71 - POWER PLANT									
SB 500-71-0001 REV 02	POWERPLANT - REPLACEMENT OF FUEL-FILTER IMPENDING BYPASS SWITCH (SUPERSEDED BY 500-71-0001 REV 02), SERVICE BULLETIN							Bulletin	ATA:71
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-71-0001 REV 02 PART I	ACCOMPLISH POWERPLANT - REPLACEMENT OF FUEL-FILTER IMPENDING BYPASS SWITCH (SUPERSEDED BY 500-71-0001 REV 02), SERVICE BULLETIN REPLACEMENT OF FUEL-FILTER IMPENDING BYPASS SWITCH AND REWORK OF BRACKETS							Bulletin	ATA:71
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-71-0001 REV 02 PART II	ACCOMPLISH POWERPLANT - REPLACEMENT OF FUEL-FILTER IMPENDING BYPASS SWITCH (SUPERSEDED BY 500-71-0001 REV 02), SERVICE BULLETIN REPLACEMENT OF FUEL-FILTER IMPENDING BYPASS SWITCH							Bulletin	ATA:71
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-71-0001 REV 02 PART III	ACCOMPLISH POWERPLANT - REPLACEMENT OF FUEL-FILTER IMPENDING BYPASS SWITCH (SUPERSEDED BY 500-71-0001 REV 02), SERVICE BULLETIN ADDITIONAL ACTION - CORRECTION OF THE WEIGHT AND BALANCE VALUES							Bulletin	ATA:71
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-71-0001 REV 03	POWERPLANT - REPLACEMENT OF FUEL-FILTER IMPENDING BYPASS SWITCH, SERVICE BULLETIN							Bulletin	ATA:71
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-71-0001 REV 03 PART I	ACCOMPLISH POWERPLANT - REPLACEMENT OF FUEL-FILTER IMPENDING BYPASS SWITCH, SERVICE BULLETIN REPLACEMENT OF FUEL-FILTER IMPENDING BYPASS SWITCH AND REWORK OF BRACKETS							Bulletin	ATA:71
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-71-0001 REV 03 PART II	ACCOMPLISH POWERPLANT - REPLACEMENT OF FUEL-FILTER IMPENDING BYPASS SWITCH, SERVICE BULLETIN REPLACEMENT OF FUEL-FILTER IMPENDING BYPASS SWITCH							Bulletin	ATA:71
	MOS/MSC	-							
	HRS								
	AFL								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 71 - POWER PLANT									
SB 500-71-0001 REV 03 PART III	ACCOMPLISH POWERPLANT - REPLACEMENT OF FUEL-FILTER IMPENDING BYPASS SWITCH, SERVICE BULLETIN ADDITIONAL ACTION - CORRECTION OF THE WEIGHT AND BALANCE VALUES							Bulletin	ATA:71
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-71-0002 REV 02	POWERPLANT - AIR BAFFLE INSTALLATION, SERVICE BULLETIN							Bulletin	ATA:71
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-71-0003	POWERPLANT - VISUAL INSPECTION ON THE RIVETED JUNCTION LINE OF THE INLET INNER BARREL AND LIP SKIN, SERVICE BULLETIN							Bulletin	ATA:71
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
ATA 72 - ENGINE									
72-00-00-001 ^S	VISUAL CHECK OF ENGINE MAINTENANCE PAGE FOR ENGINE DISPATCH AND EXCEEDANCE INFORMATION							Service	ATA:72
	MOS	12 (+1m/-1m)	10-Jul-23					4.4	
	HRS		645.82					9.58	
	AFL		536					8	
PROC. REF: AMM 72-00-00								PKG:80	
72-00-00-212-801 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE LP COMPRESSOR INLET AREA							Service	ATA:72
	MOS	12 (+30d)	10-Jul-23					4.4	
	HRS	800 (+10%)	645.82					9.58	
	ENC		536					8	
PROC. REF: LMM 72-00-00								PKG:1	
72-00-00-212-801 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE LP COMPRESSOR INLET AREA							Service	ATA:72
	MOS	12 (+30d)	10-Jul-23					4.4	
	HRS	800 (+10%)	645.82					9.58	
	ENC		536					8	
PROC. REF: LMM 72-00-00								PKG:1	
72-00-00-212-802 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE AGB							Service	ATA:72
	MOS	12 (+30d)	10-Jul-23					4.4	
	HRS	800 (+10%)	645.82					9.58	
	ENC		536					8	
PROC. REF: LMM 72-00-00								PKG:1	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 72 - ENGINE									
72-00-00-212-802 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE AGB							Service	ATA:72
	MOS	12 (+30d)	10-Jul-23					4.4	
	HRS	800 (+10%)	645.82					9.58	
	ENC		536					8	
PROC. REF: LMM 72-00-00									PKG:1
72-00-00-212-803 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE BYPASS DUCT							Service	ATA:72
	MOS	12 (+30d)	10-Jul-23					4.4	
	HRS	800 (+10%)	645.82					9.58	
	ENC		536					8	
PROC. REF: LMM 72-00-00									PKG:1
72-00-00-212-803 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE BYPASS DUCT							Service	ATA:72
	MOS	12 (+30d)	10-Jul-23					4.4	
	HRS	800 (+10%)	645.82					9.58	
	ENC		536					8	
PROC. REF: LMM 72-00-00									PKG:1
72-00-00-212-804 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE TURBINE EXHAUST CASE							Service	ATA:72
	MOS	12 (+30d)	10-Jul-23					4.4	
	HRS	800 (+10%)	645.82					9.58	
	ENC		536					8	
PROC. REF: LMM 72-00-00									PKG:1
72-00-00-212-804 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE TURBINE EXHAUST CASE							Service	ATA:72
	MOS	12 (+30d)	10-Jul-23					4.4	
	HRS	800 (+10%)	645.82					9.58	
	ENC		536					8	
PROC. REF: LMM 72-00-00									PKG:1
72-00-00-212-805 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE FUEL DISTRIBUTION SYSTEM							Service	ATA:72
	MOS	12 (+30d)	10-Jul-23					4.4	
	HRS	800 (+10%)	645.82					9.58	
	ENC		536					8	
PROC. REF: LMM 72-00-00									PKG:1
72-00-00-212-805 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE FUEL DISTRIBUTION SYSTEM							Service	ATA:72
	MOS	12 (+30d)	10-Jul-23					4.4	
	HRS	800 (+10%)	645.82					9.58	
	ENC		536					8	
PROC. REF: LMM 72-00-00									PKG:1

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 72 - ENGINE									
72-00-00-212-806 ^S		NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE OIL DISTRIBUTION SYSTEM						Service	ATA:72
	MOS	12 (+30d)	10-Jul-23					4.4	
	HRS	800 (+10%)	645.82					9.58	
	ENC		536					8	
PROC. REF: LMM 72-00-00									PKG:1
72-00-00-212-806 ^S		NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE OIL DISTRIBUTION SYSTEM						Service	ATA:72
	MOS	12 (+30d)	10-Jul-23					4.4	
	HRS	800 (+10%)	645.82					9.58	
	ENC		536					8	
PROC. REF: LMM 72-00-00									PKG:1
72-00-00-215-801 ^S		NO. 1 ENGINE - DETAILED INSPECTION OF THE LP COMPRESSOR INLET AREA						Service	ATA:72
	MOS	12 (+30d)	10-Jul-23					4.4	
	HRS	800 (+10%)	645.82					9.58	
	ENC		536					8	
PROC. REF: LMM 72-00-00									PKG:1
72-00-00-215-801 ^S		NO. 2 ENGINE - DETAILED INSPECTION OF THE LP COMPRESSOR INLET AREA						Service	ATA:72
	MOS	12 (+30d)	10-Jul-23					4.4	
	HRS	800 (+10%)	645.82					9.58	
	ENC		536					8	
PROC. REF: LMM 72-00-00									PKG:1
72-00-00-215-802 ^S		NO. 1 ENGINE - DETAILED INSPECTION OF THE COMPRESSOR CASE ASSEMBLY						Service	ATA:72
	MOS		22-Jun-18					65	
	HRS	800 (+10%)	0					655.4	
	ENC		0					544	
PROC. REF: LMM 72-00-00									PKG:2
72-00-00-215-802 ^S		NO. 2 ENGINE - DETAILED INSPECTION OF THE COMPRESSOR CASE ASSEMBLY						Service	ATA:72
	MOS		22-Jun-18					65	
	HRS	800 (+10%)	0					655.4	
	ENC		0					544	
PROC. REF: LMM 72-00-00									PKG:2
72-00-00-215-803 ^S		NO. 1 ENGINE - DETAILED INSPECTION OF THE FAN CASE EXTERNAL AREA						Service	ATA:72
	MOS		22-Jun-18					65	
	HRS	800 (+10%)	0					655.4	
	ENC		0					544	
PROC. REF: LMM 72-00-00									PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 72 - ENGINE									
72-00-00-215-803 ^S	NO. 2 ENGINE - DETAILED INSPECTION OF THE FAN CASE EXTERNAL AREA								Service ATA:72
	MOS		22-Jun-18						65
	HRS	800 (+10%)	0						655.4
	ENC		0						544
PROC. REF: LMM 72-00-00									PKG:2
72-00-00-280-802	NO. 1 ENGINE - PERFORM ENGINE OIL SAMPLING AND ANALYSIS								Service ATA:72
	MOS/MSC	A/R	22-Jun-18						65
	HRS		0						655.4
	ENC		0						544
PROC. REF: LMM 72-00-00									
72-00-00-280-802	NO. 2 ENGINE - PERFORM ENGINE OIL SAMPLING AND ANALYSIS								Service ATA:72
	MOS/MSC	A/R	22-Jun-18						65
	HRS		0						655.4
	ENC		0						544
PROC. REF: LMM 72-00-00									
72-00-00-290-804	NO. 1 ENGINE - PERFORM BORESCOPE INSPECTION								Service ATA:72
	MOS/MSC	A/R	22-Jun-18						65
	HRS		0						655.4
	ENC		0						544
PROC. REF: MM 72-00-00									
72-00-00-290-804	NO. 2 ENGINE - PERFORM BORESCOPE INSPECTION								Service ATA:72
	MOS/MSC	A/R	22-Jun-18						65
	HRS		0						655.4
	ENC		0						544
PROC. REF: MM 72-00-00									
72-00-00-290-815	NO. 1 ENGINE - SPECIFIC DETAILED INSPECTION OF THE EMERGENCY FUEL SHUTOFF VALVE LEVER ASSEMBLY								Service ATA:72
	MOS		22-Jun-18					16-Sep-2025	65
	HRS	1750 (+50)	0		(1750) 1750	1800	1094.6 (+50)		655.4
	ENC		0						544
PROC. REF: LMM 72-00-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 72 - ENGINE									
72-00-00-290-815	NO. 2 ENGINE - SPECIFIC DETAILED INSPECTION OF THE EMERGENCY FUEL SHUTOFF VALVE LEVER ASSEMBLY								Service ATA:72
	MOS		22-Jun-18					16-Sep-2025	65
	HRS	1750 (+50)	0		(1750) 1750	1800	1094.6 (+50)		655.4
	ENC		0						544
PROC. REF: LMM 72-00-00									
72-00-00-640-803 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE ENGINE OIL LEVEL								Service ATA:72
	MOS	12 (+30d)	10-Jul-23						4.4
	HRS	800 (+10%)	645.82						9.58
	ENC		536						8
PROC. REF: LMM 72-00-00									
									PKG:1
72-00-00-640-803 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE ENGINE OIL LEVEL								Service ATA:72
	MOS	12 (+30d)	10-Jul-23						4.4
	HRS	800 (+10%)	645.82						9.58
	ENC		536						8
PROC. REF: LMM 72-00-00									
									PKG:1
72-00-01-810-822	NO. 1 ENGINE - TROUBLESHOOT ENGINE PERFORMANCE DETERIORATION								Service ATA:72
	MOS/MSC	A/R	22-Jun-18						65
	HRS		0						655.4
	ENC		0						544
PROC. REF: MM 72-00-01									
72-00-01-810-822	NO. 2 ENGINE - TROUBLESHOOT ENGINE PERFORMANCE DETERIORATION								Service ATA:72
	MOS/MSC	A/R	22-Jun-18						65
	HRS		0						655.4
	ENC		0						544
PROC. REF: MM 72-00-01									
72-00-02-810-801	NO. 1 ENGINE - PERFORM EEC FAULT INTERROGATION(TLD/LTD) ENGINE CONTROL SYSTEM								Service ATA:72
	MOS/MSC	O/C	22-Jun-18						65
	HRS		0						655.4
	ENC		0						544
PROC. REF: LMM 72-00-02									
72-00-02-810-801	NO. 2 ENGINE - PERFORM EEC FAULT INTERROGATION(TLD/LTD) ENGINE CONTROL SYSTEM								Service ATA:72
	MOS/MSC	O/C	22-Jun-18						65
	HRS		0						655.4
	ENC		0						544
PROC. REF: LMM 72-00-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 72 - ENGINE									
72-30-04-000-803	NO. 1 ENGINE - REPLACE FRONT NO. 4 BEARING CARBON SEAL								Component ATA:72
PN:35C6410-01	MOS		22-Jun-18	TSN 0				16-Sep-2025	65
SN:RXA023F6	HRS	1750 (+50)	0	TSN 0	(1750) 1750	1800	1094.6 (+50)		655.4
	ENC		0	TSN 0					544
PROC. REF: LMM 72-30-04, LMM 72-30-04, MM 72-30-04, MM 72-30-04									
72-30-04-000-803	NO. 2 ENGINE - REPLACE FRONT NO. 4 BEARING CARBON SEAL								Component ATA:72
PN:35C6410-01	MOS		22-Jun-18	TSN 0				16-Sep-2025	65
SN:RXA024F1	HRS	1750 (+50)	0	TSN 0	(1750) 1750	1800	1094.6 (+50)		655.4
	ENC		0	TSN 0					544
PROC. REF: LMM 72-30-04, LMM 72-30-04, MM 72-30-04, MM 72-30-04									
72-30-04-000-804	NO. 1 ENGINE - REPLACE REAR NO. 4 BEARING CARBON SEAL								Component ATA:72
PN:35C6410-01	MOS		22-Jun-18	TSN 0				16-Sep-2025	65
SN:RXA966E0	HRS	1750 (+50)	0	TSN 0	(1750) 1750	1800	1094.6 (+50)		655.4
	ENC		0	TSN 0					544
PROC. REF: LMM 72-30-04, LMM 72-30-04, MM 72-30-04, MM 72-30-04									
72-30-04-000-804	NO. 2 ENGINE - REPLACE REAR NO. 4 BEARING CARBON SEAL								Component ATA:72
PN:35C6410-01	MOS		22-Jun-18	TSN 0				16-Sep-2025	65
SN:RXA966E1	HRS	1750 (+50)	0	TSN 0	(1750) 1750	1800	1094.6 (+50)		655.4
	ENC		0	TSN 0					544
PROC. REF: LMM 72-30-04, LMM 72-30-04, MM 72-30-04, MM 72-30-04									
72-50-02-000-801	NO. 1 ENGINE - DISCARD HP TURBINE VANE RETAINING RING								Service ATA:72
	MOS							16-Sep-2025	65
	HRS	1750 (+50)	EFF		(1750) 1750 * (M)	1800	1094.6 (+50)		655.4
	ENC								544
PROC. REF: LMM 72-50-02, MM 72-50-02									
72-50-02-000-801	NO. 1 ENGINE - DISCARD HP TURBINE VANE RETAINING RING BOLTS								Service ATA:72
	MOS		22-Jun-18					16-Sep-2025	65
	HRS	1750 (+50)	0		(1750) 1750 (M)	1800	1094.6 (+50)		655.4
	ENC		0						544
PROC. REF: LMM 72-50-02, MM 72-50-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 72 - ENGINE									
72-50-02-000-801	NO. 2 ENGINE - DISCARD HP TURBINE VANE RETAINING RING								Service ATA:72
	MOS							16-Sep-2025	65
	HRS	1750 (+50)	EFF		(1750) 1750 * (M)	1800	1094.6 (+50)		655.4
	ENC								544
PROC. REF: LMM 72-50-02, MM 72-50-02									
72-50-02-000-801	NO. 2 ENGINE - DISCARD HP TURBINE VANE RETAINING RING BOLTS								Service ATA:72
	MOS		22-Jun-18					16-Sep-2025	65
	HRS	1750 (+50)	0		(1750) 1750 (M)	1800	1094.6 (+50)		655.4
	ENC		0						544
PROC. REF: LMM 72-50-02, MM 72-50-02									
720000	NO. 1 ENGINE - PERFORM ENGINE OVERHAUL								Service ATA:72
	MOS		22-Jun-18					16-Aug-2028	65
	HRS	3500 (+100)	0		(3500) 3500	3600	2844.6 (+100)		655.4
	ENC		0						544
PROC. REF: GENERIC NO REF									
720000	NO. 2 ENGINE - PERFORM ENGINE OVERHAUL								Service ATA:72
	MOS		22-Jun-18					16-Aug-2028	65
	HRS	3500 (+100)	0		(3500) 3500	3600	2844.6 (+100)		655.4
	ENC		0						544
PROC. REF: GENERIC NO REF									
720001	NO. 1 ENGINE - PERFORM ENGINE HOT SECTION INSPECTION								Service ATA:72
	MOS		22-Jun-18					16-Sep-2025	65
	HRS	1750 (+50)	0		(1750) 1750	1800	1094.6 (+50)		655.4
	ENC		0						544
PROC. REF: LMM 72-00-00, MM 72-00-00									
720001	NO. 2 ENGINE - PERFORM ENGINE HOT SECTION INSPECTION								Service ATA:72
	MOS		22-Jun-18					16-Sep-2025	65
	HRS	1750 (+50)	0		(1750) 1750	1800	1094.6 (+50)		655.4
	ENC		0						544
PROC. REF: LMM 72-00-00, MM 72-00-00									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 72 - ENGINE									
720003	NO. 1 ENGINE - INSPECT LOW UTILIZATION ENGINE (IF REQUIRED - SEE NOTES)								Service ATA:72
	MOS	T:144 (+1m)	22-Jun-18		22-Jun-30	22-Jul-30	2405 d (+30)	22-Jun-2030	65
	HRS								
	ENC								
PROC. REF: GENERIC NO REF									
720003	NO. 2 ENGINE - INSPECT LOW UTILIZATION ENGINE (IF REQUIRED - SEE NOTES)								Service ATA:72
	MOS	T:144 (+1m)	22-Jun-18		22-Jun-30	22-Jul-30	2405 d (+30)	22-Jun-2030	65
	HRS								
	ENC								
PROC. REF: GENERIC NO REF									
720010	NO. 1 ENGINE - FAN ROTOR								Component ATA:72
PN:35C3881-01	MOS		22-Jun-18	TSN 0				30-Jul-2047	65
SN:AATPWAFH034	HRS		0	TSN 0					655.4
	ENC		0	TSN 0	(10500) 10500 (M)		9956		544
	ACCCYC	10500	0	TSN 0					544
PROC. REF: GENERIC NO REF									
720010	NO. 2 ENGINE - FAN ROTOR								Component ATA:72
PN:35C3881-01	MOS		22-Jun-18	TSN 0				30-Jul-2047	65
SN:AATPWAFH020	HRS		0	TSN 0					655.4
	ENC		0	TSN 0	(10500) 10500 (M)		9956		544
	ACCCYC	10500	0	TSN 0					544
PROC. REF: GENERIC NO REF									
720030 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE EXTERIOR OF THE ENGINE FOR EVIDENCE OF OIL LEAKS								Service ATA:72
	MOS	12 (+30d)	10-Jul-23						4.4
	HRS	800 (+10%)	645.82						9.58
	ENC		536						8
PROC. REF: GENERIC NO REF									
									PKG:1
720030 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE EXTERIOR OF THE ENGINE FOR EVIDENCE OF OIL LEAKS								Service ATA:72
	MOS	12 (+30d)	10-Jul-23						4.4
	HRS	800 (+10%)	645.82						9.58
	ENC		536						8
PROC. REF: GENERIC NO REF									
									PKG:1

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 72 - ENGINE									
721010	NO. 1 ENGINE - HP TURBINE DISK								Component ATA:72
PN:35C3091-01	MOS		22-Jun-18	TSN 0				31-Jan-2035	65
SN:CRAZAEZP181	HRS		0	TSN 0					655.4
	ENC		0	TSN 0	(5250) 5250 (M)		4706		544
	ACCCYC	5250	0	TSN 0					544
PROC. REF: GENERIC NO REF									
721010	NO. 2 ENGINE - HP TURBINE DISK								Component ATA:72
PN:35C3091-01	MOS		22-Jun-18	TSN 0				31-Jan-2035	65
SN:CRAZAEY1105	HRS		0	TSN 0					655.4
	ENC		0	TSN 0	(5250) 5250 (M)		4706		544
	ACCCYC	5250	0	TSN 0					544
PROC. REF: GENERIC NO REF									
721020	NO. 1 ENGINE - LP TURBINE DISK								Component ATA:72
PN:35C5392-01	MOS		22-Jun-18	TSN 0				30-Jul-2047	65
SN:CRAZAEZL026	HRS		0	TSN 0					655.4
	ENC		0	TSN 0	(10500) 10500 (M)		9956		544
	ACCCYC	10500	0	TSN 0					544
PROC. REF: GENERIC NO REF									
721020	NO. 2 ENGINE - LP TURBINE DISK								Component ATA:72
PN:35C5392-01	MOS		22-Jun-18	TSN 0				30-Jul-2047	65
SN:CRAZAEZL036	HRS		0	TSN 0					655.4
	ENC		0	TSN 0	(10500) 10500 (M)		9956		544
	ACCCYC	10500	0	TSN 0					544
PROC. REF: GENERIC NO REF									
723002 (1)	NO. 1 ENGINE - FAN CASE								Component ATA:72
PN:35C5323-01	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:NYAD00000582	HRS		0	TSN 0					655.4
	ENC		0	TSN 0					544
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 72 - ENGINE									
723002 (1)	NO. 2 ENGINE - FAN CASE							Component	ATA:72
PN:35C5323-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:NYAD00000566	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
723002 (2)	NO. 1 ENGINE - ASSEMBLY OF FAN CASE							Component	ATA:72
PN:35C6285-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:NYAD00000582	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
723002 (2)	NO. 2 ENGINE - ASSEMBLY OF FAN CASE							Component	ATA:72
PN:35C6285-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:NYAD00000566	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
723003	NO. 1 ENGINE - FLANGED BALL BEARING							Component	ATA:72
PN:35C5753-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:FCN475565	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
723003	NO. 2 ENGINE - FLANGED BALL BEARING							Component	ATA:72
PN:35C5753-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:FCN475588	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
723010	NO. 1 ENGINE - IMPELLER AND SHAFT ASSEMBLY							Component	ATA:72
PN:35C4716-01	MOS		22-Jun-18	TSN 0				30-Jul-2047	65
SN:AAPP1FAM2044	HRS		0	TSN 0					655.4
	ENC		0	TSN 0	(10500) 10500 (M)		9956		544
	ACCCYC	10500	0	TSN 0					544
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 72 - ENGINE									
723010	NO. 2 ENGINE - IMPELLER AND SHAFT ASSEMBLY								Component ATA:72
PN:35C4716-01	MOS		22-Jun-18	TSN 0				30-Jul-2047	65
SN:AAPPIFAM2035	HRS		0	TSN 0					655.4
	ENC		0	TSN 0	(10500) 10500 (M)		9956		544
	ACCCYC	10500	0	TSN 0					544
PROC. REF: GENERIC NO REF									
723015	NO. 1 ENGINE - LP COMPRESSOR SHAFT								Component ATA:72
PN:35C4620-01	MOS		22-Jun-18	TSN 0				30-Jul-2047	65
SN:PKAAA727407	HRS		0	TSN 0					655.4
	ENC		0	TSN 0	(10500) 10500 (M)		9956		544
	ACCCYC	10500	0	TSN 0					544
PROC. REF: GENERIC NO REF									
723015	NO. 2 ENGINE - LP COMPRESSOR SHAFT								Component ATA:72
PN:35C4620-01	MOS		22-Jun-18	TSN 0				30-Jul-2047	65
SN:PKAAA727413	HRS		0	TSN 0					655.4
	ENC		0	TSN 0	(10500) 10500 (M)		9956		544
	ACCCYC	10500	0	TSN 0					544
PROC. REF: GENERIC NO REF									
723025	NO. 1 ENGINE - HIGH COMPRESSOR ROTOR BALANCING ASSEMBLY BALL ANNULAR BEARING								Component ATA:72
PN:35C4832-01	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:FCN480822	HRS		0	TSN 0					655.4
	ENC		0	TSN 0					544
PROC. REF: GENERIC NO REF									
723025	NO. 2 ENGINE - HIGH COMPRESSOR ROTOR BALANCING ASSEMBLY BALL ANNULAR BEARING								Component ATA:72
PN:35C4832-01	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:FCN480817	HRS		0	TSN 0					655.4
	ENC		0	TSN 0					544
PROC. REF: GENERIC NO REF									
723030	NO. 1 ENGINE - LP SHAFT BALL ANNULAR BEARING								Component ATA:72
PN:35C5051-01	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:FCN473984	HRS		0	TSN 0					655.4
	ENC		0	TSN 0					544
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 72 - ENGINE									
723030	NO. 2 ENGINE - LP SHAFT BALL ANNULAR BEARING							Component	ATA:72
PN:35C5051-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:FCN473983	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
723045	NO. 1 ENGINE - HIGH COMPRESSOR ROTOR ROLLER BEARING							Component	ATA:72
PN:35C4534-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:FCN473171	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
723045	NO. 2 ENGINE - HIGH COMPRESSOR ROTOR ROLLER BEARING							Component	ATA:72
PN:35C4534-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:FCN473175	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
723050	NO. 1 ENGINE - FAN CASE ASSEMBLY							Component	ATA:72
PN:35C6286-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:NYAD00000582	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: LMM 72-30-02, LMM 72-30-02									
723050	NO. 2 ENGINE - FAN CASE ASSEMBLY							Component	ATA:72
PN:35C6286-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:NYAD00000566	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: LMM 72-30-02, LMM 72-30-02									
723055	NO. 1 ENGINE - COMPRESSOR CASE ASSEMBLY							Component	ATA:72
PN:35C5672-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:RWA41F463	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
723055	NO. 2 ENGINE - COMPRESSOR CASE ASSEMBLY							Component	ATA:72
PN:35C5672-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:RWA41F887	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 72 - ENGINE									
723060	NO. 1 ENGINE - HIGH PRESSURE DIFFUSER CASE ASSEMBLY							Component	ATA:72
PN:35C6104-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:RWA35F512	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
723060	NO. 2 ENGINE - HIGH PRESSURE DIFFUSER CASE ASSEMBLY							Component	ATA:72
PN:35C6104-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:RWA35F514	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
723065	NO. 1 ENGINE - LOWER SPIRAL BEVEL GEARBOX DRIVE GEAR SHAFT							Component	ATA:72
PN:35C5334-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:PKAAA750532	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
723065	NO. 2 ENGINE - LOWER SPIRAL BEVEL GEARBOX DRIVE GEAR SHAFT							Component	ATA:72
PN:35C5334-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:PKAAA750534	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
723070	NO. 1 ENGINE - UPPER SPIRAL BEVEL GEARBOX DRIVE GEAR SHAFT							Component	ATA:72
PN:35C3627-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:PKAAA733950	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
723070	NO. 2 ENGINE - UPPER SPIRAL BEVEL GEARBOX DRIVE GEAR SHAFT							Component	ATA:72
PN:35C3627-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:PKAAA733957	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
723075	NO. 1 ENGINE - SPIRAL BEVEL GEARBOX DRIVE GEAR							Component	ATA:72
PN:35C3628-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:PKAAA752447	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 72 - ENGINE									
723075	NO. 2 ENGINE - SPIRAL BEVEL GEARBOX DRIVE GEAR							Component	ATA:72
PN:35C3628-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:PKAAA752449	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
723080	NO. 1 ENGINE - IMPELLER CENTRIFUGAL ASSEMBLY							Component	ATA:72
PN:35C4714-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:AAPPIFAM2044	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
723080	NO. 2 ENGINE - IMPELLER CENTRIFUGAL ASSEMBLY							Component	ATA:72
PN:35C4714-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:AAPPIFAM2035	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
723085	NO. 1 ENGINE - FRONT NO. 4 SEAL BEARING RUNNER							Component	ATA:72
PN:35C5326-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:MDA17000024	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
723085	NO. 2 ENGINE - FRONT NO. 4 SEAL BEARING RUNNER							Component	ATA:72
PN:35C5326-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:MDA17000036	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
723090	NO. 1 ENGINE - REAR NO. 4 SEAL BEARING RUNNER							Component	ATA:72
PN:35C4623-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:PKAAA757216	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
723090	NO. 2 ENGINE - REAR NO. 4 SEAL BEARING RUNNER							Component	ATA:72
PN:35C4623-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:PKAAA757218	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 72 - ENGINE									
723095	NO. 1 ENGINE - COMPRESSOR STATOR ASSEMBLY							Component	ATA:72
PN:35C5330-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:PKAAA760277	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
723095	NO. 2 ENGINE - COMPRESSOR STATOR ASSEMBLY							Component	ATA:72
PN:35C5330-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:PKAAA760283	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
723110	NO. 1 ENGINE - HOUSING IMPELLER ASSEMBLY							Component	ATA:72
PN:35C5211-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:RWA35F578	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
723110	NO. 2 ENGINE - HOUSING IMPELLER ASSEMBLY							Component	ATA:72
PN:35C5211-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:RWA37F538	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
724010	NO. 1 ENGINE - INNER COMBUSTOR CHAMBER LINER ASSEMBLY							Component	ATA:72
PN:35C5050-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:A004691K	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
724010	NO. 2 ENGINE - INNER COMBUSTOR CHAMBER LINER ASSEMBLY							Component	ATA:72
PN:35C5050-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:A00476B6	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
724015	NO. 1 ENGINE - OUTER COMBUSTOR CHAMBER LINER ASSEMBLY							Component	ATA:72
PN:35C5053-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:A004641L	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 72 - ENGINE									
724015	NO. 2 ENGINE - OUTER COMBUSTOR CHAMBER LINER ASSEMBLY							Component	ATA:72
PN:35C5053-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:A00478F0	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725010	NO. 1 ENGINE - HP COMPRESSOR ROTOR							Component	ATA:72
PN:35C4781-01	MOS		22-Jun-18	TSN 0				30-Jul-2047	65
SN:AATPWAGD023	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0	(10500) 10500 (M)		9956	544	
	ACCCYC	10500	0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725010	NO. 2 ENGINE - HP COMPRESSOR ROTOR							Component	ATA:72
PN:35C4781-01	MOS		22-Jun-18	TSN 0				30-Jul-2047	65
SN:AATPWAGD002	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0	(10500) 10500 (M)		9956	544	
	ACCCYC	10500	0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725015	NO. 1 ENGINE - BALL ROLLER ANNULAR BEARING							Component	ATA:72
PN:35C0590-02	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:FCN307947	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725015	NO. 2 ENGINE - BALL ROLLER ANNULAR BEARING							Component	ATA:72
PN:35C0590-02	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:FCN307877	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725020	NO. 1 ENGINE - HIGH PRESSURE TURBINE CASE ASSEMBLY							Component	ATA:72
PN:35C4726-01	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:RWA38F793	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 72 - ENGINE									
725020	NO. 2 ENGINE - HIGH PRESSURE TURBINE CASE ASSEMBLY							Component	ATA:72
PN:35C4726-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:RWA38F795	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725025	NO. 1 ENGINE - TURBINE EXHAUST CASE ASSEMBLY							Component	ATA:72
PN:35C5829-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:RWA42F960	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725025	NO. 2 ENGINE - TURBINE EXHAUST CASE ASSEMBLY							Component	ATA:72
PN:35C5829-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:RWA43F902	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725030	NO. 1 ENGINE - NO. 5 SEAL BEARING RUNNER							Component	ATA:72
PN:35C4886-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:MDA17001069	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725030	NO. 2 ENGINE - NO. 5 SEAL BEARING RUNNER							Component	ATA:72
PN:35C4886-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:MDA17001070	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725035	NO. 1 ENGINE - HIGH PRESSURE TURBINE TIE SHAFT							Component	ATA:72
PN:35C5798-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:UNAA22717	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725035	NO. 2 ENGINE - HIGH PRESSURE TURBINE TIE SHAFT							Component	ATA:72
PN:35C5798-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:UNAA22667	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 72 - ENGINE									
725040	NO. 1 ENGINE - HIGH PRESSURE TURBINE VANE-RING							Component	ATA:72
PN:35C6421CL01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:PDALNBAN01	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725040	NO. 2 ENGINE - HIGH PRESSURE TURBINE VANE-RING							Component	ATA:72
PN:35C6421CL01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:PDALNBAY01	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725045	NO. 1 ENGINE - LOW PRESSURE TURBINE VANE-RING							Component	ATA:72
PN:35C4622CL01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HLA062AB334	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725045	NO. 2 ENGINE - LOW PRESSURE TURBINE VANE-RING							Component	ATA:72
PN:35C4622CL01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HLA062AB347	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.1 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTL8759	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.10 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTP5880	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.11 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTP5891	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 72 - ENGINE									
725050	NO. 1 ENGINE - NO.12 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTP5898	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.13 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTP5903	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.14 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTP5907	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.15 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTP5912	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.16 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTP5968	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.17 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTP5971	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.18 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTP5978	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 72 - ENGINE									
725050	NO. 1 ENGINE - NO.19 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTP5981	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.2 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTL8762	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.20 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTP6027	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.21 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTP6032	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.22 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTP6048	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.23 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTP6055	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.24 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTP6068	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 72 - ENGINE									
725050	NO. 1 ENGINE - NO.25 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTP6072	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.26 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTP6084	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.27 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTP6100	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.28 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTP6319	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.29 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTP6328	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.3 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTL8777	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.30 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTP6361	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 72 - ENGINE									
725050	NO. 1 ENGINE - NO.31 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTP6387	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.32 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTP6414	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.33 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTP6423	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.34 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTP6433	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.35 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTP6436	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.36 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTP6437	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.37 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTP6445	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 72 - ENGINE									
725050	NO. 1 ENGINE - NO.38 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTP6448	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.39 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTP6462	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.4 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTL8783	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.40 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTP6467	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.41 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTP6468	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.42 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTP6469	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.43 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTP6474	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 72 - ENGINE									
725050	NO. 1 ENGINE - NO.44 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTP7011	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.45 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTP7017	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.46 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTP7035	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.47 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTP7059	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.48 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTP8499	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.49 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTP8503	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.5 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTL8798	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 72 - ENGINE									
725050	NO. 1 ENGINE - NO.50 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTP8538	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.6 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTL8800	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.7 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTP5874	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.8 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTP5878	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725050	NO. 1 ENGINE - NO.9 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTP5879	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.1 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTT2741	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.10 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTT7615	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 72 - ENGINE									
725050	NO. 2 ENGINE - NO.11 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTT7616	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.12 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTT7619	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.13 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTT8265	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.14 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTT8277	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.15 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTT8290	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.16 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTW4932	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.17 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTW4934	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 72 - ENGINE									
725050	NO. 2 ENGINE - NO.18 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTW4937	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.19 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTW4940	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.2 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTT2745	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.20 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTW4941	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.21 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTW4943	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.22 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTW4944	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.23 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTW4949	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 72 - ENGINE									
725050	NO. 2 ENGINE - NO.24 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTW4958	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.25 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTW4960	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.26 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTW4963	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.27 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTW4964	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.28 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTW4965	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.29 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTW4969	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.3 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTT2755	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 72 - ENGINE									
725050	NO. 2 ENGINE - NO.30 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTW4973	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.31 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTW4981	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.32 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTW5016	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.33 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTW5019	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.34 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTW5038	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.35 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTW5047	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.36 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTX8055	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 72 - ENGINE									
725050	NO. 2 ENGINE - NO.37 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTX8082	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.38 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTX8084	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.39 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTX8089	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.4 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTT2769	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.40 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTX8100	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.41 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTX8121	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.42 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTX8125	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 72 - ENGINE									
725050	NO. 2 ENGINE - NO.43 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTX8345	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.44 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTX8349	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.45 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTX8351	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.46 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTX8352	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.47 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTX8354	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.48 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTX8390	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.49 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTX8398	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 72 - ENGINE									
725050	NO. 2 ENGINE - NO.5 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTT2786	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.50 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTX8408	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.6 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTT7410	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.7 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTT7412	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.8 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTT7576	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
725050	NO. 2 ENGINE - NO.9 HIGH PRESSURE TURBINE BLADE							Component	ATA:72
PN:35C5521-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:HWTT7610	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
726010	NO. 1 ENGINE - FLANGED ROLLER BEARING							Component	ATA:72
PN:3107449-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:FCN202679	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 72 - ENGINE									
726010	NO. 2 ENGINE - FLANGED ROLLER BEARING							Component	ATA:72
PN:3107449-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:FCN210977	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
726015	NO. 1 ENGINE - STARTER GEARSHAFT BALL FLANGED BEARING							Component	ATA:72
PN:35C3615-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:FCN472969	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
726015	NO. 2 ENGINE - STARTER GEARSHAFT BALL FLANGED BEARING							Component	ATA:72
PN:35C3615-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:FCN473385	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
726020	NO. 1 ENGINE - ACCESSORY DRIVE GEAR SHAFT							Component	ATA:72
PN:35C5333-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:PKAAA733987	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
726020	NO. 2 ENGINE - ACCESSORY DRIVE GEAR SHAFT							Component	ATA:72
PN:35C5333-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:PKAAA733992	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
726025	NO. 1 ENGINE - ACCESSORY GEARBOX HOUSING ASSEMBLY							Component	ATA:72
PN:35C5141-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:RWA28F556	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
726025	NO. 2 ENGINE - ACCESSORY GEARBOX HOUSING ASSEMBLY							Component	ATA:72
PN:35C5141-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:RWA38F631	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 72 - ENGINE									
727010	NO. 1 ENGINE - BYPASS DUCT ASSEMBLY							Component	ATA:72
PN:35C5332-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:FDA20023682	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
727010	NO. 2 ENGINE - BYPASS DUCT ASSEMBLY							Component	ATA:72
PN:35C5332-01	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:FDA20146783	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
FAA 2010-17-01	NO. 1 ENGINE - REPLACEMENT OF THE FOHE FUEL FILTER BYPASS POPPET VALVE							AD	ATA:72
	MOS/MSC	-	14-Jun-18					65.2	
	HRS								
	ENC								
FAA 2010-17-01	NO. 2 ENGINE - REPLACEMENT OF THE FOHE FUEL FILTER BYPASS POPPET VALVE							AD	ATA:72
	MOS/MSC	-	14-Jun-18					65.2	
	HRS								
	ENC								
SB PW600-72-66006 R01	NO. 1 ENGINE - MODIFICATION/REPLACEMENT OF HIGH PRESSURE TURBINE (HPT) DISK BALANCING ASSEMBLY, SERVICE BULLETIN							Bulletin	ATA:72
	MOS/MSC	-							
	HRS								
	ENC								
SB PW600-72-66006 R01	NO. 2 ENGINE - MODIFICATION/REPLACEMENT OF HIGH PRESSURE TURBINE (HPT) DISK BALANCING ASSEMBLY, SERVICE BULLETIN							Bulletin	ATA:72
	MOS/MSC	-							
	HRS								
	ENC								
SB PW600-72-66037 R01	NO. 1 ENGINE - REPLACEMENT/MODIFICATION OF COMPRESSOR CASE ASSEMBLY, SERVICE BULLETIN							Bulletin	ATA:72
	MOS/MSC	-							
	HRS								
	ENC								
SB PW600-72-66037 R01	NO. 2 ENGINE - REPLACEMENT/MODIFICATION OF COMPRESSOR CASE ASSEMBLY, SERVICE BULLETIN							Bulletin	ATA:72
	MOS/MSC	-							
	HRS								
	ENC								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 72 - ENGINE									
SB PW600-72-66047 R03	NO. 1 ENGINE - REPLACEMENT OF HIGH PRESSURE DIFFUSER CASE ASSEMBLY, SERVICE BULLETIN							Bulletin	ATA:72
	MOS/MSC	-							
	HRS								
	ENC								
SB PW600-72-66047 R03	NO. 2 ENGINE - REPLACEMENT OF HIGH PRESSURE DIFFUSER CASE ASSEMBLY, SERVICE BULLETIN							Bulletin	ATA:72
	MOS/MSC	-							
	HRS								
	ENC								
SB PW600-72-66048 R01	NO. 1 ENGINE - REPLACEMENT OF OIL PUMP AND FILTER HOUSING, SERVICE BULLETIN							Bulletin	ATA:72
	MOS/MSC	-							
	HRS								
	ENC								
SB PW600-72-66048 R01	NO. 2 ENGINE - REPLACEMENT OF OIL PUMP AND FILTER HOUSING, SERVICE BULLETIN							Bulletin	ATA:72
	MOS/MSC	-							
	HRS								
	ENC								
SB PW600-72-66054 R01	NO. 1 ENGINE - INSPECTION OF HIGH PRESSURE DIFFUSER CASE ASSEMBLY, SERVICE BULLETIN							Bulletin	ATA:72
	MOS/MSC	-							
	HRS								
	ENC								
SB PW600-72-66054 R01	NO. 2 ENGINE - INSPECTION OF HIGH PRESSURE DIFFUSER CASE ASSEMBLY, SERVICE BULLETIN							Bulletin	ATA:72
	MOS/MSC	-							
	HRS								
	ENC								
SB PW600-72-66060	NO. 1 ENGINE - REPLACEMENT OF TURBINE EXHAUST CASE, SERVICE BULLETIN							Bulletin	ATA:72
	MOS/MSC	-	25-Mar-18					67.9	
	HRS		0					655.4	
	ENC		0					544	
SB PW600-72-66060	NO. 2 ENGINE - REPLACEMENT OF TURBINE EXHAUST CASE, SERVICE BULLETIN							Bulletin	ATA:72
	MOS/MSC	-	28-Mar-18					67.8	
	HRS		0					655.4	
	ENC		0					544	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 72 - ENGINE									
SB PW600-72-66061	R01	NO. 1 ENGINE - REPLACEMENT OF NO. 4 BEARING CARBON SEAL AND IMPELLER BAFFLE, SERVICE BULLETIN						Bulletin	ATA:72
	MOS/MSC	-							
	HRS								
	ENC								
SB PW600-72-66061	R01	NO. 2 ENGINE - REPLACEMENT OF NO. 4 BEARING CARBON SEAL AND IMPELLER BAFFLE, SERVICE BULLETIN						Bulletin	ATA:72
	MOS/MSC	-							
	HRS								
	ENC								
SB PW600-72-66062	R01	NO. 1 ENGINE - PARTS SUBSTITUTION LIST, SERVICE BULLETIN						Bulletin	ATA:72
	MOS/MSC	-							
	HRS								
	ENC								
SB PW600-72-66062	R01	NO. 2 ENGINE - PARTS SUBSTITUTION LIST, SERVICE BULLETIN						Bulletin	ATA:72
	MOS/MSC	-							
	HRS								
	ENC								
SB PW600-72-66067	R01	NO. 1 ENGINE - REPLACEMENT OF P3 AIR COOLER, SERVICE BULLETIN						Bulletin	ATA:72
	MOS/MSC	-	25-Mar-18					67.9	
	HRS		0					655.4	
	ENC		0					544	
SB PW600-72-66067	R01	NO. 2 ENGINE - REPLACEMENT OF P3 AIR COOLER, SERVICE BULLETIN						Bulletin	ATA:72
	MOS/MSC	-	28-Mar-18					67.8	
	HRS		0					655.4	
	ENC		0					544	
SB PW600-72-66068	R01	NO. 1 ENGINE - REPLACEMENT OF ENGINE SHIPPING CONTAINER, SERVICE BULLETIN						Bulletin	ATA:72
	MOS/MSC	-							
	HRS								
	ENC								
SB PW600-72-66068	R01	NO. 2 ENGINE - REPLACEMENT OF ENGINE SHIPPING CONTAINER, SERVICE BULLETIN						Bulletin	ATA:72
	MOS/MSC	-							
	HRS								
	ENC								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 72 - ENGINE									
SB PW600-72-66072	NO. 1 ENGINE - REPLACEMENT OF DATA COLLECTION UNIT (DCU), SERVICE BULLETIN							Bulletin	ATA:72
	MOS/MSC	-	25-Mar-18					67.9	
	HRS		0					655.4	
	ENC		0					544	
SB PW600-72-66072	NO. 2 ENGINE - REPLACEMENT OF DATA COLLECTION UNIT (DCU), SERVICE BULLETIN							Bulletin	ATA:72
	MOS/MSC	-	28-Mar-18					67.8	
	HRS		0					655.4	
	ENC		0					544	
SB PW600-72-66073	NO. 1 ENGINE - REPLACEMENT/MODIFICATION OF COMBUSTION CHAMBER LINER ASSEMBLY, SERVICE BULLETIN							Bulletin	ATA:72
	MOS/MSC	-	25-Mar-18					67.9	
	HRS		0					655.4	
	ENC		0					544	
SB PW600-72-66073	NO. 2 ENGINE - REPLACEMENT/MODIFICATION OF COMBUSTION CHAMBER LINER ASSEMBLY, SERVICE BULLETIN							Bulletin	ATA:72
	MOS/MSC	-	28-Mar-18					67.8	
	HRS		0					655.4	
	ENC		0					544	
SB PW600-72-66074	NO. 1 ENGINE - REPLACEMENT OF LPT VANE FIBER PACKING, SERVICE BULLETIN							Bulletin	ATA:72
	MOS/MSC	-							
	HRS								
	ENC								
SB PW600-72-66074	NO. 2 ENGINE - REPLACEMENT OF LPT VANE FIBER PACKING, SERVICE BULLETIN							Bulletin	ATA:72
	MOS/MSC	-							
	HRS								
	ENC								
SB PW600-72-66074 R01	NO. 1 ENGINE - REPLACEMENT OF LPT VANE FIBER PACKING, SERVICE BULLETIN							Bulletin	ATA:72
	MOS/MSC	-							
	HRS								
	ENC								
SB PW600-72-66074 R01	NO. 2 ENGINE - REPLACEMENT OF LPT VANE FIBER PACKING, SERVICE BULLETIN							Bulletin	ATA:72
	MOS/MSC	-							
	HRS								
	ENC								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 72 - ENGINE									
SB PW600-72-66075 R01	NO. 1 ENGINE - REPLACEMENT OF HP TURBINE VANE RING, SERVICE BULLETIN								Bulletin ATA:72
	MOS/MSC	-	25-Mar-18						67.9
	HRS		0						655.4
	ENC		0						544
SB PW600-72-66075 R01	NO. 2 ENGINE - REPLACEMENT OF HP TURBINE VANE RING, SERVICE BULLETIN								Bulletin ATA:72
	MOS/MSC	-	28-Mar-18						67.8
	HRS		0						655.4
	ENC		0						544
SB PW600-72-66076	NO. 1 ENGINE - REPLACEMENT OF FUEL MANIFOLD, SERVICE BULLETIN								Bulletin ATA:72
	MOS/MSC	-							
	HRS								
	ENC								
SB PW600-72-66076	NO. 2 ENGINE - REPLACEMENT OF FUEL MANIFOLD, SERVICE BULLETIN								Bulletin ATA:72
	MOS/MSC	-							
	HRS								
	ENC								
SB PW600-72-66077	NO. 1 ENGINE - REPLACEMENT OF LPT VANE FIBER PACKING, SERVICE BULLETIN								Bulletin ATA:72
	MOS/MSC	-							
	HRS								
	ENC								
SB PW600-72-66077	NO. 2 ENGINE - REPLACEMENT OF LPT VANE FIBER PACKING, SERVICE BULLETIN								Bulletin ATA:72
	MOS/MSC	-							
	HRS								
	ENC								
SB PW600-72-66079 R01	NO. 1 ENGINE - REPLACEMENT OF NO. 4 BEARING CARBON SEAL, SERVICE BULLETIN								Bulletin ATA:72
	MOS/MSC	-							
	HRS								
	ENC								
SB PW600-72-66079 R01	NO. 2 ENGINE - REPLACEMENT OF NO. 4 BEARING CARBON SEAL, SERVICE BULLETIN								Bulletin ATA:72
	MOS/MSC	-							
	HRS								
	ENC								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 72 - ENGINE									
SB PW600-72-66080 R03	NO. 1 ENGINE - REPLACEMENT OF NO. 4 BEARING OIL PRESSURE TUBE, SERVICE BULLETIN							Bulletin	ATA:72
	MOS/MSC	-							
	HRS								
	ENC								
SB PW600-72-66080 R03	NO. 2 ENGINE - REPLACEMENT OF NO. 4 BEARING OIL PRESSURE TUBE, SERVICE BULLETIN							Bulletin	ATA:72
	MOS/MSC	-							
	HRS								
	ENC								
SB PW600-72-66080 R04	NO. 1 ENGINE - REPLACEMENT OF NO. 4 BEARING OIL PRESSURE TUBE, SERVICE BULLETIN							Bulletin	ATA:72
	MOS/MSC	-							
	HRS								
	ENC								
SB PW600-72-66080 R04	NO. 2 ENGINE - REPLACEMENT OF NO. 4 BEARING OIL PRESSURE TUBE, SERVICE BULLETIN							Bulletin	ATA:72
	MOS/MSC	-							
	HRS								
	ENC								
SB PW600-72-66081	NO. 1 ENGINE - REPLACEMENT OF HP TURBINE RETAINING RING, SERVICE BULLETIN							Bulletin	ATA:72
	MOS/MSC	-	EFF						
	HRS								
	ENC								
SB PW600-72-66081	NO. 2 ENGINE - REPLACEMENT OF HP TURBINE RETAINING RING, SERVICE BULLETIN							Bulletin	ATA:72
	MOS/MSC	-	EFF						
	HRS								
	ENC								
SB PW600-72-66081 R01	NO. 1 ENGINE - REPLACEMENT OF HP TURBINE RETAINING RING (SUPERSEDED BY SB PW600-72-66084), SERVICE BULLETIN							Bulletin	ATA:72
	MOS/MSC	-							
	HRS								
	ENC								
SB PW600-72-66081 R01	NO. 2 ENGINE - REPLACEMENT OF HP TURBINE RETAINING RING (SUPERSEDED BY SB PW600-72-66084), SERVICE BULLETIN							Bulletin	ATA:72
	MOS/MSC	-							
	HRS								
	ENC								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 72 - ENGINE									
SB PW600-72-66082	NO. 1 ENGINE - INSPECTION/REPAIR OF ELECTRONIC ENGINE CONTROL (EEC), SERVICE BULLETIN								Bulletin ATA:72
	MOS/MSC	-	EFF						
	HRS								
	ENC								
SB PW600-72-66082	NO. 2 ENGINE - INSPECTION/REPAIR OF ELECTRONIC ENGINE CONTROL (EEC), SERVICE BULLETIN								Bulletin ATA:72
	MOS/MSC	-	EFF						
	HRS								
	ENC								
SB PW600-72-66082 R01	NO. 1 ENGINE - INSPECTION/REPAIR OF ELECTRONIC ENGINE CONTROL (EEC), SERVICE BULLETIN								Bulletin ATA:72
	MOS/MSC	-	EFF						
	HRS								
	ENC								
SB PW600-72-66082 R01	NO. 2 ENGINE - INSPECTION/REPAIR OF ELECTRONIC ENGINE CONTROL (EEC), SERVICE BULLETIN								Bulletin ATA:72
	MOS/MSC	-	EFF						
	HRS								
	ENC								
SB PW600-72-66083	NO. 1 ENGINE - INSPECTION OF HIGH PRESSURE TURBINE VANE RETAINING RING BOLTS, SERVICE BULLETIN								Bulletin ATA:72
	MOS/MSC	-							
	HRS								
	ENC								
SB PW600-72-66083	NO. 2 ENGINE - INSPECTION OF HIGH PRESSURE TURBINE VANE RETAINING RING BOLTS, SERVICE BULLETIN								Bulletin ATA:72
	MOS/MSC	-							
	HRS								
	ENC								
SB PW600-72-66083 R01	NO. 1 ENGINE - INSPECTION OF HIGH PRESSURE TURBINE VANE RETAINING RING BOLTS, SERVICE BULLETIN								Bulletin ATA:72
	MOS/MSC	-							
	HRS								
	ENC								
SB PW600-72-66083 R01	NO. 2 ENGINE - INSPECTION OF HIGH PRESSURE TURBINE VANE RETAINING RING BOLTS, SERVICE BULLETIN								Bulletin ATA:72
	MOS/MSC	-							
	HRS								
	ENC								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 72 - ENGINE									
SB PW600-72-66084	NO. 1 ENGINE - REPLACEMENT OF HIGH PRESSURE TURBINE VANE RETAINING RING, SERVICE BULLETIN							Bulletin	ATA:72
	MOS/MSC	-							
	HRS								
	ENC								
SB PW600-72-66084	NO. 2 ENGINE - REPLACEMENT OF HIGH PRESSURE TURBINE VANE RETAINING RING, SERVICE BULLETIN							Bulletin	ATA:72
	MOS/MSC	-							
	HRS								
	ENC								
SB PW600-72-66085	NO. 1 ENGINE - REPLACEMENT OF NO. 3 ANNULAR BALL BEARING, SERVICE BULLETIN							Bulletin	ATA:72
	MOS/MSC	-							
	HRS								
	ENC								
SB PW600-72-66085	NO. 2 ENGINE - REPLACEMENT OF NO. 3 ANNULAR BALL BEARING, SERVICE BULLETIN							Bulletin	ATA:72
	MOS/MSC	-							
	HRS								
	ENC								
SB PW600-72-66086 R01	NO. 1 ENGINE - REPLACEMENT OF HPT VANE RETAINING RING BOLTS, SERVICE BULLETIN							Bulletin	ATA:72
	MOS/MSC	-							
	HRS								
	ENC								
SB PW600-72-66086 R01	NO. 2 ENGINE - REPLACEMENT OF HPT VANE RETAINING RING BOLTS, SERVICE BULLETIN							Bulletin	ATA:72
	MOS/MSC	-							
	HRS								
	ENC								
TCCA CF-2010-02	NO. 1 ENGINE - FUEL OIL HEAT EXCHANGER (FOHE) FUEL FILTER BYPASS VALVE WEAR							AD	ATA:72
	MOS/MSC	-	14-Jun-18					65.2	
	HRS								
	ENC								
TCCA CF-2010-02	NO. 2 ENGINE - FUEL OIL HEAT EXCHANGER (FOHE) FUEL FILTER BYPASS VALVE WEAR							AD	ATA:72
	MOS/MSC	-	14-Jun-18					65.2	
	HRS								
	ENC								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 73 - ENGINE FUEL AND CONTROL									
73-10-04-000-801	NO. 1 ENGINE - FUEL MANIFOLD								Component ATA:73
PN:35C5561-01	MOS		22-Jun-18	TSN 0				16-Sep-2025	65
SN:DEAAB18162	HRS	1750 (+50)	0	TSN 0	(1750) 1750	1800	1094.6 (+50)		655.4
	ENC		0	TSN 0					544
PROC. REF: GENERIC NO REF									
73-10-04-000-801	NO. 2 ENGINE - FUEL MANIFOLD								Component ATA:73
PN:35C5561-01	MOS		22-Jun-18	TSN 0				16-Sep-2025	65
SN:DEAAB18164	HRS	1750 (+50)	0	TSN 0	(1750) 1750	1800	1094.6 (+50)		655.4
	ENC		0	TSN 0					544
PROC. REF: GENERIC NO REF									
73-10-05-000-801 ^S	NO. 1 ENGINE - DISCARD THE FUEL FILTER								Service ATA:73
	MOS		06-Jun-19						53.5
	HRS	800 (+10%)	151.8						503.6
	ENC		121						423
PROC. REF: LMM 73-10-05, LMM 73-10-05									
									PKG:2
73-10-05-000-801 ^S	NO. 2 ENGINE - DISCARD THE FUEL FILTER								Service ATA:73
	MOS		06-Jun-19						53.5
	HRS	800 (+10%)	151.8						503.6
	ENC		121						423
PROC. REF: LMM 73-10-05, LMM 73-10-05									
									PKG:2
73-10-05-220-801	NO. 1 ENGINE - DETAILED INSPECT THE FUEL FILTER								Service ATA:73
	MOS	12 (+30d)	10-Jul-23		10-Jul-24	09-Aug-24	232 d (+30)	10-Jul-2024	4.4
	HRS		645.82						9.58
	ENC		536						8
PROC. REF: LMM 73-10-05									
73-10-05-220-801	NO. 2 ENGINE - DETAILED INSPECT THE FUEL FILTER								Service ATA:73
	MOS	12 (+30d)	10-Jul-23		10-Jul-24	09-Aug-24	232 d (+30)	10-Jul-2024	4.4
	HRS		645.82						9.58
	ENC		536						8
PROC. REF: LMM 73-10-05									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 73 - ENGINE FUEL AND CONTROL									
73-10-07-212-801 ^S		NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE FSOV CABLE						Service	ATA:73
	MOS	12 (+30d)	10-Jul-23					4.4	
	HRS	800 (+10%)	645.82					9.58	
	ENC		536					8	
PROC. REF: LMM 73-10-07									PKG:1
73-10-07-212-801 ^S		NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE FSOV CABLE						Service	ATA:73
	MOS	12 (+30d)	10-Jul-23					4.4	
	HRS	800 (+10%)	645.82					9.58	
	ENC		536					8	
PROC. REF: LMM 73-10-07									PKG:1
73-20-02-212-801 ^S		NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE ENGINE WIRING HARNESS						Service	ATA:73
	MOS	12 (+30d)	10-Jul-23					4.4	
	HRS	800 (+10%)	645.82					9.58	
	ENC		536					8	
PROC. REF: LMM 73-20-02									PKG:1
73-20-02-212-801 ^S		NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE ENGINE WIRING HARNESS						Service	ATA:73
	MOS	12 (+30d)	10-Jul-23					4.4	
	HRS	800 (+10%)	645.82					9.58	
	ENC		536					8	
PROC. REF: LMM 73-20-02									PKG:1
73-21-01		LH ENG FULL AUTHORITY DIGITAL FADEC						Component	ATA:73
PN:35C6423-01	MOS/MSC	O/C	06-Oct-21	TSN 40				25.5	
SN:2017071812	HRS		569.1	TSN 569.1				86.3	
	AFL		465	TSN 465				79	
PROC. REF: AMM 73-21-01, AMM 73-21-01									
73-21-01		RH ENG FULL AUTHORITY DIGITAL FADEC						Component	ATA:73
PN:1027691-1-001	MOS/MSC	O/C	06-Oct-21	TSR 0				25.5	
SN:2011080029	HRS		569.1	TSR 0				86.3	
	AFL		465	TSR 0				79	
PROC. REF: AMM 73-21-01, AMM 73-21-01									
73-21-03		NO.1 W203 FADEC CH A FUS CTRL HARNESS						Component	ATA:73
PN:500-22654-401	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:S8896691	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 73 - ENGINE FUEL AND CONTROL									
73-21-03	NO.2 W203 FADEC CH A FUS CTRL HARNESS							Component	ATA:73
PN:500-22654-401	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:S8896690	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
73-30-02-212-801 ^S	NO. 1 ENGINE - VISUAL CHECK OF THE FUEL FILTER BYPASS INDICATOR POPUP BUTTON							Service	ATA:73
	MOS	12 (+30d)	10-Jul-23					4.4	
	HRS	800 (+10%)	645.82					9.58	
	ENC		536					8	
PROC. REF: LMM 73-30-02									
								PKG:1	
73-30-02-212-801 ^S	NO. 2 ENGINE - VISUAL CHECK OF THE FUEL FILTER BYPASS INDICATOR POPUP BUTTON							Service	ATA:73
	MOS	12 (+30d)	10-Jul-23					4.4	
	HRS	800 (+10%)	645.82					9.58	
	ENC		536					8	
PROC. REF: LMM 73-30-02									
								PKG:1	
73-30-02-215-801 ^S	NO. 1 ENGINE - DETAILED INSPECTION OF THE FUEL FILTER BYPASS INDICATOR							Service	ATA:73
	MOS	12 (+30d)	10-Jul-23					4.4	
	HRS	800 (+10%)	645.82					9.58	
	ENC		536					8	
PROC. REF: LMM 73-30-02									
								PKG:1	
73-30-02-215-801 ^S	NO. 2 ENGINE - DETAILED INSPECTION OF THE FUEL FILTER BYPASS INDICATOR							Service	ATA:73
	MOS	12 (+30d)	10-Jul-23					4.4	
	HRS	800 (+10%)	645.82					9.58	
	ENC		536					8	
PROC. REF: LMM 73-30-02									
								PKG:1	
73-33-01	LH ENG FUEL FLOW METER							Component	ATA:73
PN:8TJ300AAF2	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:DT7692J	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 73-33-01, AMM 73-33-01									
73-33-01	RH ENG FUEL FLOW METER							Component	ATA:73
PN:8TJ300AAF2	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:DT7691J	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 73-33-01, AMM 73-33-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 73 - ENGINE FUEL AND CONTROL									
731002	NO. 1 ENGINE - FUEL TO OIL HEAT EXCHANGER								Component ATA:73
PN:35C4540-04	MOS		22-Jun-18	TSN 0				16-Aug-2028	65
SN:WA57146	HRS	3500 (+100)	0	TSN 0	(3500) 3500	3600	2844.6 (+100)		655.4
	ENC		0	TSN 0					544
PROC. REF: LMM 73-10-02, LMM 73-10-02									
731002	NO. 2 ENGINE - FUEL TO OIL HEAT EXCHANGER								Component ATA:73
PN:35C4540-04	MOS		22-Jun-18	TSN 0				16-Aug-2028	65
SN:WA57155	HRS	3500 (+100)	0	TSN 0	(3500) 3500	3600	2844.6 (+100)		655.4
	ENC		0	TSN 0					544
PROC. REF: LMM 73-10-02, LMM 73-10-02									
732101	NO. 1 ENGINE - FUEL METERING UNIT								Component ATA:73
PN:35C6432-01	MOS		22-Jun-18	TSN 0				16-Aug-2028	65
SN:F84537	HRS	3500 (+100)	0	TSN 0	(3500) 3500	3600	2844.6 (+100)		655.4
	ENC		0	TSN 0					544
PROC. REF: LMM 73-20-01, LMM 73-20-01									
732101	NO. 2 ENGINE - FUEL METERING UNIT								Component ATA:73
PN:35C6432-01	MOS		22-Jun-18	TSN 0				16-Aug-2028	65
SN:F83411	HRS	3500 (+100)	0	TSN 0	(3500) 3500	3600	2844.6 (+100)		655.4
	ENC		0	TSN 0					544
PROC. REF: LMM 73-20-01, LMM 73-20-01									
732110	NO. 1 ENGINE - ENGINE ELECTRICAL WIRING HARNESS - DO A SPECIAL DETAILEDINSPECTION								Service ATA:73
	MOS		22-Jun-18					16-Aug-2028	65
	HRS	3500 (+100)	0		(3500) 3500	3600	2844.6 (+100)		655.4
	ENC		0						544
PROC. REF: GENERIC NO REF									
732110	NO. 2 ENGINE - ENGINE ELECTRICAL WIRING HARNESS - DO A SPECIAL DETAILEDINSPECTION								Service ATA:73
	MOS		22-Jun-18					16-Aug-2028	65
	HRS	3500 (+100)	0		(3500) 3500	3600	2844.6 (+100)		655.4
	ENC		0						544
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 73 - ENGINE FUEL AND CONTROL									
732244	NO. 1 ENGINE - ENGINE ELECTRONIC CONTROL								Component ATA:73
PN:35C6423-01	MOS/MSC	O/C	11-Aug-21	TSN 38, TSR 0					27.3
SN:2017071812	HRS		534.2	TSN 534.2, TSR 0					121.2
	ENC		447	TSN 447, TSR 0					97
PROC. REF: LMM 73-20-03, LMM 73-20-03									
732244	NO. 2 ENGINE - ENGINE ELECTRONIC CONTROL								Component ATA:73
PN:35C6423-01	MOS/MSC	O/C	11-Aug-21	TSN 38, TSR 0					27.3
SN:2017061095	HRS		534.2	TSN 534.2, TSR 0					121.2
	ENC		447	TSN 447, TSR 0					97
PROC. REF: LMM 73-20-03, LMM 73-20-03									
733020	NO. 1 ENGINE - FUEL FILTER IMPENDING BYPASS INDICATOR - DO A VISUAL INSPECTION AND FUNCTIONAL TEST								Service ATA:73
	MOS		22-Jun-18					16-Aug-2028	65
	HRS	3500 (+100)	0		(3500) 3500	3600	2844.6 (+100)		655.4
	ENC		0						544
PROC. REF: LMM 73-30-01, LMM 73-30-01									
733020	NO. 2 ENGINE - FUEL FILTER IMPENDING BYPASS INDICATOR - DO A VISUAL INSPECTION AND FUNCTIONAL TEST								Service ATA:73
	MOS		22-Jun-18					16-Aug-2028	65
	HRS	3500 (+100)	0		(3500) 3500	3600	2844.6 (+100)		655.4
	ENC		0						544
PROC. REF: LMM 73-30-01, LMM 73-30-01									
733030	NO. 1 ENGINE - FUEL FILTER BYPASS INDICATOR (POP-UP) - DO A VISUAL INSPECTION AND FUNCTIONAL TEST								Service ATA:73
	MOS		22-Jun-18					16-Aug-2028	65
	HRS	3500 (+100)	0		(3500) 3500	3600	2844.6 (+100)		655.4
	ENC		0						544
PROC. REF: LMM 73-30-02, LMM 73-30-02									
733030	NO. 2 ENGINE - FUEL FILTER BYPASS INDICATOR (POP-UP) - DO A VISUAL INSPECTION AND FUNCTIONAL TEST								Service ATA:73
	MOS		22-Jun-18					16-Aug-2028	65
	HRS	3500 (+100)	0		(3500) 3500	3600	2844.6 (+100)		655.4
	ENC		0						544
PROC. REF: LMM 73-30-02, LMM 73-30-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 73 - ENGINE FUEL AND CONTROL									
SB 500-73-0001	ENGINE FUEL AND CONTROL - NEW FADEC (FULL AUTHORITY DIGITAL ENGINECONTROL) SOFTWARE UPGRADE - VERSION 4.0, SERVICE BULLETIN							Bulletin	ATA:73
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-73-0002 REV 02	ENGINE FUEL AND CONTROL - NEW FADEC (FULL AUTHORITY DIGITAL ENGINE CONTROL) SOFTWARE UPGRADE - VERSION 5.3 (SUPERSEDED BY SB 500-73-0003 REV 03), SERVICE BULLETIN							Bulletin	ATA:73
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-73-0003 REV 03	ENGINE FUEL AND CONTROL - NEW FADEC (FULL AUTHORITY DIGITAL ENGINE CONTROL) SOFTWARE VERSION 5.5 REPLACEMENT, SERVICE BULLETIN							Bulletin	ATA:73
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-73-0003 REV 03 PART I	UPLOAD ENGINE FUEL AND CONTROL - NEW FADEC (FULL AUTHORITY DIGITAL ENGINE CONTROL) SOFTWARE VERSION 5.5 REPLACEMENT, SERVICE BULLETIN FADEC SOFTWARE VERSION 5.5							Bulletin	ATA:73
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-73-0003 REV 03 PART II	INSTALLATION ENGINE FUEL AND CONTROL - NEW FADEC (FULL AUTHORITY DIGITAL ENGINE CONTROL) SOFTWARE VERSION 5.5 REPLACEMENT, SERVICE BULLETIN OF ENHANCED TAKE-OFF PLACARD							Bulletin	ATA:73
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-73-0004	ENGINE FUEL AND CONTROL - TAKEOFF PLACARD INSPECTION / REPLACEMENT, SERVICE BULLETIN							Bulletin	ATA:73
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	
SB 500-73-0005 REV 01	ENGINE FUEL AND CONTROL - CONVERSION FROM STANDARD TAKEOFF CONFIGURATION TO ENHANCED TAKEOFF CONFIGURATION, SERVICE BULLETIN							Bulletin	ATA:73
	MOS/MSC	-	22-Jun-18					65	
	HRS		0					655.4	
	AFL		0					544	

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 73 - ENGINE FUEL AND CONTROL									
SB 500-73-0005 REV 02	ENGINE FUEL AND CONTROL - CONVERSION FROM STANDARD TAKEOFF CONFIGURATION TO ENHANCED TAKEOFF CONFIGURATION, SERVICE BULLETIN							Bulletin	ATA:73
	MOS/MSC	-	23-Dec-22						10.9
	HRS		639.6						15.8
	AFL		528						16
SB 500-73-0005 REV 03	ENGINE FUEL AND CONTROL - CONVERSION FROM STANDARD TAKEOFF CONFIGURATION TO ENHANCED TAKEOFF CONFIGURATION, SERVICE BULLETIN							Bulletin	ATA:73
	MOS/MSC	-							
	HRS								
	AFL								
SB 500-73-0005 REV 04	ENGINE FUEL AND CONTROL - CONVERSION FROM STANDARD TAKEOFF CONFIGURATION TO ENHANCED TAKEOFF CONFIGURATION, SERVICE BULLETIN							Bulletin	ATA:73
	MOS/MSC	-							
	HRS								
	AFL								
SB PW600-73-66082 R02	NO. 1 ENGINE - INSPECTION/REPAIR OF ELECTRONIC ENGINE CONTROL (EEC), SERVICE BULLETIN							Bulletin	ATA:73
	MOS/MSC	T:HSI	EBT				NEW REQMT		
	HRS								
	ENC								
SB PW600-73-66082 R02	NO. 2 ENGINE - INSPECTION/REPAIR OF ELECTRONIC ENGINE CONTROL (EEC), SERVICE BULLETIN							Bulletin	ATA:73
	MOS/MSC	T:HSI	EBT				NEW REQMT		
	HRS								
	ENC								
ATA 74 - IGNITION									
74-00-01-720-801 ^S	NO. 1 ENGINE - DO A FUNCTIONAL TEST OF THE IGNITION SYSTEM							Service	ATA:74
	MOS	12 (+30d)	10-Jul-23						4.4
	HRS	800 (+10%)	645.82						9.58
	ENC		536						8
				PROC. REF: LMM 74-00-01					PKG:1
74-00-01-720-801 ^S	NO. 2 ENGINE - DO A FUNCTIONAL TEST OF THE IGNITION SYSTEM							Service	ATA:74
	MOS	12 (+30d)	10-Jul-23						4.4
	HRS	800 (+10%)	645.82						9.58
	ENC		536						8
				PROC. REF: LMM 74-00-01					PKG:1

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 74 - IGNITION									
74-10-01-212-801 ^S		NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE IGNITION EXCITER						Service	ATA:74
	MOS	12 (+30d)	10-Jul-23					4.4	
	HRS	800 (+10%)	645.82					9.58	
	ENC		536					8	
PROC. REF: LMM 74-10-01									PKG:1
74-10-01-212-801 ^S		NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE IGNITION EXCITER						Service	ATA:74
	MOS	12 (+30d)	10-Jul-23					4.4	
	HRS	800 (+10%)	645.82					9.58	
	ENC		536					8	
PROC. REF: LMM 74-10-01									PKG:1
74-20-01-212-801 ^S		NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE IGNITION CABLES						Service	ATA:74
	MOS	12 (+30d)	10-Jul-23					4.4	
	HRS	800 (+10%)	645.82					9.58	
	ENC		536					8	
PROC. REF: LMM 74-20-01									PKG:1
74-20-01-212-801 ^S		NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE IGNITION CABLES						Service	ATA:74
	MOS	12 (+30d)	10-Jul-23					4.4	
	HRS	800 (+10%)	645.82					9.58	
	ENC		536					8	
PROC. REF: LMM 74-20-01									PKG:1
74-20-02-220-801 ^S		NO. 1 ENGINE - INSPECT THE IGNITION IGNITERS						Service	ATA:74
	MOS	12 (+30d)	10-Jul-23					4.4	
	HRS	800 (+10%)	645.82					9.58	
	ENC		536					8	
PROC. REF: LMM 74-20-02, LMM 74-20-02									PKG:1
74-20-02-220-801 ^S		NO. 2 ENGINE - INSPECT THE IGNITION IGNITERS						Service	ATA:74
	MOS	12 (+30d)	10-Jul-23					4.4	
	HRS	800 (+10%)	645.82					9.58	
	ENC		536					8	
PROC. REF: LMM 74-20-02, LMM 74-20-02									PKG:1
741001		NO. 1 ENGINE - IGNITION EXCITER						Component	ATA:74
PN:35C5472-02	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:WDA136189	HRS		0	TSN 0				655.4	
	ENC		0	TSN 0				544	
PROC. REF: LMM 74-10-01, LMM 74-10-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 74 - IGNITION									
741001	NO. 2 ENGINE - IGNITION EXCITER								Component ATA:74
PN:35C5472-02	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:WDA135468	HRS		0	TSN 0					655.4
	ENC		0	TSN 0					544
PROC. REF: LMM 74-10-01, LMM 74-10-01									
741010	NO. 1 ENGINE - IGNITION EXCITER - DO A GENERAL VISUAL INSPECTION								Service ATA:74
	MOS		22-Jun-18					16-Aug-2028	65
	HRS	3500 (+100)	0		(3500) 3500	3600	2844.6 (+100)		655.4
	ENC		0						544
PROC. REF: LMM 74-10-01									
741010	NO. 2 ENGINE - IGNITION EXCITER - DO A GENERAL VISUAL INSPECTION								Service ATA:74
	MOS		22-Jun-18					16-Aug-2028	65
	HRS	3500 (+100)	0		(3500) 3500	3600	2844.6 (+100)		655.4
	ENC		0						544
PROC. REF: LMM 74-10-01									
741020	NO. 1 ENGINE - LEFT IGNITER CABLE - DO A VISUAL INSPECTION AND FUNCTIONAL TEST								Service ATA:74
	MOS		22-Jun-18					16-Aug-2028	65
	HRS	3500 (+100)	0		(3500) 3500	3600	2844.6 (+100)		655.4
	ENC		0						544
PROC. REF: LMM 74-20-01, LMM 74-20-01									
741020	NO. 2 ENGINE - LEFT IGNITER CABLE - DO A VISUAL INSPECTION AND FUNCTIONAL TEST								Service ATA:74
	MOS		22-Jun-18					16-Aug-2028	65
	HRS	3500 (+100)	0		(3500) 3500	3600	2844.6 (+100)		655.4
	ENC		0						544
PROC. REF: LMM 74-20-01, LMM 74-20-01									
741030	NO. 1 ENGINE - RIGHT IGNITER CABLE - DO A VISUAL INSPECTION AND FUNCTIONAL TEST								Service ATA:74
	MOS		22-Jun-18					16-Aug-2028	65
	HRS	3500 (+100)	0		(3500) 3500	3600	2844.6 (+100)		655.4
	ENC		0						544
PROC. REF: LMM 74-20-01, LMM 74-20-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 74 - IGNITION									
741030	NO. 2 ENGINE - RIGHT IGNITER CABLE - DO A VISUAL INSPECTION AND FUNCTIONAL TEST								Service ATA:74
	MOS		22-Jun-18					16-Aug-2028	65
	HRS	3500 (+100)	0		(3500) 3500	3600	2844.6 (+100)		655.4
	ENC		0						544
PROC. REF: LMM 74-20-01, LMM 74-20-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 75 - AIR									
75-30-01-212-801 ^S		NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE BVA						Service	ATA:75
	MOS	12 (+30d)	10-Jul-23					4.4	
	HRS	800 (+10%)	645.82					9.58	
	ENC		536					8	
PROC. REF: LMM 75-30-01									PKG:1
75-30-01-212-801 ^S		NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE BVA						Service	ATA:75
	MOS	12 (+30d)	10-Jul-23					4.4	
	HRS	800 (+10%)	645.82					9.58	
	ENC		536					8	
PROC. REF: LMM 75-30-01									PKG:1
75-30-01-830-801 ^S		NO. 1 ENGINE - RIGGING THE BLEED VALVE ACTUATOR (BVA)						Service	ATA:75
PN:35C2851-02	MOS/MSC	A/R	22-Jun-18					65	
SN:21089345	HRS		0					655.4	
	ENC		0					544	
PROC. REF: MM 75-30-01									
75-30-01-830-801 ^S		NO. 2 ENGINE - RIGGING THE BLEED VALVE ACTUATOR (BVA)						Service	ATA:75
PN:35C2851-02	MOS/MSC	A/R	22-Jun-18					65	
SN:21081962	HRS		0					655.4	
	ENC		0					544	
PROC. REF: MM 75-30-01									
751003		NO. 1 ENGINE - BLEED VALVE ACTUATOR						Component	ATA:75
PN:35C2851-02	MOS		22-Jun-18	TSN 0			16-Aug-2028	65	
SN:21089345	HRS	3500 (+100)	0	TSN 0	(3500) 3500	3600	2844.6 (+100)	655.4	
	ENC		0	TSN 0				544	
PROC. REF: LMM 75-30-01, LMM 75-30-01									
751003		NO. 2 ENGINE - BLEED VALVE ACTUATOR						Component	ATA:75
PN:35C2851-02	MOS		22-Jun-18	TSN 0			16-Aug-2028	65	
SN:21081962	HRS	3500 (+100)	0	TSN 0	(3500) 3500	3600	2844.6 (+100)	655.4	
	ENC		0	TSN 0				544	
PROC. REF: LMM 75-30-01, LMM 75-30-01									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 76 - ENGINE CONTROLS									
76-11-03	THROTTLE CONTROL QUADRANT ASSEMBLY							Component	ATA:76
PN:6990010-11	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:1911	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: GENERIC NO REF									
ATA 77 - ENGINE INDICATING									
77-20-02-212-801 ^S	NO. 1 ENGINE - GENERAL VISUAL INSPECTION OF THE T6 TEMPERATURE INDICATING SYSTEM							Service	ATA:77
	MOS	12 (+30d)	10-Jul-23					4.4	
	HRS	800 (+10%)	645.82					9.58	
	ENC		536					8	
PROC. REF: LMM 77-20-02									
								PKG:1	
77-20-02-212-801 ^S	NO. 2 ENGINE - GENERAL VISUAL INSPECTION OF THE T6 TEMPERATURE INDICATING SYSTEM							Service	ATA:77
	MOS	12 (+30d)	10-Jul-23					4.4	
	HRS	800 (+10%)	645.82					9.58	
	ENC		536					8	
PROC. REF: LMM 77-20-02									
								PKG:1	
77-20-02-215-801	NO. 1 ENGINE - ELECTRICAL FUNCTIONAL CHECK OF THE T6 THERMOCOUPLE SYSTEM (ON AIRCRAFT)							Service	ATA:77
	MOS/MSC	A/R	22-Jun-18					65	
	HRS		0					655.4	
	ENC		0					544	
PROC. REF: MM 77-20-02									
77-20-02-215-801	NO. 2 ENGINE - ELECTRICAL FUNCTIONAL CHECK OF THE T6 THERMOCOUPLE SYSTEM (ON AIRCRAFT)							Service	ATA:77
	MOS/MSC	A/R	22-Jun-18					65	
	HRS		0					655.4	
	ENC		0					544	
PROC. REF: MM 77-20-02									
77-20-02-710-801	NO. 1 ENGINE - OPERATIONAL CHECK OF THE T6 TEMPERATURE INDICATING SYSTEM							Service	ATA:77
	MOS	36 (+30d)	11-Aug-21		11-Aug-24	10-Sep-24	264 d (+30)	11-Aug-2024	27.3
	HRS	1750 (+50)	534.2		(2284.2) 2284.2	2334.2	1628.8 (+50)		121.2
	ENC		447						97
PROC. REF: LMM 77-20-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 77 - ENGINE INDICATING									
77-20-02-710-801	NO. 2 ENGINE - OPERATIONAL CHECK OF THE T6 TEMPERATURE INDICATING SYSTEM								Service ATA:77
	MOS	36 (+30d)	11-Aug-21		11-Aug-24	10-Sep-24	264 d (+30)	11-Aug-2024	27.3
	HRS	1750 (+50)	534.2		(2284.2) 2284.2	2334.2	1628.8 (+50)		121.2
	ENC		447						97
PROC. REF: LMM 77-20-02									
77-20-02-750-801	NO. 1 ENGINE - FUNCTIONAL TEST OF THE T6 THERMOCOUPLE WIRING HARNESS ASSEMBLY (REMOVED)								Service ATA:77
	MOS/MSC	A/R	22-Jun-18						65
	HRS		0						655.4
	ENC		0						544
PROC. REF: MM 77-20-02									
77-20-02-750-801	NO. 2 ENGINE - FUNCTIONAL TEST OF THE T6 THERMOCOUPLE WIRING HARNESS ASSEMBLY (REMOVED)								Service ATA:77
	MOS/MSC	A/R	22-Jun-18						65
	HRS		0						655.4
	ENC		0						544
PROC. REF: MM 77-20-02									
772010	NO. 1 ENGINE - T6 THERMOCOUPLE HARNESS ASSEMBLY - DO A VISUAL INSPECTION AND FUNCTIONAL TEST								Service ATA:77
	MOS		22-Jun-18					16-Aug-2028	65
	HRS	3500 (+100)	0		(3500) 3500	3600	2844.6 (+100)		655.4
	ENC		0						544
PROC. REF: LMM 77-20-02, LMM 77-20-02									
772010	NO. 2 ENGINE - T6 THERMOCOUPLE HARNESS ASSEMBLY - DO A VISUAL INSPECTION AND FUNCTIONAL TEST								Service ATA:77
	MOS		22-Jun-18					16-Aug-2028	65
	HRS	3500 (+100)	0		(3500) 3500	3600	2844.6 (+100)		655.4
	ENC		0						544
PROC. REF: LMM 77-20-02, LMM 77-20-02									
772103	NO. 1 ENGINE - DATA COLLECTION UNIT								Component ATA:77
PN:35C5709-02	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:18057795	HRS		0	TSN 0					655.4
	ENC		0	TSN 0					544
PROC. REF: GENERIC NO REF									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 77 - ENGINE INDICATING									
772103	NO. 2 ENGINE - DATA COLLECTION UNIT								Component ATA:77
PN:35C5709-02	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:18057446	HRS		0	TSN 0					655.4
	ENC		0	TSN 0					544
PROC. REF: GENERIC NO REF									
772110	NO. 1 ENGINE - DO A DCU INTEGRITY VERIFACTION								Service ATA:77
	MOS		22-Jun-18					16-Aug-2028	65
	HRS	3500 (+100)	0		(3500) 3500	3600	2844.6 (+100)		655.4
	ENC		0						544
PROC. REF: LMM 77-40-01, LMM 77-40-01									
772110	NO. 2 ENGINE - DO A DCU INTEGRITY VERIFACTION								Service ATA:77
	MOS		22-Jun-18					16-Aug-2028	65
	HRS	3500 (+100)	0		(3500) 3500	3600	2844.6 (+100)		655.4
	ENC		0						544
PROC. REF: LMM 77-40-01, LMM 77-40-01									
ATA 79 - OIL									
79-00-00-640-803	NO. 1 ENGINE - OIL CHANGE INTERVAL								Service ATA:79
	MOS/MSC	A/R	22-Jun-18						65
	HRS		0						655.4
	ENC		0						544
PROC. REF: LMM 72-00-00									
79-00-00-640-803	NO. 2 ENGINE - OIL CHANGE INTERVAL								Service ATA:79
	MOS/MSC	A/R	22-Jun-18						65
	HRS		0						655.4
	ENC		0						544
PROC. REF: LMM 72-00-00									
79-20-01-000-801 ^S	NO. 1 ENGINE - DISCARD OIL FILTER								Service ATA:79
	MOS		27-Oct-22						12.8
	HRS	800 (+10%)	633.03						22.37
	ENC		524						20
PROC. REF: LMM 79-20-01, LMM 79-20-01									
									PKG:2

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 79 - OIL									
79-20-01-000-801 ^S	NO. 2 ENGINE - DISCARD OIL FILTER								Service ATA:79
	MOS			27-Oct-22					12.8
	HRS	800 (+10%)		633.03					22.37
	ENC			524					20
PROC. REF: LMM 79-20-01, LMM 79-20-01									PKG:2
79-20-03-000-805-A	NO. 1 ENGINE - DISCARD THE NO. 4 BEARING OIL-PRESSURE TUBE								Component ATA:79
PN:PN	MOS			22-Jun-18	TSN 0			16-Sep-2025	65
SN:UNKNOWN	HRS	1750 (+50)	0	TSN 0	(1750) 1750	1800	1094.6 (+50)		655.4
	ENC		0	TSN 0					544
PROC. REF: LMM 79-20-03, LMM 79-20-03									
79-20-03-000-805-A	NO. 2 ENGINE - DISCARD THE NO. 4 BEARING OIL-PRESSURE TUBE								Component ATA:79
PN:PN	MOS			22-Jun-18	TSN 0			16-Sep-2025	65
SN:UNKNOWN	HRS	1750 (+50)	0	TSN 0	(1750) 1750	1800	1094.6 (+50)		655.4
	ENC		0	TSN 0					544
PROC. REF: LMM 79-20-03, LMM 79-20-03									
79-30-01-720-801 ^S	NO. 1 ENGINE - OPERATIONAL CHECK OF THE CHIP DETECTOR								Service ATA:79
	MOS	12 (+30d)		10-Jul-23					4.4
	HRS	800 (+10%)		645.82					9.58
	ENC			536					8
PROC. REF: GENERIC NO REF									PKG:1
79-30-01-720-801 ^S	NO. 2 ENGINE - OPERATIONAL CHECK OF THE CHIP DETECTOR								Service ATA:79
	MOS	12 (+30d)		10-Jul-23					4.4
	HRS	800 (+10%)		645.82					9.58
	ENC			536					8
PROC. REF: GENERIC NO REF									PKG:1
79-30-02-210-802 ^S	NO. 1 ENGINE - VISUAL CHECK OF THE OIL FILTER IMPENDING BYPASS INDICATOR POPUP BUTTON								Service ATA:79
	MOS	12 (+30d)		10-Jul-23					4.4
	HRS	800 (+10%)		645.82					9.58
	ENC			536					8
PROC. REF: LMM 79-30-02									PKG:1

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 79 - OIL									
79-30-02-210-802 ^S		NO. 2 ENGINE - VISUAL CHECK OF THE OIL FILTER IMPENDING BYPASS INDICATOR POPUP BUTTON						Service	ATA:79
	MOS	12 (+30d)	10-Jul-23					4.4	
	HRS	800 (+10%)	645.82					9.58	
	ENC		536					8	
PROC. REF: LMM 79-30-02									PKG:1
79-30-02-215-801 ^S		NO. 1 ENGINE - DETAILED INSPECTION OF THE OIL FILTER IMPENDING BYPASS INDICATOR						Service	ATA:79
	MOS	12 (+30d)	10-Jul-23					4.4	
	HRS	800 (+10%)	645.82					9.58	
	ENC		536					8	
PROC. REF: LMM 79-30-02									PKG:1
79-30-02-215-801 ^S		NO. 2 ENGINE - DETAILED INSPECTION OF THE OIL FILTER IMPENDING BYPASS INDICATOR						Service	ATA:79
	MOS	12 (+30d)	10-Jul-23					4.4	
	HRS	800 (+10%)	645.82					9.58	
	ENC		536					8	
PROC. REF: LMM 79-30-02									PKG:1
79-31-01		LH ENG OIL TEMPERATURE PRESSURE SENSOR						Component	ATA:79
PN:PT9903-275-40012	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:2018-3160	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 79-31-01, AMM 79-31-01									
79-31-01		RH ENG OIL TEMPERATURE PRESSURE SENSOR						Component	ATA:79
PN:PT9903-275-40012	MOS/MSC	O/C	22-Jun-18	TSN 0				65	
SN:2018-3152	HRS		0	TSN 0				655.4	
	AFL		0	TSN 0				544	
PROC. REF: AMM 79-31-01, AMM 79-31-01									
792007		NO. 1 ENGINE - AIR COOLED OIL COOLER						Component	ATA:79
PN:35C2495-05	MOS		22-Jun-18	TSN 0			16-Aug-2028	65	
SN:WA57055	HRS	3500 (+100)	0	TSN 0	(3500) 3500	3600	2844.6 (+100)	655.4	
	ENC		0	TSN 0				544	
PROC. REF: LMM 79-20-03, LMM 79-20-03, LMM 79-20-07, LMM 79-20-07									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 79 - OIL									
792007	NO. 2 ENGINE - AIR COOLED OIL COOLER								Component ATA:79
PN:35C2495-05	MOS		22-Jun-18	TSN 0				16-Aug-2028	65
SN:WA56983	HRS	3500 (+100)	0	TSN 0	(3500) 3500	3600	2844.6 (+100)		655.4
	ENC		0	TSN 0					544
PROC. REF: LMM 79-20-03, LMM 79-20-03, LMM 79-20-07, LMM 79-20-07									
792010	NO. 1 ENGINE - P3 AIR COOLER ASSEMBLY								Component ATA:79
PN:35C6217-01	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:RWA42F350	HRS		0	TSN 0					655.4
	ENC		0	TSN 0					544
PROC. REF: GENERIC NO REF									
792010	NO. 2 ENGINE - P3 AIR COOLER ASSEMBLY								Component ATA:79
PN:35C6217-01	MOS/MSC	O/C	22-Jun-18	TSN 0					65
SN:RWA42F349	HRS		0	TSN 0					655.4
	ENC		0	TSN 0					544
PROC. REF: GENERIC NO REF									
793010	NO. 1 ENGINE - CHIP DETECTOR - DO A VISUAL INSPECTION AND FUNCTIONAL TEST								Service ATA:79
	MOS		22-Jun-18					16-Aug-2028	65
	HRS	3500 (+100)	0		(3500) 3500	3600	2844.6 (+100)		655.4
	ENC		0						544
PROC. REF: LMM 79-30-01, LMM 79-30-01									
793010	NO. 2 ENGINE - CHIP DETECTOR - DO A VISUAL INSPECTION AND FUNCTIONAL TEST								Service ATA:79
	MOS		22-Jun-18					16-Aug-2028	65
	HRS	3500 (+100)	0		(3500) 3500	3600	2844.6 (+100)		655.4
	ENC		0						544
PROC. REF: LMM 79-30-01, LMM 79-30-01									
793020	NO. 1 ENGINE - OIL FILTER IMPENDING BYPASS INDICATOR (POP-UP) - DO A DETAIL INSPECTION AND FUNCTIONAL TEST								Service ATA:79
	MOS		22-Jun-18					16-Aug-2028	65
	HRS	3500 (+100)	0		(3500) 3500	3600	2844.6 (+100)		655.4
	ENC		0						544
PROC. REF: LMM 79-30-02, LMM 79-30-02									

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 79 - OIL									
793020	NO. 2 ENGINE - OIL FILTER IMPENDING BYPASS INDICATOR (POP-UP) - DO A DETAIL INSPECTION AND FUNCTIONAL TEST								Service ATA:79
	MOS		22-Jun-18					16-Aug-2028	65
	HRS	3500 (+100)	0		(3500) 3500	3600	2844.6 (+100)		655.4
	ENC		0						544
PROC. REF: LMM 79-30-02, LMM 79-30-02									
SB PW600-79-66040 R04	NO. 1 ENGINE - REPLACEMENT OF P3 AIR AND OIL FAIRING ASSEMBLY, SERVICE BULLETIN								Bulletin ATA:79
	MOS/MSC	-							
	HRS								
	ENC								
SB PW600-79-66040 R04	NO. 2 ENGINE - REPLACEMENT OF P3 AIR AND OIL FAIRING ASSEMBLY, SERVICE BULLETIN								Bulletin ATA:79
	MOS/MSC	-							
	HRS								
	ENC								
SIL GEN-153 R08	NO. 1 ENGINE - P&WC'S OIL ANALYSIS TECHNOLOGY SERVICE LOGISTICS INFORMATION, SERVICE INFORMATION LETTER								Bulletin ATA:79
	MOS/MSC	-							
	HRS								
	ENC								
SIL GEN-153 R08	NO. 2 ENGINE - P&WC'S OIL ANALYSIS TECHNOLOGY SERVICE LOGISTICS INFORMATION, SERVICE INFORMATION LETTER								Bulletin ATA:79
	MOS/MSC	-							
	HRS								
	ENC								
SIL GEN-153 R09	NO. 1 ENGINE - P&WC'S OIL ANALYSIS TECHNOLOGY SERVICE LOGISTICS INFORMATION, SERVICE INFORMATION LETTER								Bulletin ATA:79
	MOS/MSC	-							
	HRS								
	ENC								
SIL GEN-153 R09	NO. 2 ENGINE - P&WC'S OIL ANALYSIS TECHNOLOGY SERVICE LOGISTICS INFORMATION, SERVICE INFORMATION LETTER								Bulletin ATA:79
	MOS/MSC	-							
	HRS								
	ENC								
SIL GEN-153 R10	NO. 1 ENGINE - P&WC'S OIL ANALYSIS TECHNOLOGY SERVICE LOGISTICS INFORMATION, SERVICE INFORMATION LETTER								Bulletin ATA:79
	MOS/MSC	T:A/R							
	HRS								
	ENC								

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task



Camp

Model: PHENOM 100EV Serial: 50000396 RegNo: T7-LBH HRS: 655.4 AFL: 544 As Of: 01-Nov-2023

21-Nov-2023 05:17 AM

PN & SN	Unit	Interval	C/W	TSX/Adj.	Next Due (ENG/APU) A/C	Max Limit	Remaining	Est. Due	Time Accrued
ATA 79 - OIL									
SIL GEN-153 R10	NO. 2 ENGINE - P&WC'S OIL ANALYSIS TECHNOLOGY SERVICE LOGISTICS INFORMATION, SERVICE INFORMATION LETTER								Bulletin ATA:79
	MOS/MSC	T:A/R							
	HRS								
	ENC								
ATA 92 - UNKNOWN									
FAA 2011-01-04	INSTALL CLAMPS AND PROTECTION SLEEVES TO HARNESS W101 WITHIN THE COCKPIT AREA AND REWORK STRUCTURES TO ELIMINATE THE FRETTING SPOTS OF THE HARNESS WITH THE MAIN DOOR LOCKING MECHANISM AND WITH THE OXYGEN TUBE								AD ATA:92
	MOS/MSC	-	22-Jun-18						65
	HRS		0						655.4
	AFL		0						544

?-Insufficient Information S-Suppressed Requirement *-Estimated Due(New Requirement) (EFF)-Effective C/W (M)-Manual Due U-User Task Ex-Excluded Task